


INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552(B)(6)


WI
TECH 2.0

CONFIGURATION REPORT

Vehicle 2024 JEEP WRANGLER 2.0L I4 DOHC DI TURBO PHEV ENGINE
VIN [REDACTED]

Odometer 377.7 miles
Publication Date Jan 31, 2024, 10:52:49 AM

ECU SUMMARY INFO

ECU	NAME	BUS TYPE	FLASH PART #	CURRENT VIN	ORIGINAL VIN	PART #
TCM	Transmission Control Module	CAN-C	68628404AD	[REDACTED]	[REDACTED]	68628404AD
PCM	Powertrain Control Module	CAN C	68626212AF	[REDACTED]	[REDACTED]	68626212AF
ICS	Integrated Center Stack	CAN-I	6SX94DX9AE	[REDACTED]	[REDACTED]	6SX94DX9AE
RFH	Radio Frequency Hub	CAN C	68583990AB	[REDACTED]	[REDACTED]	68583990AB
ESM	Electronic Shifter	CAN-C	68620948AA	[REDACTED]	[REDACTED]	68620948AA
DTCM	Drive Train Control Module	CAN-C	68534760AD	[REDACTED]	[REDACTED]	68534760AD
ORC	Occupant Restraint	CAN C	68621935AG	[REDACTED]	[REDACTED]	68621935AG
EPS	Electric Power Steering	CAN-C	68529427AD	[REDACTED]	[REDACTED]	68529427AD
HVAC	Heat, Ventilation and A/C	CAN I	68521994AG	[REDACTED]	[REDACTED]	68521994AG
CSWM	Comfort Seat Wheel Module	CAN-I	68631168AA	[REDACTED]	[REDACTED]	68631168AA
PTCM	Power Top Control Module	CAN-I	68371772AB	[REDACTED]	[REDACTED]	68371772AB
AMP	Amplifier	CAN I	68627414AC	[REDACTED]	[REDACTED]	68627414AC
IPC	Instrument Panel Cluster	CAN-C	68614033AD	[REDACTED]	[REDACTED]	68614033AD
PTS	Parktronics	CAN C	68441031AC	[REDACTED]	[REDACTED]	68441031AC
SCCM	Steering Column Control Module	CAN-C	68599295AA	[REDACTED]	[REDACTED]	68599295AA
BCM	Body Controller	CAN-C	68612254AD	[REDACTED]	[REDACTED]	68612253AD
RADIO	Radio	CAN I	68531845AD	[REDACTED]	[REDACTED]	68531845AD
OCM	Occupant Classification	CAN-C	68582577AB	[REDACTED]	[REDACTED]	68582577AB
LBSS	Left Blind Spot Sensor	CAN I	68454896AA	[REDACTED]	[REDACTED]	68454896AA
RBSS	Right Blind Spot Sensor	CAN-I	68454896AA	[REDACTED]	[REDACTED]	68454896AA

SessionID # [REDACTED]

BPCM	Battery Pack Control Module	CAN C	05193168AL			05193168AL
HCP	Hybrid Control Processor	CAN-C	68626304AG			68626304AG
DSM	Display Screen Module	CAN I	68607669AB			68607669AB
CVPM	Central vision processing module	CAN-I	68631270AA			68631270AA
AHCP	Auxiliary Hybrid Control Processor	CAN C	68626303AG			68626303AG
ABSO	Anti Lock Brakes OBD	CAN C	68545785AD			68545785AD
SGW	Security Gateway Module	CAN-C	68624431AB			68624431AB
DPDM	Driver Presence Detection Module	CAN C	68582578AB			68582578AB
DASM	Driver Assistance System Module	CAN-C	68612891AD			68612891AD
IDCM	Integrated Dual Charge Module	CAN C	05185093AF			05185093AF
TBM2	Telematic Box Module 2	CAN-C	52235837			68644304AA

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA	13 05 0E	17 0D 00	4700	T07UM197320965	
PCM	USA	20 47	10 03 00	4A36	TDT23199306373	
ICS	USA	10 1E 00	14 33 00	4802	T195310888	
RFH	USA / USA	10 17 00	16 31 00	4604	T04Z21883R0348	
ESM	USA	15 18 00	12 2A 00	4322	T5N202321033	
DTCM	USA	11 22 00	17 06 01	4501	TF2YC1843276IS	
ORC	USA	16 14 00	17 15 00	4502	T07JF2113G0382	
EPS	USA	10 13 00	16 0B DC	4005	TFD1283B0266	
HVAC	USA / USA	15 2B 01	17 05 01	4700	T00HS2043200	
CSWM	USA	11 2A 00	16 26 00	4202	TJL6A198300761	
PTCM	USA	11 1A 21	12 12 60	4101	T170867XXX12	
AMP	USA	21 01 01	17 07 00	4034	TZ1AA1803G0242	
IPC	USA	21 2C 00	17 12 01	4805	JLZ71923513V	
PTS	USA	10 32 01	13 24 03	4401	??????????????	
SCCM	USA	13 28 00	13 29 00	4301	S20132224	
BCM	USA	0D 11 00	17 11 50	4635	T1C203311546	
RADIO		65	10004	00020000000D	T00122113711280	
OCM	USA	15 17 01	16 13 02	4151	TJLJY17331N0F7	
LBSS	USA	11 23 01	12 25 00	4204	TJL 202340364	
RBSS	USA	11 23 01	12 25 00	4204	TJL 193341152	

BPCM	Rest of world / ROW	14 20 05	17 0E 42	5703	TAA6I2203C0220	
HCP	USA	16 1E 07	17 13 02	5409	TVS9H1413Z0264	906871DB 3F1DB1FE 19721328
DSM	USA / USA	16 2B 00	17 0A 01	4500	T	
CVPM	USA	11 27 01	16 2F 00	4012	T00165370494	
AHCP	USA	16 1E 07	17 12 01	5600		
ABSO	USA	17 11 00	17 11 01	4300	TT10L2153L1041	04DD1E79
SGW		6	1298	4103	TF1161983J1D9E0	
DPDM	USA	15 18 01	16 13 02	4600	TJLJY19331P167	
DASM	USA	11 0E 00	16 34 01	4003	T047M195320619	
IDCM		20	340	0009000000000	TD60A2093N00250	
TBM2	USA	13 0E 03	17 0F 48	4109	TF034135301718	

CONFIGURATION

TCM CONFIGURATION

NAME	VALUE	UNITS
Autostick/ERS On/Off Switch Equipped	—	
Paddle Shift Switches Equipped		
Shifter with Sport Mode Position Equipped	—	
Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non Terrain) Equipped		
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped	—	
ECO/Optimizer Switch Equipped		
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped	—	
ERS/Autostick/Tip Non paddle on Shifter in D position equipped		
ERS/Autostick/Tip Non paddle on Shifter in A or M position equipped		
FWD Equipped	—	
RWD Equipped		
AWD Equipped	—	
4WD with switchable Lo Range equipped		
Engine Start/Stop equipped		
Polystable E-shift (Cableless without return-to-center) equipped	—	
Long Learn Enabled		
Short Learn Enabled	—	

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped	—	
AC Equipped Over Bus		
Power Steering Switch Equipped	—	
4 Button Integrated Cruise Control	—	

EMAT (Getrag DCT transmission) Equipped		
Vehicle Speed Sensor #1 Calculated from CAN	---	
Police Package Equipped		
Unleaded Gasoline Fuel	---	
Unleaded diesel fuel		
6.4 Liter V8 Engine		
4 Speed Automatic Transmission Equipped	---	
Electronic Automatic Transmission (EATX) Equipped		
Vehicle Speed Sensor #1 Calculated by ECU	---	
4.7 Liter V8 Engine		
5.7 Liter V8 Engine	---	
6.1 Liter V8 Engine	---	
Sensorless FFV Enabled		
Electronic Throttle Control Equipped	---	
3.6 Liter V6 Engine		
4.0 Liter I6 Engine	---	
3.8 Liter V6 Engine	---	
3.7 Liter V6 Engine		
3.5 Liter V6 Engine	---	
3.3 Liter V6 Engine		
3.2 Liter V6 Engine	---	
2.7 Liter V6 Engine	---	
MTV Solenoid Equipped		
MDS Equipped	---	
Turbocharger Equipped		
SRV Equipped	---	
Secondary Air Equipped		
Shift Indicator Lamp Equipped		
Barometric Sensor Equipped	---	
TIP Equipped		
Battery Temp Sensor Equipped	---	
Knock Sensor 1 Equipped		
Knock Sensor 2 Equipped		
WI4 Variable Valve Timing Equipped	---	
Clutch Interlock Switch Equipped		
ESIM Equipped	---	
Linear Purge Equipped		
Linear EGR Equipped		
Continuous Variable Transmission Equipped	---	
Direct Injection Equipped		
Secondary Fuel Pump Equipped	---	
Electronic Coolant Pump Equipped		

O2 Sensor Bank 1 Sensor 1 Equipped		
O2 Sensor Bank 1 Sensor 2 Equipped	---	
O2 Sensor Bank 1 Sensor 3 Equipped		
O2 Sensor Bank 2 Sensor 1 Equipped	---	
O2 Sensor Bank 2 Sensor 2 Equipped		
Fixed displacement AC Equipped		
WI4 Intake Flow Control Valve Equipped	---	
Electric Coolant Valve Equipped		
Engine Oil Heater Cooler Equipped	---	
Transmission Oil Heater Equipped		
Electric Water Pump Equipped	---	
Rear Heater Equipped	---	
Starter Relay 2 Equipped		
Inrush Current Reduction Relay Equipped	---	
Active Grille Shutter Equipped		
Electronic Vacuum Pump Equipped	---	
Wide Range O2 Sensor 1/1 Equipped	---	
Wide Range O2 Sensor 2/1 Equipped		
MultiAir Equipped	---	
Engine Stop Start Equipped		
Viscosity Sensor Equipped	---	
Duty Cycle Purge Valve Equipped	---	
Electric Thermostat Heater Equipped		
Exhaust Cam 1 Equipped	---	
Intake Cam 1 Equipped		
1.8 Liter WI4 engine	---	
2.0 Liter WI4 engine		
2.4 Liter WI4 engine		
3.0 Liter V6 Engine	---	
Tumble Generator Valve Equipped		
Hybrid Electric Vehicle Equipped	---	
Dual Speed Fuel Pump Equipped		
Exhaust Cam 2 Equipped		
Intake Cam 2 Equipped	---	
1 Speed Fan Mechanical Relay System Equipped		
2 Speed Fan Mechanical Relay System Equipped	---	
2 Speed Fan PWM Relay System Equipped		
Linear PWM Fan Relay System Equipped		
PWM Fan Motor System Equipped	---	
3 Speed Fan Mechanical Relay System Equipped		
Fan Wake Up Relay System Equipped	---	
2 Speed Fan 3 Driver 3 Relay System Equipped		

40TE / 41TE / 41TEA		
42RLE	---	
45RFE / 545RFE / 65RFE		
62TE	---	
66RFE / 68RFE		
VLP Is Learnable Indicator		
VLP Equipped Indicator	---	
VFS Actuators Available Indicator		
ERS Equipped Indicator	---	
Engine Software In Package		
Transmission Software Included	---	
ICC Cruise Equipped	---	
ETC Cruise equipped		
Adaptive Cruise Control Equipped	---	
A/C Equipped		
Adaptive Cruise Control Hardware Equipped	---	
DUAL_ALTERNATOR_GEN1_LEARNEDCOPY	---	
TOOLCONFIG Oil Pressure ABS Equipped		
GPEC2 Equipped	---	
GPEC2A Equipped		
GPEC3 Equipped	---	
Cummins Equipped	---	
GPEC4 Equipped		
VMM Equipped	---	
Powernet Equipped		
CUSW (11-Bit) Equipped	---	
Fiat 940 Compact Equipped		
Next Gen Bus Equipped		
Constant Heater Temperature Control Valve Equipped	---	
High Side Port Tumble Valve Equipped		
CMCV H-Bridge Equipped	---	
Turbine Volute Valve Actuator Equipped		
Wastegate H Bridge Equipped		
Active Exhaust Valve Equipped	---	
Active Exhaust Pressure Sensor Equipped		
Engine Idle Shutoff Equipped	---	
Aisin 6 Speed RWD Transmission Equipped		
Cooled EGR Equipped		
Supercharger Equipped	---	
Low Temperature Radiator Coolant Pump Equipped		
Mechanical Coolant Pump Heater Equipped	---	
Auxiliary Coolant Pump Heater Equipped		

Compressed Natural Gas Equipped		
CUSW PROXI Write Programming Support Enabled	---	
Active Engine Mount Equipped		
ZF 9-Speed Transmission Equipped	---	
HPT 6 Speed Transmission Equipped		
Variable Speed Fuel Pump Equipped		
Operator Idle Speed Request Equipped	---	
PTO System Equipped		
Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped	---	
Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped		
Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped	---	
Dual Stage Oil Pump Equipped	---	
Auxiliary Coolant Pump Equipped		
Trans Skip Shift Equipped	---	
Trans Reverse Lockout Equipped		
Port Flap Valve Equipped	---	
Brushless PWM Fan Equipped	---	
6.2 Liter V8 Engine		
Primary Lin Alternator Equipped	---	
Coolant On Off Pump Equipped		
Oil Pressure Sensor Enabled	---	
Fiat VIN Learning Strategy Equipped	---	
Dual Fuel Tank Equipped		
Yaw Rate Sensor ESC Equipped	---	
1.0 Liter I3 Engine		
Coolant On-Off Valve Equipped	---	
Buffered Crank Output for ANC (Active Noise Cancellation) Equipped		
Buffered Crank Output for PHEV Engine Pulse Calculation Equipped		
Throttle Inlet Temp Sensor Equipped	---	
Humidity, Temperature and Pressure Sensor (LIN) Equipped		
Dual Fuel Pressure Sensor Equipped	---	
Brake Pedal Sensor Equipped		
Dual Fuel Tank Equipped		
PTO System Equipped	---	
Low Temp Radiator Coolant Pump Equipped		
Engine Idle Shutoff Equipped	---	
A/C Relay Powered from Engine Switched Battery		
CNG Large Gas Tank Equipped		
Cooled EGR Equipped	---	
Supercharger Equipped		
Hybrid MEC Shifter Equipped	---	
Dual Alternator Gen1 Capable		

Auxillary Coolant Pump Equipped		
ZF 9-Speed Trans Equipped	—	
HPT 6 Speed Trans Equipped		
CUSW 4-Button Cruise Equipped	—	
Power Steering Angle Sensor Mandatory		
Throttle Inlet Temp Sensor Equipped		
LIN Humidity, Temp, and Pressure Sensor Equipped	—	
Dual Fuel Pressure Sensor Equipped		
Brake Pedal Sensor Equipped	—	
Clutch Sensor Equipped		
SWAP HARDWIRED BRAKE SWITCH INPUTS	—	
Mass Airflow System Equipped	—	
Bi Directional Crank Sensor Equipped		
5 Button Cruise (LIN) Equipped	—	
Operator Idle Speed Request Equipped		
INTAKE O2 SENSOR EQUIPPED	—	
Cylinder Pressure Sensor Equipped	—	
Make Up Air Sensor Equipped		
Active Exhaust Pressure Sensor Equipped	—	
Secondary Mass Airflow Sensor Equipped		
1.0 Liter I3 Engine	—	
2.0 Liter I4 Direct Injection Engine	—	
Variable Valve Lift Equipped		
Coolant On-Off Pump Equipped	—	
Primary Lin Alternator Equipped		
Electronic Parking Brake Equipped	—	
Active Exhaust Valve(s) Equipped		
Mechanical Coolant Pump Equipped		
Aux Coolant Pump Heater Equipped	—	
Heater Temp Control Valve Equipped		
High Side Port Tumble Valve Equipped	—	
Wastegate HBridge Equipped		
Remote Start Present		
Engine Oil Pressure Sensor Type	—	None

ICS CONFIGURATION

NAME	VALUE	UNITS
Display Type (Base)	True	
Display Type (Mid)	False	
Display Type (High)	False	

RFH CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed	Yes	
VIN Successfully Programmed	Yes	
Valid Key In Ignition	No	
Keyless Go	True	
Ignition system type connected	KIN system	
e shifter present	True	
Auto Park Present	True	
Secret Codes Programmed	True	
Passive Entry	True	
RKE	True	
Module Configuration Status	True	
Remote Start Present	True	
\$0214 Programmed by	Programmed by FCA manufacturing	
Hardware Configuration: Remote Start Antenna	Present	
Hardware Configuration: Front Left Door Handle H/W	Serial AP	
Hardware Configuration: Front Right Door Handle H/W	Serial AP	
Hardware Configuration: Rear Left Door Handle H/W	No AP	
Hardware Configuration: Rear Right Door Handle H/W	No AP	
Hardware Configuration: Trunk Door Handle H/W	Serial AP	
RFHub Locked	RFHUB Locked after IAC write	
Fob Location #1 Successfully Programmed	Yes	
Fob Location #2 Successfully Programmed	Yes	
Fob Location #3 Successfully Programmed	No	
Fob Location #4 Successfully Programmed	No	
Fob Location #5 Successfully Programmed	No	
Fob Location #6 Successfully Programmed	No	
Fob Location #7 Successfully Programmed	No	
Fob Location #8 Successfully Programmed	No	
Back Up Vehicle Config 1	True	
Back Up Vehicle Config 2	True	
Back Up Vehicle Config 3	True	
Back Up Vehicle Config 4	True	
Back Up Vehicle Config 5	True	
Back Up Vehicle Config 6	True	
Back Up Vehicle Config 7	True	
Back Up ECU Configuration 1	True	
Back Up ECU Configuration 2	True	
Back Up ECU Configuration 3	True	
Back Up ECU Configuration 4	True	
Back Up ECU Configuration 5	True	
Back Up ECU Configuration 6	True	

Back Up ECU Configuration 7	True	
Back Up ECU Configuration 8	True	
Back Up ECU Configuration 9	True	
Back Up ECU Configuration 10	True	
Back Up ECU Configuration 11	True	
Back Up ECU Configuration 12	True	
Back Up ECU Configuration 13	True	
Back Up ECU Configuration 14	True	
Back Up ECU Configuration 15	True	
Back Up ECU Configuration 16	True	
Back Up ECU Configuration 17	True	
Back Up Customer Settings Menu 1 (CSM1)	True	
Back Up Customer Settings Menu 2 (CSM2)	True	
Back Up Programmed ECUs: Cabin Network	True	
Back Up Programmed ECUs: P/T Chassis Network	True	
Secret Key Sent to Body Controller - Most recent attempt	Yes	
Secret Key Sent to Body Controller - Original attempt	Yes	
Base TPM Present	Not Set	
Full Size Matching Spare Tire Present	Set	
ECU Ship Status	Normal Mode	
Tire Pressure System	True	
Selectable Tire Fill Alert	True	
TPM Auto Locate Enabled	True	
TPMS Configuration	Logic 1 NHTSA Enable Warning	

DTCM CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case	—	
Front Locker Present		
Rear Locker Present	—	
FAD Present		
Mode Switch Present		
Left/Right Hand Drive	—	
Axle Ratio		
T-Case Type	—	
SRT Present		

ORC CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing		
EPPM	—	
Occupant Classification (OCM)	—	

First Row Driver Seatbelt Buckle Switch		
First Row Passenger Seatbelt Buckle Switch	—	
Second Row Left seat belt Switch		
Second Row Center seat belt Switch	—	
Second Row Right seat belt Switch		
Driver Seat Track Position Sensor		
Passenger Seat Track Position Sensor	—	
Passenger Occupant Detection Sensor		
Passenger Airbag Disable Switch	—	
Passenger Airbag Disable Indicator		
Driver Frontal Squib 1	—	
Driver Frontal Squib 2	—	
Driver Frontal Squib 3		
Passenger Frontal Squib 1	—	
Passenger Frontal Squib 2		
Passenger Frontal Squib 3	—	
Driver Knee Bolster Squib	—	
Passenger Knee Bolster Squib		
Driver Seatbelt Retractor Pretensioner	—	
Passenger Seatbelt Retractor Pretensioner		
Driver Seatbelt Load Limiter	—	
Passenger Seatbelt Load Limiter	—	
Driver Seatbelt Anchor Pretensioner		
Passenger Seatbelt Anchor Pretensioner	—	
Driver Seatbelt Buckle Pretensioner		
Passenger Seatbelt Buckle Pretensioner	—	
Left Curtain Squib 1		
Right Curtain Squib 1		
Left Side Seat Squib 1	—	
Right Side Seat Squib 1		
Second Row Left Seat Side Airbag	—	
Second Row Right Seat Side Airbag		
Driver Frontal Squib 4		
Passenger Frontal Squib 4	—	
Left Up Front Acceleration Sensor		
Right Up-Front Acceleration Sensor	—	
Right B Pillar Impact Acceleration Sensor		
Left B Pillar Impact Acceleration Sensor		
Left C-Pillar Impact Acceleration Sensor	—	
Right C Pillar Impact Acceleration Sensor		
Right D-Pillar Impact Acceleration Sensor	—	
Left D Pillar Impact Acceleration Sensor		

Left Side Door Pressure Sensor		
Right Side Door Pressure Sensor	—	
Configuration Column Identifier		

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory) (BB)	False	
DualZone ATC Control (BB)	True	
Dual Zone MTC Control (BB)	False	
Single Zone MTC Control (BB)	False	
MTC With EBL (3Knob)	False	
MTC Without EBL (3Knob)	False	
MTC heater only (3Knob)	False	

AMP CONFIGURATION

NAME	VALUE	UNITS
ANC Calibration Date - Year	22	
ANC Calibration Date Week	47	
ANC Calibration Date - Patch Level	0	
Current ANC Calibration ID Service	B602	
ANC Status	Off RPM Out of Range	
Surround Sound Activated	Not Set	
Door Module Left Front	Not Present	
Door Module - Right Front	Not Present	
Premuim 1	False	
Premuim 2	True	
Premuim - 3	False	
Non ANC	False	
No Rear Doors	True	
No HALF Chimes	True	

IPC CONFIGURATION

NAME	VALUE	UNITS
Main Fuel Tank Gauge Empty Stop Calibration	0.000	Volts
Main Fuel Tank Gauge -1/4th Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - 1/2 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge 3/4 Datum Calibration	0.000	Volts
Main Fuel Tank Gauge - Full Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge Empty Stop Calibration	0.000	Volts
Sub Fuel Tank Gauge - 1/4 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge - 1/2 Datum Calibration	0.000	Volts
Sub Fuel Tank Gauge 3/4 Datum Calibration	0.000	Volts

Sub Fuel Tank Gauge Full Stop Calibration	0.000	Volts
---	-------	-------

PTS CONFIGURATION

NAME	VALUE	UNITS
Rear System with 6 Front Sensors		
Front System with 6 Rear Sensors	—	

SCCM CONFIGURATION

NAME	VALUE	UNITS
Rear Wiper	True	
Tilt Telescope	False	
Paddle Shifter	False	
Cruise Control / ACC	True	

BCM CONFIGURATION

NAME	VALUE	UNITS
RBSM	Set	
LBSM	Set	
BCM (Interior Bus)	Set	
HSM	Set	
HVAC	Set	
PTCM	Set	
Radio	Set	
ITM	Not Set	
AMP	Set	
EDM	Not Set	
HVAC R	Not Set	
TBM	Set	
AHLM/AFLS	Not Set	
ASCM	Not Set	
BCM (PT)	Set	
DTCM	Set	
PCM	Set	
EPS	Set	
ESM	Set	
ABS	Not Set	
RFH	Set	
IPC	Set	
ORC	Set	
PTS	Set	
SCCM	Set	
ELSD	Not Set	

TCM	Set	
TPM	Not Set	
AFLS	Not Set	
ITBM	Not Set	
OCM	Set	
DPDM	Set	
SGW	Set	
ASBS	Not Set	
ANC	Not Set	
Number of Reprogramming Attempts Counter #0	0	
Vehicle Configuration Programmed Status	True	
Last Programmed Status	Manufacturing	
Last Configuration Odometer	0	miles
Vehicle Configuration Auto Write Counter	1	
Vehicle Configuration 1 Write Counter	2	
Vehicle Configuration 2 - Write Counter	2	
Vehicle Configuration 3 - Write Counter	4	
Vehicle Configuration 4 Write Counter	2	
Vehicle Configuration 5 - Write Counter	2	
Vehicle Configuration 6 Write Counter	2	
Programmed ECUs: Cabin Network	2	
Programmed ECUs: P/T Chassis Network	2	
Programmed Network Configuration Audio / Telematics Network	2	
Programmed ECUs: Hybrid LAN Network	2	
ECU Configuration 1 (CBC Configurable Inputs and Outputs)	2	
ECU Configuration 2 (CBC Features)	2	
ECU Configuration 3	2	
ECU Configuration 4	2	
ECU Configuration 5 (Wireless)	2	
ECU Configuration 5 (Doors)	2	
ECU Configuration 5 (Memory)	2	
ECU Configuration 6 (Brake)	2	
ECU Configuration 6 (Suspension)	2	
ECU Configuration 6 (Powertrain)	2	
ECU Configuration 6 (Safety)	2	
ECU Configuration 7 (CBC Exterior Lighting Calibrations)	2	
ECU Configuration 8 (LIN and Miscellaneous)	2	
ECU Configuration 9A	2	
ECU Configuration 9 (ITM)	2	
ECU Configuration 10	2	
ECU Configuration 11	2	
ECU Configuration 12	2	

ECU Configuration 13	2	
ECU Configuration 14	2	
ECU Configuration 15 (CBC Features)	2	
ECU Configuration 15 (Suspension)	2	
Vehicle Configuration 7 Write Counter	2	
Vehicle Config CSM1	2	
Vehicle Config CSM2	2	
Model Year	2024	
Vehicle Line	JL	
Country Code	USA	
Left/Right Hand Drive	Left Hand Drive	
Remote Start Present	Set	
Drive Configuration	Selectable 4wd	
Emode Present	Not Set	
Auto Highbeam	Set	
Body Style	4-Door Hatchback	
Maximum Vehicle Speed	99	MPH
Shifter Type	5 Pos Polystable Eshifter / Type PS5	
Performance Pages Present	Not Present	
Special Packages	Default	
PTS Configuration	Rear / REAR	
Hill Descent Feature Present	Not Set	
Select Speed Control Feature Present	Set	
Power Inverter Type	No Power Inverter	
Thatcham Present	Not Set	
Rain Sensor Present	Not Set	
SKIM System Present	Not Set	
Air Conditioning Present	Set	
Cruise Feature is Present	Not Set	
Flipper Glass Present	Not Set	
Full Size Spare	Set	
Off Road Capable	Not Set	
Special Packages	Wrangler Sport	
Max Load Inflation Pressure Rear Tire	36.0	PSI
Max Load Inflation Pressure Front Tire	36.0	PSI
Light Load Inflation Pressure Rear Tire	0.0	PSI
Police Lighting Feature	Not Set	
Power Lift Gate Present	Not Set	
Power Right Sliding Door Present	Not Set	
Power Left Sliding Door Present	Not Set	
RKE System Present	Set	
Sunshade Present	Not Set	

T Case Type	Transfer Case 246 / Transfer Case 246	
Wheel Base	Long wheel base (140" & 149" Ram Truck) / LONG	
FOBIK Safe Enable	Set	
ELV Present	Not Set	
Fuel Capacity	17	gallons
Window Express Feature Configuration	Drivers window express only	
Adjustable Pedal Feature Present (non-Memory)	Not Set	
Auto Headlamp Feature Present	Set	
Door Alert Feature Present	Not Set	
Two Fuel Sending Units Present	Not Set	
Vehicle is an SRT	Not Set	
Disable Display of Radio Clock	Not Set	
Chassis Type	Type 88	
Display Outside Temperature Present	Set	
HVAC Configuration	Dual Zone ATC	
Vehicle Brand	Jeep	
Display Compass Heading Present	Set	
Interior EC Mirror Present	Set	
ESCL system present	Not Set	
High Intensity Discharge Head Lamps	Not Set	
Secondary Lock Present	Not Set	
Liftgate/Trunk Type	Manual Liftgate	
Collision Mitigation System present	Set	
Forward Collision Warning present	Set	
Base TPM system present	Not Set	
Premium TPM system present	Set	
Paddle Shift Feature Present	Not Set	
Sport Mode Present	Not Set	
Auto Park Present	Set	
Passive Entry Present	Set	
Keyless Go Present	Set	
Transfer Case High Ratio	1.000	No Unit
Axle Ratio	3.730	
Transfer Case Low Range Reduction Ratio	2.720	
Dynamic Tire Circumference (All or Rear)	98	inch
Dual Rear Wheel (DRW) Vehicle Present	Not Set	
Non Regulated Tire Pressure Information System (TPIS) Present	Not Set	
Steering Ratio at zero	0.0	No Unit
Steering Ratio at Positive Angle 1	0.0	No Unit
Steering Ratio at Positive Angle 2	0.0	No Unit
Steering Ratio at Positive Angle 3	0.0	No Unit
Steering Ratio at Positive Angle 4	0.0	No Unit

Steering Ratio at Positive Angle 5	0.0	No Unit
Analog Door Sensor Configuration	All Doors have Analog Sensors	
Air Quality System Present	Not Set	
Steering Ratio at Negative Angle 1	0.0	No Unit
Steering Ratio at Negative Angle 2	0.0	No Unit
Steering Ratio at Negative Angle 3	0.0	No Unit
Steering Ratio at Negative Angle 4	0.0	No Unit
Steering Ratio at Negative Angle 5	0.0	No Unit
Ambient Light Dimmer Wheel Input Present Pin G9	Not Set	
Low Beam Output Present Pin A3, D2	Set	
Rear Wiper Motor Park Present - Pin E29	Set	
Left Rear Door Ajar Input Present - Pin F23	Set	
Front Driver Analog Door Ajar Input Present Pin F9	Set	
Reserved - Pin G12	Not Set	
Horn Switch Input Present Pin F29	Set	
Reserved - Pin E15	Not Set	
Hood Ajar Switch Input Present - Pin A11	Set	
Hard Top Sense Present Pin E14	Set	
Reserved - F21	Not Set	
Reserved Pin D20	Not Set	
Passenger Door Ajar Signal Present - Pin G18	Set	
Reserved - Pin E47	Not Set	
Reserved Pin E35	Not Set	
Starter Relay Lowside Coil Drive - Pin D7	Not Set	
Diesel Cabin Heater #2 Output Present Pin D9	Not Set	
Diesel Cabin Heater #3 Output Present - Pin D10	Not Set	
Diesel Cabin Heater #1 Output Present Pin D11	Not Set	
Right Dedicated DRL Lamp Output Present Pin A22	Set	
Left Dedicated DRL Lamps Output Present - Pin D15	Set	
Flipper Glass #2 Output Present	Not Set	
Foot Well Lamps Output Present - Pin G24	Set	
Front Fog Lamps Output Present Pin A1 & D13	Set	
Inverter Enable Relay Output Present Pin F35	Set	
Reserved - E20	Not Set	
Gated Park ZFII Output Present Pin D 24	Set	
Reserved - Pin E21	Not Set	
Rear Fog Lamps Output Present Pin E39 & F5	Not Set	
Rear Park Lamps Output Present Pin E4 & F32	Set	
Rear Turn Lamps Output Present - Pin E3 & F42	Not Set	
Run ACC Y Relay #2 Output Present Pin E9	Set	
Side Markers Output Present - Pin A10 & D5	Set	
Trailer Backup Lamps Output Present Pin E23	Not Set	

Reserved Pin F4	Not Set	
UGDO Feed Output Present - Pin G15	Set	
VTA Warning LED Output Present Pin G22	Set	
Park Brake Input Present - Pin E11	Set	
Ambient Temperature Sensor Present Pin D22	Set	
Tip Start Enabled	Set	
Dual Start Relay System Present	Not Set	
Wiper Service Position Enabled	Not Set	
Trailer Tow Present	Not Set	
Quad Headlamps Enable	Set	
Horn Chirp Allowed	Set	
Bi Xenon Headlamps Enable	Not Set	
Hazard Lamp Configuration	Latching Switch	
Park Lamp Loadshed Enable	Set	
Front Fog Lamp Dropout Enable	Set	
Combined Rear Lighting Enable	Set	
Side Repeaters Enable	Set	
One Touch Lane Change	Set	
Exterior Light Loadshed Enable	Set	
Front Wiper Park Enable	Set	
Rear Wiper Park Enable	Set	
Reversible Washer Pump Enable	Set	
Single Element Tail Lamp	Not Set	
DRL Configuration	Optional DRL	
DRL Lamp Location	Dedicated	
DRL Dropout Enable	Set	
Tunnel Detection	Not Set	
Military Vehicle Present	Not Set	
LED Reverse Lamps Present	Set	
LED Stop Lamps Present	Set	
LED Rear Turn Lamps Present	Set	
LED Tail Lamps Present	Set	
LED Rear Fog Lamps Present	Set	
LED License Lamps Present	Set	
LED Front Turn Lamps Present	Set	
LED Front Fog Lamps Present	Set	
LED Dedicated DRL Present	Set	
LED Low Beam Lamps Present	Set	
LED High Beam Lamps Present	Set	
LED Front Park/Marker Lamps Present	Set	
Door Lock Switch Signal FT LT Usage (F9)	Reserved	
Door Lock Switch Signal FT RT Usage (F23)	Reserved	

Headlamp Wash Interval	wash cycle#11	
Headlamp Wash Shot	Single	
Front Wiper Wipes After Wash	2 Wipes	
Headlamp Washer Low Fluid Shut-Off Enable	Not Set	
Intermittent Wiper States	4 Intermittent Wiper position Switch	
LED CHMSL Lamp Present	Set	
Rear Camera Present	Not Set	
Power Inverter Present	Not Set	
Front Park Assist Present	Not Set	
Front Heated Seats Present	Set	
Front Ventilated Seats Present	Not Set	
Destination	United States of America	
Cabin Equilization Curve Number	JL 4 Door Premium Top On (Alpine 12ch)	
Hill Start Assist Customer Setting Option Present	Set	
Radio Apps Present	Not Set	
CTP Easy Entry Enable	Not Set	
CTP Passive Entry Present	Set	
CTP Auto Lock Disable	Not Set	
SDAR Travel Link Present	Not Set	
DAB Present	Not Set	
Vehicle Theft Alarm Present	Not Set	
Heated Steering Wheel Present	Set	
VIN Check Digit Diable	Not Set	
Surround Sound Feature Present	Not Set	
Power Door Locks Present	Set	
Antenna Type	Active Primary and no secondary antenna	
CTP Max AC Present	Not Set	
Hybrid Electric Powertrain Present	Not Set	
Disable CD Eject	Not Set	
DTV Front Camera Present	Not Set	
DTV Side Camera Present	Not Set	
Tow Haul Present	Not Set	
Hill Descent Control Present	Not Set	
Audio Steering Wheel Switch Configuration	Core Steering Wheel	
Radio Display On/Off Softkey Present	Not Set	
Microphone Tuning Parameter	Absent	
Microphone Configuration	2 Microphones	
Microphone Type	Peiker 300 mv	
External Port Type	AUX + USB + extra USB	
Splashscreen Type	Vehicle Brand	
ERS Available	not available	
Rear Wheel Dually	not available	

Max Gear	Eighth gear	
Virtual Speedometer Units	not available	
Speedometer Range Max Scale	not available	
IC Config Feature	not available	
PTO Present	not available	
AMB Dimmer	not available	
Heated Seat Present	not available	
Split Shaft Present	not available	
Manual Headlamp Leveling	not available	
Gear Shift Indicator	Not Set	
Service Interval	20000 km and 730 days	
Temperature Celsius for UK	Not Set	
Type of Gallons	U.K. Gallons	
Tip Start Present	Set	
AP5 Trunk Lock	Smart Switch	
Airport Scenario Trunk Set	Not Set	
AP1 Left Front	Smart Switch	
AP2 Right Front	Smart Switch	
AP3 Left Rear	Not Present	
AP4 Right Rear	Not Present	
Global Up	Not Set	
Global Down	Not Set	
Sun Shade	Not Set	
Puddle Lamp Present	Not Set	
Rear Door Pre Short Drop	Not Set	
Passenger Window Lockout	Set	
Auto Power Folding Mirrors Present	Not Set	
Folding mirrors present	Not Set	
Heated Mirrors Present	Set	
Mirror turn signals present	Set	
Driver Memory Mirrors Present	Not Set	
Passenger Memory Mirror Present	Not Set	
Electro chromatic driver mirror present	Not Set	
Electro-chromatic passenger mirror present	Not Set	
Tow Mirror Present	Not Set	
Blindspot Mirror Present	Not Set	
Window Motor Type	Not Set	
Window Hall Sensors Present	Not Set	
Frameless Window Present	Not Set	
Memory Adjustable Pedals Present	Not Set	
Tilt/Telescope Steering Present	Not Set	
Memory Seat Present	Not Set	

Rear Heated Seats Present	Not Present	
Front Vented Seats Present	Not Present	
Heated Steering Wheel Present	Present	
Heated Seat Material Type	Default	
Heated Wheel Material Type	Wood/Leather	
Rear Vented Seats Present	Not Present	
Front Heated Seat Present	Present	
Brake System ECU Configuration A	value 0	
Wheel 18 inch overall ESC Maserati	Not Set	
Brake System ECU Configuration B	Undefined	
ECO Mode Configuration	Remember Previous State with Ignition Key Cycle	
Dual Alternator Present	Not Set	
ODS Present	False	
Driver Kneebag Present	False	
Passenger Kneebag Present	False	
Curtain Airbags Present	True	
Tow Hooks Present	True	
Passive Ped Pro Present	False	
2nd Row Seat Airbags Present	False	
Reserved	Reserved	
Reserved	Reserved	
Integrated EPP Present	False	
BUX vehicle	False	
Signature Light Present	Present	
Dual Filament Headlamp	Not Present	
Front Turn Lamp Diagnostics	Present	
Auto Headlamp On Threshold	3.31409	Volt
Auto Headlamp Off Threshold	2.54930	Volt
Left Low Beam Voltage Regulation	13.6 Volts	
Left High Beam Voltage Regulation	13.6 Volts	
Right Low Beam Voltage Regulation	13.6 Volts	
Right High Beam Voltage Regulation	13.6 Volts	
Left Front Corner Voltage	13.6 Volts	
Right Front Corner Voltage	13.6 Volts	
Left Rear Corner Voltage	12.8 Volts	
Right Rear Corner Voltage	12.8 Volts	
Panic Enable	Set	
Compass Mounting Orientation	Upside Down	
Washer Fluid Level Voltage Threshold	4.46 volts	
IBS Present	Set	
ASBMM Present	Not Set	
Humidity Sensor Present	Not Set	

Manual Trans Present	Not Set	
DC to DC Converter Present	Not Set	
ASBM Present	Not Set	
Auto Relock Time	60	seconds
VTA System Present	VTA	
DC to DC Converter #2 Present	Not Set	
Illuminated Approach Interior Lighting Target Percentage	100 (50%)	
Illuminated Approach Headlamp Target Percentage	165 (82.50%)	
Illuminated Approach Taillamp Target Percentage	165 (82.50%)	
Illuminated Approach Interior Lighting Ramp Up Time	130(2600ms)	
CRVMM Present	Set	
EVIC Switch Module Present	Set	
Compass Mounting Angle	0	Degree
Backup Reverse Lamp Left Present - Pin F41	Set	
Backup Reverse Lamp Right Present Pin E1	Set	
Stop/Turn Lamp or Stop Lamp Present Pin E2 & F40	Stop/Turn Lamp	
Left High Beam Present - Pin D1	Set	
Right High Beam Present Pin A2	Set	
Left Front Lamp Diagnostics Present - Pin F25	Set	
Right Front Lamp Diagnostics Present Pin F28	Set	
Left Rear Turn Lamp Diagnostics Present - Pin F27	Set	
Right Rear Turn Lamp Diagnostics Present - Pin F31	Set	
Brake Fluid Level Switch Signal Present Pin D21	Not Set	
Siren	Not Set	
Ultrasonics	Not Set	
Tilt	Not Set	
Swing Gate Lock Present Pin F30	Set	
Swing Gate Unlock Present Pin F33	Set	
Front Fog Voltage	13.6	Volts
Rear Fog Voltage	12.0	Volts
CHMSL Lamp Output Disable	Not Set	
Secondary Door Ajar Present Pin E28	Set	
Manual Door Locks Present	Not Set	
Rain Sensor Module #2 Present	Not Set	
Auto High Beam Module Location	IRCM	
Average Last Longitudinal Acceleration Values	Average 1	
Average Last Lateral Acceleration Values	Average 1	
Excess Longitudinal Acceleration Factor	1.5	
Excess Lateral Acceleration Factor	1.5	
Brake Smoothing Duration	10 periods	
Brake Smoothing Factor	Filter Off	
Steering Smoothing Duration	3 periods	

Steering Smoothing Factor	Filter Off	
Steering Smoothing Threshold	150 Degrees	
Brake Smoothing Threshold	375 Nm	
Maximum Longitudinal Change	2.0 degrees	
Maximum Lateral Change	2.6 degrees	
Acceleration Threshold	1.5 m/s2	
Acceleration Factor	Filter Off	
Nose Dive Threshold	480 degrees	
Nose Dive Factor	Filter Off	
RKE Auto Relock Feature Enable	Not Set	
PE Auto-Relock Feature Enable	Set	
VTA Hood Ajar Monitoring	Not Set	
Horn Chirp Duration	Short	
Pitch and Roll Present	Set	
Parking Light Enable	Not Set	
ASBM Minimum Voltage Time	10 Seconds	
ASBM Battery Minimum Voltage	11.8 Volts	
Interior Lighting Night Threshold	4.45147	Volt
Interior Lighting Day Threshold	4.27498	Volt
Axle Locker Configuration	No Axle Locker / NONE	
Transmission Equipped	Automatic transmission / AUTOMATIC	
Park Brake Type	Mechanical park brake - hand or foot / MECH	
TPMS Configuration	Logic 1 NHTSA Enable Warning	
Hybrid Type	PHEV	
TSBM Module Present	Not Set	
ADR feature Present	Not Set	
AGS Feature Present	Not Set	
Temperature Display Resolution	Set	
PTC Present	Not Set	
Glovebox Control	Not Set	
Glare Free Present	Not Set	
Brake Type	Reserved	
Suspension Type	Reserved	
Park assist customer settings menu	Feature not present / Absent	
Park assist brake customer settings menu	Not Set	
Park assist front volume customer settings menu	Not Set	
Park assist rear volume customer settings menu	Set	
Electric power steering customer settings menu	Not Set	
Forward collision warning customer settings menu	Feature 2 - 3 Option / Feature 2 - 3 Option	
Auto on driver comfort customer settings menu	Feature 2 3 Option / Feature 2 3 Option	
Auxiliary switches customer settings menu	Feature not present / Absent	
Rear view camera gridlines customer settings menu	Feature not present / Absent	

Unit set customer settings menu	Set	
Power accessory delay customer settings menu	Set	
Ambient dimmer customer settings menu	Not Set	
Tire jack mode customer settings menu	Not Set	
Air suspension warning customer settings menu	Not Set	
Automatic aero mode customer settings menu	Not Set	
Auto high beam customer settings menu	Set	
Auto park customer settings menu	Not Set	
Blind spot alert customer settings menu	Set	
Clock display customer settings menu	Set	
Compass calibration customer settings menu	Not Set	
Compass variance customer settings menu	Not Set	
Consumption unit customer settings menu	Set	
Distance unit customer settings menu	Set	
Auto door lock customer settings menu	Set	
Easy exit seat customer settings menu	Not Set	
Auto entry exit mode customer settings menu	Not Set	
EPB service mode customer settings menu	Not Set	
Headlamp drop customer settings menu	Not Set	
Headlamp off delay customer settings menu	Set	
Headlamps on with wiper customer settings menu	Set	
Passive entry customer settings menu	Set	
Illuminated approach customer settings menu	Set	
Lane departure torque customer settings menu	Not Set	
Lane departure warning customer settings menu	Not Set	
Rear camera customer settings menu	Not Set	
Rain sensitive wipers customer settings menu	Not Set	
Power take off customer settings menu	Not Set	
Pressure unit customer settings menu	Set	
Power unit customer settings menu	Not Set	
Power liftgate chime customer settings menu	Not Set	
Performance shift enable customer settings menu	Not Set	
Rear view camera delay customer settings menu	Set	
RKE unlock customer settings menu	Set	
Speed unit customer settings menu	Set	
Tilt mirror in reverse customer settings menu	Not Set	
Torque unit customer settings menu	Not Set	
Teen Key Fuel Pop up Customer Settings Menu	Not Set	
Teen Key Automatic High Beam Customer Settings Menu	Not Set	
Passenger Airbag On/Off Customer Settings Menu	Not Set	
Forward Collision Warning and Brake Customer Settings Menu	Set	
Doors and Engine Off Power Delay Customer Settings Menu	Set	

Radio Speaker Open Circuit Disable (LF)	Not Set	
Radio Speaker Open Circuit Disable (RF)	Not Set	
Radio Speaker Open Circuit Disable (LR)	Not Set	
Radio Speaker Open Circuit Disable (RR)	Not Set	
ANC Calibration Parameter Data Set	46594	ms
Surround View Camera On/Off Softkey Present	Not Set	
Drive Mode Version	Version 1	
Rear Defrost and Heated Mirrors Present	Both	
Show Phone Information in Cluster	Set	
Auto Dimming Mirror Hard Button Present	Not Set	
Clari-Fi Present	Not Set	
Automatic Crash Notification Feature Present	Not Set	
Trailer Hitch Camera Present	Set	
Park Assist Tuning Set	Sahara	
Rear Defrost Presence	Present	
Heated Mirrors Present	Present	
Engine Displacement	Signal Not Available / SNA	
Steering C Factor	Type 3	
Speedometer Tolerance	0 Percent Tolerance	
Increasing speed constant	Increasing 0 KPH	
Tachometer Type	Tachometer Type 1 / Type 1	
DTV Present	Not Set	
Tri State Comfort Climate Softkey Function Present	Set	

RADIO CONFIGURATION

NAME	VALUE	UNITS
Satellite Subscription Status	39	
Reason Code	2D	
Suspend Day	46	
Suspend Month	36	
Suspend Year	34	
Distortion Limiting	Off	
Clock Defeat	On	
Stereo Blend	Off	
High Cut	Off	
Automated Loudness	Off	
Anti Theft Enable Status	On	
12/24 Time Selection	12 Hour Time	
Front Seat Video Playback	Enabled	
Cabin EQ Curve Number Currently Used by Radio	223	events
Splash Screen	Automatic	
USB Hubs Detected	3	No Unit

SD Card Readers Detected	0	No Unit
Enumerated USB Devices	0	No Unit
Aux Jack	Not Inserted	
CAN Architecture	PowerNet II	

LBSS CONFIGURATION

NAME	VALUE	UNITS
Steering (LHD/RHD)	—	
Teen Key		
CFG FEATURE	—	

RBSS CONFIGURATION

NAME	VALUE	UNITS
Steering (LHD/RHD)	—	
Teen Key	—	

ABSO CONFIGURATION

NAME	VALUE	UNITS
Vehicle Line Identification	JL	
Displacement	2.0	No Unit
Hybrid Type	PHEV	
Trans Type	ZF 8spd	
Drive Configuration	Selectable 4wd	
Chassis Type	Type 88	
Axle Ratio	3.726	No Unit
Tire Circumference	98	inch

DASM CONFIGURATION

NAME	VALUE	UNITS
ACC Present	—	
ACC STOP Present		
ACC GO Present	—	
FCW Present		
LDW Plus Present	—	
Auto High Beam Present	—	
NCC Present		

TBM2 CONFIGURATION

NAME	VALUE	UNITS
Enable Auto Answer		



ECU DETAILS REPORT

Vehicle 2024 JEEP WRANGLER 2.0L I4 DOHC DI TURBO PHEV ENGINE
VIN [REDACTED]

Odometer 378.0 miles
Publication Date Jan 31, 2024, 2:38:06 PM

ECU SUMMARY INFO

ECU	NAME	BUS TYPE	FLASH PART #	CURRENT VIN	ORIGINAL VIN	PART #
TCM	Transmission Control Module	CAN-C	68628404AD	[REDACTED]	[REDACTED]	68628404AD
PCM	Powertrain Control Module	CAN C	68626212AF	[REDACTED]	[REDACTED]	68626212AF
ICS	Integrated Center Stack	CAN-I	6SX94DX9AE	[REDACTED]	[REDACTED]	6SX94DX9AE
RFH	Radio Frequency Hub	CAN C	68583990AB	[REDACTED]	[REDACTED]	68583990AB
ESM	Electronic Shifter	CAN-C	68620948AA	[REDACTED]	[REDACTED]	68620948AA
DTCM	Drive Train Control Module	CAN-C	68534760AD	[REDACTED]	[REDACTED]	68534760AD
ORC	Occupant Restraint	CAN C	68621935AG	[REDACTED]	[REDACTED]	68621935AG
EPS	Electric Power Steering	CAN-C	68529427AD	[REDACTED]	[REDACTED]	68529427AD
HVAC	Heat, Ventilation and A/C	CAN I	68521994AG	[REDACTED]	[REDACTED]	68521994AG
CSWM	Comfort Seat Wheel Module	CAN-I	68631168AA	[REDACTED]	[REDACTED]	68631168AA
PTCM	Power Top Control Module	CAN-I	68371772AB	[REDACTED]	[REDACTED]	68371772AB
AMP	Amplifier	CAN I	68627414AC	[REDACTED]	[REDACTED]	68627414AC
IPC	Instrument Panel Cluster	CAN-C	68614033AD	[REDACTED]	[REDACTED]	68614033AD
PTS	Parktronics	CAN C	68441031AC	[REDACTED]	[REDACTED]	68441031AC
SCCM	Steering Column Control Module	CAN-C	68599295AA	[REDACTED]	[REDACTED]	68599295AA
BCM	Body Controller	CAN-C	68612254AD	[REDACTED]	[REDACTED]	68612253AD
RADIO	Radio	CAN I	68531845AD	[REDACTED]	[REDACTED]	68531845AD
OCM	Occupant Classification	CAN-C	68582577AB	[REDACTED]	[REDACTED]	68582577AB
LBSS	Left Blind Spot Sensor	CAN I	68454896AA	[REDACTED]	[REDACTED]	68454896AA
RBSS	Right Blind Spot Sensor	CAN-I	68454896AA	[REDACTED]	[REDACTED]	68454896AA

SessionID # [REDACTED]

BPCM	Battery Pack Control Module	CAN C	05193168AL			05193168AL
HCP	Hybrid Control Processor	CAN-C	68626304AG			68626304AG
DSM	Display Screen Module	CAN I	68607669AB			68607669AB
CVPM	Central vision processing module	CAN-I	68631270AA			68631270AA
AHCP	Auxiliary Hybrid Control Processor	CAN C	68626303AG			68626303AG
ABSO	Anti Lock Brakes OBD	CAN C	68545785AD			68545785AD
SGW	Security Gateway Module	CAN-C	68624431AB			68624431AB
DPDM	Driver Presence Detection Module	CAN C	68582578AB			68582578AB
DASM	Driver Assistance System Module	CAN-C	68612891AD			68612891AD
IDCM	Integrated Dual Charge Module	CAN C	05185093AF			05185093AF
TBM2	Telematic Box Module 2	CAN-C	52235837			68644304AA

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA	13 05 0E	17 0D 00	4700	T07UM197320965	2AC0D515
PCM	USA	20 47	10 03 00	4A36	TDT23199306373	460987AB
ICS	USA	10 1E 00	14 33 00	4802	T195310888	
RFH	USA / USA	10 17 00	16 31 00	4604	T04Z21883R0348	
ESM	USA	15 18 00	12 2A 00	4322	T5N202321033	
DTCM	USA	11 22 00	17 06 01	4501	TF2YC1843276IS	
ORC	USA	16 14 00	17 15 00	4502	T07JF2113G0382	
EPS	USA	10 13 00	16 0B DC	4005	TFD1283B0266	
HVAC	USA / USA	15 2B 01	17 05 01	4700	T00HS2043200	
CSWM	USA	11 2A 00	16 26 00	4202	TJL6A198300761	
PTCM	USA	11 1A 21	12 12 60	4101	T170867XXX12	
AMP	USA	21 01 01	17 07 00	4034	TZ1AA1803G0242	
IPC	USA	21 2C 00	17 12 01	4805	JLZ71923513V	
PTS	USA	10 32 01	13 24 03	4401	??????????????	
SCCM	USA	13 28 00	13 29 00	4301	S20132224	
BCM	USA	0D 11 00	17 11 50	4635	T1C203311546	
RADIO		65	10004	00020000000D	T00122113711280	
OCM	USA	15 17 01	16 13 02	4151	TJLJY17331N0F7	
LBSS	USA	11 23 01	12 25 00	4204	TJL 202340364	
RBSS	USA	11 23 01	12 25 00	4204	TJL 193341152	

BPCM	Rest of world / ROW	14 20 05	17 0E 42	5703	TAA6I2203C0220	6A6D6D08
HCP	USA	16 1E 07	17 13 02	5409	TVS9H1413Z0264	906871DB 3F1DB1FE 19721328
DSM	USA / USA	16 2B 00	17 0A 01	4500	T	
CVPM	USA	11 27 01	16 2F 00	4012	T00165370494	
AHCP	USA	16 1E 07	17 12 01	5600		
ABSO	USA	17 11 00	17 11 01	4300	TT10L2153L1041	04DD1E79
SGW		6	1298	4103	TF1161983J1D9E0	
DPDM	USA	15 18 01	16 13 02	4600	TJLJY19331P167	
DASM	USA	11 0E 00	16 34 01	4003	T047M195320619	
IDCM		20	340	0009000000000	TD60A2093N00250	
TBM2	USA	13 0E 03	17 0F 48	4109	TF034135301718	

ECU DETAILS

TCM DETAILS

NAME	VALUE
Active Diagnostic Variant	47
Active Diagnostic Version	00
ECU Part Number	68628404AD
HW Year	19
HW Week	5
HW - Patch Level	0E
VIN Original	
VIN Current	
Hardware Part Number	68415437AE

PCM DETAILS

NAME	VALUE
Model Year	24
ECU Part Number	68626212AF
Body Style	4-Door Hatchback
Vehicle Line	31
VIN - Original	
VIN Current	
(Major/Middle/Minor)	10 03 00
Hardware Version (Major/Minor)	20 47
Serial Number	TDT23199306373
Supplier ID	Delphi
Diagnostic Version	36
Variant ID	4A
Country Code	USA

Odometer When Original VIN First Written

2668768948.7216

ICS DETAILS

NAME	VALUE
Active Diagnostic Variant	48
Active Diagnostic Version	02
ECU Part Number	6SX94DX9AE
Model Year	2024
Vehicle Line	JL
Body Style	4 Door Hatchback
Country Code	USA
ECU Serial Number	T195310888
VIN Original	[REDACTED]
VIN Current	[REDACTED]
HW Year	10
HW - Week	30
HW Patch Level	00
SW - year	20
SW week	51
SW Patch Level	0
Hardware Supplier Identification	Panasonic
Software Supplier Identification	Panasonic

RFH DETAILS

NAME	VALUE
VIN Original	[REDACTED]
Model Year	2024
Vehicle Line	JL
Active Diagnostic Variant	46
Active Diagnostic Version	04
ECU Software Mode	Running in Application
ECU Part Number	68583990AB
Hardware Part Number	11207900AA
Body Style	BODY 4
Country Code	USA / USA
IAC Data	55 AA 66 CC 55 AA 66 CC 55 AA 66 CC 55 AA 66 CC
ECU Serial Number	T04Z21883R0348
Hardware Supplier	Continental
Software Supplier	Continental
Hardware Version - Year	10
Hardware Version Week	17
Hardware Version - Patch Level	00

Software Version Year	16
Software Version - Week	31
Software Version Patch Level	00
Active Diagnostic Session	Extended
Software Logical Block #0 Part Number	68583992AB

ESM DETAILS

NAME	VALUE
Active Diagnostic Variant	43
Active Diagnostic Version	22

DTCM DETAILS

NAME	VALUE
Active Diagnostic Variant	45
Active Diagnostic Version	01
ECU Part Number	68534760AD
ECU Serial Number	TF2YC1843276IS
ECU Software Mode	Running in Application
Hardware Part Number	68534760AD
HW - Year	17
HW Week	34
HW - Patch Level	0
Hardware Supplier Identification	Continental
Hardware Variant	Full Time
Software Part Number	68534760AD
SW year	23
SW - week	6
SW Patch Level	1
Software Supplier Identification	Continental
Model Year	2024
Vehicle Line	JL
Body Style	4-Door Hatchback
Country Code	USA
VIN Current	

ORC DETAILS

NAME	VALUE
Model Year	2024
Vehicle Line	JL
Body Style	BODY 4DH
Country Code	USA
ECU Serial Number	T07JF2113G0382

Active Diagnostic Variant	45
Active Diagnostic Version	02

EPS DETAILS

NAME	VALUE
Active Diagnostic Variant	40
Active Diagnostic Version	05
ECU Part Number	68529427AD
HW Year	16
HW Week	19
HW - Patch Level	00
SW year	22
SW - week	11
SW Patch Level	220
Hardware Supplier Identification	China Automotive Systems Inc
ECU Serial Number	TFD1283B0266
VIN Current	
Model Year	2024
Vehicle Line	JL
Body Style	BODY 4DH
Country Code	USA
Boot SW Year	16
Boot SW - Week	50
Boot SW Patch Level	12
Software Logical Block Supplier Identification	China Automotive Systems Inc

HVAC DETAILS

NAME	VALUE
VIN Original	
VIN Current	
Model Year	2024
Body Style	4-Door Hatchback
Country Code	USA / USA
Active Diagnostic Variant	47
Active Diagnostic Version	00
ECU Part Number	68521994AG

CSWM DETAILS

NAME	VALUE
ECU Software Mode	Running in Application
Active Diagnostic Variant	42
Active Diagnostic Version	02

ECU Part Number	68631168AA
VIN Original	
VIN Current	

PTCM DETAILS

NAME	VALUE
ECU Software Mode	Running in Application
Active Diagnostic Variant	41
Active Diagnostic Version	01
ECU Part Number	68371772AB
VIN Original	
VIN Current	

AMP DETAILS

NAME	VALUE
Active Diagnostic Variant	40
Active Diagnostic Version	34
ECU Origin	DCX
ECU Part Number	68627414AC
ECU Serial Number	TZ1AA1803G0242
Hardware Part Number	68549088AA
HW - Year	21
HW - Week	1
HW Patch Level	01
Hardware Supplier Identification	Alpine
Software Part Number	68627414AC
SW - year	23
SW week	7
SW Patch Level	0
Software Supplier Identification	Alpine
Model Year	2024
Vehicle Line	JL
Body Style	4 Door Hatchback
Country Code	USA
VIN Original	
VIN Current	

IPC DETAILS

NAME	VALUE
Active Diagnostic Variant	48
Active Diagnostic Version	05
ECU Part Number	68614033AD

ECU Serial Number	JLZ71923513V
Hardware Part Number	68614033AC
HW Year	21
HW - Week	44
HW Patch Level	00
Hardware Supplier Identification	Magneti Marelli
Software Logical Block #1 Part Number	68613046AD
SW year Block 1	23
SW - week - Block 1	18
SW patch level Block 1	1
Software Supplier Identification	Magneti Marelli
Model Year	2024
Body Style	4 Door Hatchback
Vehicle Line	JL
Country Code	USA
VIN Original	[REDACTED]
VIN Current	[REDACTED]

PTS DETAILS

NAME	VALUE
ECU Software Mode	Running in Application
Active Diagnostic Variant	44
Active Diagnostic Version	01
Active Diagnostic Session	Default
VIN Original	[REDACTED]
VIN Current	[REDACTED]

SCCM DETAILS

NAME	VALUE
ECU Software Mode	Running in Application
Active Diagnostic Variant	43
Active Diagnostic Version	1
ECU Part Number	68599295AA
ECU Serial Number	S20132224
Hardware Supplier Identification	Kostal
Hardware Part Number	10321385AC
HW - Year	19
HW Week	40
HW Patch Level	0
Software Logical Block Supplier Identification	Kostal
Software Logical Block #0 Part Number	12020778AB
SW - year	19

SW week	41
SW - Patch Level	0
Model Year	2024
Vehicle Line	JL
Body Style	BODY 4DH
Country Code	USA
VIN Original	
VIN Current	

BCM DETAILS

NAME	VALUE
Hardware Part Number	68612253AD
Software Logical Block #0 Part Number	68612254AD
ECU Part Number	68612253AD
Active Diagnostic Variant	46
Active Diagnostic Version	35
Hardware Supplier Identification	Continental
Software Logical Block Supplier Identification	Continental
Model Year	2024
Vehicle Line	JL
Body Style	4-Door Hatchback
Country Code	USA
ECU Serial Number	T1C203311546
VIN Current	
VIN Original	

RADIO DETAILS

NAME	VALUE
VIN Original	
Sales Code	
Diagnostic Variant	00 02
Diagnostic Version	00 00 00 0D
Flash Definition Number (FDN)	00 01
Supplier ID	Harman
SW- Year	20
SW week	49
SW - Patch Level	00
SW Identification	00 00 00 00 00 00 00 00 00 00
Supplier Manufacturer ECU Software Part Number	24U2714PROD

OCM DETAILS

NAME	VALUE
------	-------

Active Diagnostic Variant	41
Active Diagnostic Version	51
Hardware Part Number	28756173
Software Logical Block #0 Part Number	28790958
ECU Part Number	68582577AB
Model Year	2024
Vehicle Line	JL
Body Style	4 door Hatchback / BODY 4DH
Country Code	USA
ECU Serial Number	TJLJY17331N0F7
VIN Original	
VIN Current	

LBSS DETAILS

NAME	VALUE
ECU Software Mode	Running in Application
Active Diagnostic Variant	42
Active Diagnostic Version	04
ECU Part Number	68454896AA
Serial Number	TJL 202340364
Hardware Supplier Identification	Autoliv
Hardware Part Number	636419500E
HW - Year	2017
HW Week	35
HW - Patch Level	01
Software Logical Block Supplier Identification	Autoliv
Software Logical Block #1 Part Number	637890800M
Software Logical Block #2 Part Number	637890800M
Software Logical Block #3 Part Number	637890800M
SW - year - Logical Block #1	2018
SW - week - Logical Block #1	37
SW patch level Logical Block #1	00
Model Year	2024
Vehicle Line	JL
Body Style	BODY_4DH
Country Code	USA
VIN Original	
VIN Current	

RBSS DETAILS

NAME	VALUE
ECU Software Mode	Running in Application

Active Diagnostic Variant	42
Active Diagnostic Version	04
ECU Part Number	68454896AA
Serial Number	TJL 193341152
Hardware Part Number	636419500E
Hardware Supplier Identification	Autoliv
HW - Year	2017
HW Week	35
HW - Patch Level	01
Software Logical Block Supplier Identification	Autoliv
Software Logical Block #1 Part Number	637890800M
Software Logical Block #2 Part Number	637890800M
Software Logical Block #3 Part Number	637890800M
SW - year - Logical Block #1	2018
SW week Logical Block #1	37
SW - patch level - Logical Block #1	00
Model Year	2024
Vehicle Line	JL
Body Style	BODY_4DH
Country Code	USA
VIN Original	
VIN Current	

BPCM DETAILS

NAME	VALUE
Active Diagnostic Variant	57
Active Diagnostic Version	03
ECU Part Number	05193168AL
VIN Original	
VIN Current	
SW - year	2023
SW week	14
SW - Patch Level	42
ECU Serial Number	TAA6I2203C0220
Boot SW - Year	2021
Boot SW - Week	12
Boot SW Patch Level	01

HCP DETAILS

NAME	VALUE
Active Diagnostic Variant	54
Active Diagnostic Version	09

ECU Part Number	68626304AG
Model Year	2024
Vehicle Line	JL
Body Style	4-Door Hatchback
VIN Original	
VIN Current	

DSM DETAILS

NAME	VALUE
Active Diagnostic Variant	45
Active Diagnostic Version	00
ECU Part Number	68607669AB
Hardware Supplier Identification	00C9
Hardware Year	2022
Hardware Week	43
Hardware - Patch Level	00
Software Supplier Identification	00C9
Software - Year	2023
Software Week	10
Software Patch Level	01
Model Year	2024
Vehicle Line	JL
Body Style	4-Door Hatchback
Country Code	USA / USA
VIN Current	

CVPM DETAILS

NAME	VALUE
Active Diagnostic Variant	40
Active Diagnostic Version	12
ECU Part Number	68631270AA
ECU Serial Number	T00165370494
Hardware Supplier Identification	Magna
HW Year	2017
HW - Week	39
HW Patch Level	01
Software Supplier Identification	Magna
Software Logical Block #1 (APPL) SW Year	2022
Software Logical Block #1 (APPL) SW Week	47
Software Logical Block #1 (APPL) SW - Patch Level	00
Software Logical Block #2 (PARAM) SW Year	2022
Software Logical Block #2 (PARAM) SW - Week	49

Software Logical Block #2 (PARAM) SW Patch Level	02
Model Year	2024
Vehicle Line	JL
Body Style	4- Door Hatchback
Country Code	USA
VIN Original	
VIN Current	

AHCP DETAILS

NAME	VALUE
AHCP SW Version	24A
MCPA SW Version	2303B0
Active Diagnostic Variant	56
Active Diagnostic Version	00
Hardware Part Number	05185282AA
ECU Part Number	68626303AG
Model Year	2024
Vehicle Line	JL
Body Style	4 Door Hatchback
VIN Original	
VIN Current	

ABSO DETAILS

NAME	VALUE
Active Diagnostic Variant	43
Active Diagnostic Version	00
Hardware Part Number	68545785AD
Software Part Number	68545785AD
ECU Part Number	68545785AD
VIN Original	
VIN Current	

SGW DETAILS

NAME	VALUE
VIN Original	
Diagnostic Variant ID	41
Diagnostic Version	03
Supplier ID	Bosch
ECU Part Number	68624431AB
System Supplier ECU Hardware Number	6002JE2422
System Supplier ECU Hardware Version Number	6
System Supplier ECU Software Number	V230

System Supplier ECU Software Version Number	1298
ECU Serial Number	54 46 31 31 36 31 39 38 33 4A 31 44 39 45 30
Active Diagnostic Session Data Identifier	Extended Diagnostic Session

DPDM DETAILS

NAME	VALUE
Active Diagnostic Variant	46
Active Diagnostic Version	00
Hardware Part Number	28756175
Software Logical Block #0 Part Number	28790955
ECU Part Number	68582578AB
Model Year	2024
Vehicle Line	JL
Body Style	BODY 4DH
Country Code	USA
ECU Serial Number	TJLJY19331P167
VIN Original	[REDACTED]
VIN Current	[REDACTED]

DASM DETAILS

NAME	VALUE
Active Diagnostic Variant	40
Active Diagnostic Version	03
ECU Part Number	68612891AD
Model Year	2024
Vehicle Line	JL
Body Style	BODY_4DH
Country Code	USA
VIN Original	[REDACTED]
VIN Current	[REDACTED]

IDCM DETAILS

NAME	VALUE
Model Year	2024
Vehicle Line	JL
Body Style	4-Door Hatchback
VIN Original	[REDACTED]
Data Identifier	T
Supplier Option	D6
Component Code	OA
Day of Year	209
Calendar Year	3

Sequence number	N00250
Diagnostic Variant	00 09
Diagnostic Version	00 00 00 00
Supplier ID	Delta Electronics
Supplier Manufacturer ECU Hardware Version Number	20
Supplier Manufacturer ECU Software Version Number	340
EBOM ECU Part Number	05185093AF
FCA ESLM ECU Software Number	05185093AF
(0xF187) Codep ECU Part Number	
(0xF132) EBOM ECU Part Number	05185093AF
(0xF191) FCA ESLM ECU Hardware Number	05185093AB
(0xF188) FCA ESLM ECU Software Number	05185093AF
(0xF18B) FCA ESLM ECU Software Application Number	
(0xF18A) FCA ESLM ECU Software Calibration Number	

TBM2 DETAILS

NAME	VALUE
Active Diagnostic Variant	41
Active Diagnostic Version	09
ECU Part Number	68644304AA
ECU Serial Number	TF034135301718
Hardware Part Number	52219935
Hardware - Year	2019
Hardware Week	14
Hardware - Patch Level	03
Hardware Supplier Identification	Magneti Marelli
Software Part Number	52235837
Software - Year	2023
Software Week	15
Software - Patch Level	48
Software Logical Block Supplier Identification	Magneti Marelli
Model Year	2024
Vehicle Line	JL
Body Style	SNA
Country Code	USA
VIN Original	
VIN Current	
IMEI (International Mobile Equipment Identity) Number	015396005877704
SIM Identifier ICCID	89011704272573844466
MSD Index	—
MSD	
Network Registration Status	Registered to HOME NETWORK

Radio Access Technology	4G
MSISDN (Mobile Subscriber ISDN) Number	1938208121
IMSI (International Mobile Subscriber Identity) Number	310170257384446
Network Connection Status	Connected
Number of Batteries	
Number of Characters in Battery Serial Number	
Battery Serial Number	—



VEHICLE SCAN REPORT

Vehicle 2024 JEEP WRANGLER 2.0L I4 DOHC DI TURBO PHEV ENGINE
VIN [REDACTED]

Odometer 377.7 miles
Publication Date Jan 31, 2024, 10:53:39 AM

ECU SUMMARY INFO

ECU	NAME	BUS TYPE	FLASH PART #	CURRENT VIN	ORIGINAL VIN	PART #
TCM	Transmission Control Module	CAN-C	68628404AD	[REDACTED]	[REDACTED]	68628404AD
PCM	Powertrain Control Module	CAN C	68626212AF	[REDACTED]	[REDACTED]	68626212AF
ICS	Integrated Center Stack	CAN-I	6SX94DX9AE	[REDACTED]	[REDACTED]	6SX94DX9AE
RFH	Radio Frequency Hub	CAN C	68583990AB	[REDACTED]	[REDACTED]	68583990AB
ESM	Electronic Shifter	CAN-C	68620948AA	[REDACTED]	[REDACTED]	68620948AA
DTCM	Drive Train Control Module	CAN-C	68534760AD	[REDACTED]	[REDACTED]	68534760AD
ORC	Occupant Restraint	CAN C	68621935AG	[REDACTED]	[REDACTED]	68621935AG
EPS	Electric Power Steering	CAN-C	68529427AD	[REDACTED]	[REDACTED]	68529427AD
HVAC	Heat, Ventilation and A/C	CAN I	68521994AG	[REDACTED]	[REDACTED]	68521994AG
CSWM	Comfort Seat Wheel Module	CAN-I	68631168AA	[REDACTED]	[REDACTED]	68631168AA
PTCM	Power Top Control Module	CAN-I	68371772AB	[REDACTED]	[REDACTED]	68371772AB
AMP	Amplifier	CAN I	68627414AC	[REDACTED]	[REDACTED]	68627414AC
IPC	Instrument Panel Cluster	CAN-C	68614033AD	[REDACTED]	[REDACTED]	68614033AD
PTS	Parktronics	CAN C	68441031AC	[REDACTED]	[REDACTED]	68441031AC
SCCM	Steering Column Control Module	CAN-C	68599295AA	[REDACTED]	[REDACTED]	68599295AA
BCM	Body Controller	CAN-C	68612254AD	[REDACTED]	[REDACTED]	68612253AD
RADIO	Radio	CAN I	68531845AD	[REDACTED]	[REDACTED]	68531845AD
OCM	Occupant Classification	CAN-C	68582577AB	[REDACTED]	[REDACTED]	68582577AB
LBSS	Left Blind Spot Sensor	CAN I	68454896AA	[REDACTED]	[REDACTED]	68454896AA
RBSS	Right Blind Spot Sensor	CAN-I	68454896AA	[REDACTED]	[REDACTED]	68454896AA

SessionID # [REDACTED]

BPCM	Battery Pack Control Module	CAN C	05193168AL			05193168AL
HCP	Hybrid Control Processor	CAN-C	68626304AG			68626304AG
DSM	Display Screen Module	CAN I	68607669AB			68607669AB
CVPM	Central vision processing module	CAN-I	68631270AA			68631270AA
AHCP	Auxiliary Hybrid Control Processor	CAN C	68626303AG			68626303AG
ABSO	Anti Lock Brakes OBD	CAN C	68545785AD			68545785AD
SGW	Security Gateway Module	CAN-C	68624431AB			68624431AB
DPDM	Driver Presence Detection Module	CAN C	68582578AB			68582578AB
DASM	Driver Assistance System Module	CAN-C	68612891AD			68612891AD
IDCM	Integrated Dual Charge Module	CAN C	05185093AF			05185093AF
TBM2	Telematic Box Module 2	CAN-C	52235837			68644304AA

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
TCM	USA / USA	13 05 0E	17 0D 00	4700	T07UM197320965	
PCM	USA	20 47	10 03 00	4A36	TDT23199306373	
ICS	USA	10 1E 00	14 33 00	4802	T195310888	
RFH	USA / USA	10 17 00	16 31 00	4604	T04Z21883R0348	
ESM	USA	15 18 00	12 2A 00	4322	T5N202321033	
DTCM	USA	11 22 00	17 06 01	4501	TF2YC1843276IS	
ORC	USA	16 14 00	17 15 00	4502	T07JF2113G0382	
EPS	USA	10 13 00	16 0B DC	4005	TFD1283B0266	
HVAC	USA / USA	15 2B 01	17 05 01	4700	T00HS2043200	
CSWM	USA	11 2A 00	16 26 00	4202	TJL6A198300761	
PTCM	USA	11 1A 21	12 12 60	4101	T170867XXX12	
AMP	USA	21 01 01	17 07 00	4034	TZ1AA1803G0242	
IPC	USA	21 2C 00	17 12 01	4805	JLZ71923513V	
PTS	USA	10 32 01	13 24 03	4401	??????????????	
SCCM	USA	13 28 00	13 29 00	4301	S20132224	
BCM	USA	0D 11 00	17 11 50	4635	T1C203311546	
RADIO		65	10004	00020000000D	T00122113711280	
OCM	USA	15 17 01	16 13 02	4151	TJLJY17331N0F7	
LBSS	USA	11 23 01	12 25 00	4204	TJL 202340364	
RBSS	USA	11 23 01	12 25 00	4204	TJL 193341152	

BPCM	Rest of world / ROW	14 20 05	17 0E 42	5703	TAA6I2203C0220	
HCP	USA	16 1E 07	17 13 02	5409	TVS9H1413Z0264	906871DB 3F1DB1FE 19721328
DSM	USA / USA	16 2B 00	17 0A 01	4500	T	
CVPM	USA	11 27 01	16 2F 00	4012	T00165370494	
AHCP	USA	16 1E 07	17 12 01	5600		
ABSO	USA	17 11 00	17 11 01	4300	TT10L2153L1041	04DD1E79
SGW		6	1298	4103	TF1161983J1D9E0	
DPDM	USA	15 18 01	16 13 02	4600	TJLJY19331P167	
DASM	USA	11 0E 00	16 34 01	4003	T047M195320619	
IDCM		20	340	0009000000000	TD60A2093N00250	
TBM2	USA	13 0E 03	17 0F 48	4109	TF034135301718	

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
-----	----------	-----------------	--------

ENVIRONMENTAL DATA SUMMARY

SNAPSHOT DATA SUMMARY