



WI
TECH

VEHICLE SCAN REPORT

Vehicle

ECU SUMMARY INFO

ECU	NAME	STATUS	ADDRESS	DATA	REMARKS
TCM	Transmission Control Module	OK			
PCM	Powertrain Control Module	OK			
ASBS	Automatic Sway Bar System	OK			
ICS	Integrated Center Stack	OK			
RFH	Radio Frequency Hub	OK			
ESM	Electronic Shifter	OK			
DTCM	Drive Train Control Module	OK			
ORC	Occupant Restraint	OK			
EPS	Electric Power Steering	OK			
HVAC	Heat, Ventilation and A/C	OK			
AMP	Amplifier	OK			
IPC	Instrument Panel Cluster	OK			
SCCM	Steering Column Control Module	OK			
BCM	Body Controller	OK			
RADIO	Radio	OK			
OCM	Occupant Classification	OK			
BPCM	Battery Pack Control Module	OK			
HCP	Hybrid Control Processor	OK			
CVPM	Central vision processing module	OK			

ID #

(B) (6)

AHCP Auxiliary Hybrid

Charge Module

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	SERIAL NUMBER	CVNS
TCM	/		18		
PCM					
ASBS					
ICS					
RFH	/				
ESM					
DTCM					
ORC					
EPS					
HVAC					
AMP					
IPC					
SCCM					
BCM					
RADIO					
OCM					
BPCM	Rest of world / ROW				
HCP					
CVPM					
AHCP					
ABSO					
SGW					
DPDM					
IDCM					

DTC SUMMARY

ECU	DTC CODE	DTC DESCRIPTION	STATUS
BCM			Stored
RADIO			Stored

ENVIRONMENTAL DATA SUMMARY

BCM | | Stored | Vehicle Pedestrian Alert Module-System Internal Failures

NAME	VALUE	UNITS
Test Failed		
Test Failed This Operation Cycle		
Pending DTC		
Confirmed DTC		
Test Not Completed Since Last Clear		
Test Failed Since Last Clear		
Test Not Completed This Operation Cycle		
Warning Indicator Requested		
DTC Extended Data Record Number - All		
Occurrence flag		
Original Odometer Value		
Most Recent Odometer Value		
Frequency Counter		
Ignition Cycle Counter		

RADIO | 0 | Stored | CAN C Bus Off Performance

NAME	VALUE	UNITS
DTCTable		
TestFailed		
TestFailedThisMonitoringCycle		
Pending DTC		
Confirmed DTC		
Test Not Completed This Monitoring Cycle		
Warning Indicator Requested		
DTCExtendedDataRecordNumber		
Occurance Flag		
Reserved		
Original Odometer Value		
Most Recent Odometer Value		
Frequency Counter		
Ignition Counter	0	
RDI		
Event Counter		

SNAPSHOT DATA SUMMARY

No Snapshot Data available for

No Snapshot Data available for

INFORMATION



CONFIGURATION REPORT

Vehicle VIN [REDACTED]

Odometer [REDACTED]
Publication Date [REDACTED]

ECU SUMMARY INFO

ECU	NAME	CURRENT VIN	ORIGINAL VIN	PART #
PCM	Powertrain Control Module	[REDACTED]	Z [REDACTED]	[REDACTED]
HCP	Hybrid Control Processor	[REDACTED]	Z [REDACTED]	[REDACTED]
ABS	Anti Lock Brakes	[REDACTED]	[REDACTED]	[REDACTED]
BCM	Body Controller	[REDACTED]	Z [REDACTED]	[REDACTED]
HVAC	Heat, Ventilation and A/C	[REDACTED]	[REDACTED]	[REDACTED]
ORC	Occupant Restraint	[REDACTED]	Z [REDACTED]	[REDACTED]
EPS	Electric Power Steering	[REDACTED]	Z [REDACTED]	[REDACTED]
IPC	Instrument Panel Cluster	[REDACTED]	[REDACTED]	[REDACTED]
TCM	Transmission Control Module	[REDACTED]	Z [REDACTED]	[REDACTED]
ESM	Electronic Shifter	[REDACTED]	Z [REDACTED]	[REDACTED]
PAM	Parking Aid Module	[REDACTED]	Z [REDACTED]	[REDACTED]
ETM	Entertainment Telematic Module	[REDACTED]	Z [REDACTED]	[REDACTED]
BPCM	Battery Pack Control Module	[REDACTED]	Z [REDACTED]	[REDACTED]
HALF	Haptical Lane Feedback	[REDACTED]	Z [REDACTED]	[REDACTED]
CSWM	Comfort Seat Wheel Module	[REDACTED]	Z [REDACTED]	[REDACTED]

SessionID [REDACTED]

TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

ACC Adaptive Cruise

Control Module

ECU SUMMARY INFO (CONT...)

ECU	COUNTRY CODE	HARDWARE VERSION	SOFTWARE VERSION	IDENT	SERIAL NUMBER	CVNS
PCM	USA					
HCP	USA					
ABS		0				
BCM						
HVAC		0				
ORC						
EPS		0				
IPC						
TCM						

ESM	[REDACTED]	[REDACTED]
PAM	[REDACTED]	[REDACTED]
ETM	[REDACTED]	[REDACTED]
BPCM	[REDACTED] / [REDACTED]	[REDACTED]
HALF	[REDACTED]	[REDACTED]
CSWM	[REDACTED]	[REDACTED]
AL	[REDACTED]	[REDACTED]
LBSS	[REDACTED]	[REDACTED]
RBSS	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
ICS	[REDACTED]	[REDACTED]
SGW	[REDACTED]	[REDACTED]
IDCM	[REDACTED]	[REDACTED]
DSM	[REDACTED]	[REDACTED]
TBM2	[REDACTED]	[REDACTED]
WSMD	[REDACTED]	[REDACTED]
WSMP	[REDACTED]	[REDACTED]
CVPM	[REDACTED]	[REDACTED]
EMCM	[REDACTED]	[REDACTED]

PCM CONFIGURATION

V6 Engine

4.0 Liter I6 Engine

V6 Engine

V6 Engine

V6 Engine

V6 Engine

V6 Engine

V6 Engine

MTV Solenoid Equipped

MDS Equipped

Turbocharger Equipped

SRV Equipped

Secondary Air Equipped

Shift Indicator Lamp Equipped

Barometric Sensor Equipped

TIP Equipped

Battery Temp Sensor Equipped

Knock Sensor 1 Equipped

Knock Sensor 2 Equipped

WI4 Variable Valve Timing Equipped

Clutch Interlock Switch Equipped

ESIM Equipped

Linear Purge Equipped

Linear EGR Equipped

Continuous Variable Transmission Equipped

Direct Injection Equipped

Secondary Fuel Pump Equipped

Electronic Coolant Pump Equipped

O2 Sensor Bank 1 Sensor 1 Equipped

O2 Sensor Bank 1 Sensor 2 Equipped

O2 Sensor Bank 1 Sensor 3 Equipped

O2 Sensor Bank 2 Sensor 1 Equipped

O2 Sensor Bank 2 Sensor 2 Equipped

Fixed displacement AC Equipped

WI4 Intake Flow Control Valve Equipped

Electric Coolant Valve Equipped

Engine Oil Heater Cooler Equipped

Transmission Oil Heater Equipped

Electric Water Pump Equipped

Rear Heater Equipped

Starter Relay 2 Equipped

Inrush Current Reduction Relay Equipped

Active Grille Shutter Equipped
 Electronic Vacuum Pump Equipped
 Wide Range O2 Sensor Equipped
 Wide Range O2 Sensor Equipped

MultiAir Equipped
 Engine Stop Start Equipped
 Velocity Sensor Equipped
 Duty Cycle Purge Valve Equipped
 Electric Thermostat Heater Equipped
 Exhaust Cam 1 Equipped
 Intake Cam 1 Equipped

engine
 engine
 engine
 Engine

Tumble Generator Valve Equipped
 Hybrid Electric Vehicle Equipped
 Dual Speed Fuel Pump Equipped
 Exhaust Cam 2 Equipped
 Intake Cam 2 Equipped
 1 Speed Fan Mechanical Relay System Equipped
 2 Speed Fan Mechanical Relay System Equipped
 2 Speed Fan PWM Relay System Equipped
 Linear PWM Fan Relay System Equipped
 PWM Fan Motor System Equipped
 3 Speed Fan Mechanical Relay System Equipped
 Fan Wake Up Relay System Equipped
 2 Speed Fan 3 Driver 3 Relay System Equipped

/
 /
 /
 /

VLP Is Learnable Indicator
 VLP Equipped Indicator
 VFS Actuators Available Indicator
 ERS Equipped Indicator
 Engine Software In Package
 Transmission Software Included
 ICC Cruise Equipped
 ETC Cruise equipped
 Adaptive Cruise Control Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

A/C Equipped

Adaptive Cruise Control Hardware Equipped

DUAL_ALTERNATOR_GEN1_LEARNEDCOPY

TOOLCONFIG_OIL_PRESS_ABS_EQUIPPED

Equipped

Equipped

Equipped

Cummins Equipped

Equipped

VMM Equipped

Powernet Equipped

() Equipped

Equipped

Next Gen Bus Equipped

Constant Heater Temperature Control Valve Equipped

High Side Port Tumble Valve Equipped

CMCV Equipped

Turbine Volute Valve Actuator Equipped

Wastegate Equipped

Active Exhaust Valve Equipped

Active Exhaust Pressure Sensor Equipped

Engine Idle Shutoff Equipped

Aisin RWD Transmission Equipped

Cooled EGR Equipped

Supercharger Equipped

Low Temperature Radiator Coolant Pump Equipped

Mechanical Coolant Pump Heater Equipped

Auxiliary Coolant Pump Heater Equipped

Compressed Natural Gas Equipped

Write Programming Support Enabled

Active Engine Mount Equipped

ZF 9-Speed Transmission Equipped

HPT Transmission Equipped

Variable Speed Fuel Pump Equipped

Operator Idle Speed Request Equipped

PTO System Equipped

Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped

Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped

Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped

Dual Equipped

Auxiliary Coolant Pump Equipped

Trans Shift Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Trans Reverse Lockout Equipped

Port Flap Valve Equipped

Brushless PWM Fan Equipped

Engine

Primary Lin Equipped

Coolant On-Off Pump Equipped

Oil Pressure Sensor Enabled

VIN Learning Strategy Equipped

Dual Fuel Tank Equipped

Yaw Rate Sensor ESC Equipped

Coolant On-Off Valve Equipped

Buffered Crank Output for ANC (Active Noise Cancellation) Equipped

Buffered Crank Output for P40V Engine Pulse Calculation Equipped

Throttle Inlet Temp Sensor Equipped

Humidity, Temperature and Pressure Sensor (LIN) Equipped

Dual Fuel Pressure Sensor Equipped

Brake Pedal Sensor Equipped

Dual Fuel Tank Equipped

PTO System Equipped

Low Temp Radiator Coolant Pump Equipped

Engine Idle Shutoff Equipped

A/C Relay Powered from Engine Switched Battery

CNG Large Gas Tank Equipped

Cooled EGR Equipped

Supercharger Equipped

Hybrid MEC Shifter Equipped

Dual Capable

Auxiliary Coolant Pump Equipped

Speed Trans Equipped

Trans Equipped

CUSW Equipped

Power Steering Angle Sensor Mandatory

Throttle Inlet Temp Sensor Equipped

LIN Humidity, Temp, and Pressure Sensor Equipped

Dual Fuel Pressure Sensor Equipped

Brake Pedal Sensor Equipped

Clutch Sensor Equipped

SWAP HARDWIRED BRAKE SWITCH INPUTS

Mass Airflow System Equipped

Bi-Directional Crank Sensor Equipped

5 (LIN) Equipped

Operator Idle Speed Request Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

EQUIPPED

Cylinder Pressure Sensor Equipped

Make Up Air Sensor Equipped

Active Exhaust Pressure Sensor Equipped

Secondary Mass Airflow Sensor Equipped

I3 Engine

Engine

Variable Valve Lift Equipped

Coolant On/Off Pump Equipped

Primary Lin Alternator Equipped

Electronic Parking Brake Equipped

Active Exhaust Valve(s) Equipped

Mechanical Coolant Pump Equipped

Aux Coolant Pump Heater Equipped

Heater Temp Control Valve Equipped

High Side Port Tumble Valve Equipped

Wastegate HBridge Equipped

Remote Start Present

I3 Engine

TOOL_CONFIG_ENGINE_13L14

HCP CONFIGURATION

NAME	VALUE	UNITS
ECU Part Number		

ABS CONFIGURATION

NAME	VALUE	UNITS
Odometer Counter		miles
Locked		
LOCK State		
State Logistic Mode	-	
Roll Bench Mode		
Number of key cycle		
Key cycle Roll Bench Mode		
(Haptic Lane Feedback) variant presence		

CONFIGURATION

NAME	VALUE	UNITS
BCM (Body Control Module)	Configured as Present by	
ECM (Engine Control Module)	Configured as Present by	
EPS (Electric Power Steering)	Configured as Present by	
IPC (Instrument Panel Cluster)	Configured as Present by	

[REDACTED] (Transmission Control Module)	Configured as Present by [REDACTED]
[REDACTED] M (Parking Assistant Module)	Configured as Present by [REDACTED]
ORC (Occupant Restraint Control)	Configured as Present by [REDACTED]
HALF (HAptic Lane Feedback)	Configured as Present by [REDACTED]
AMP (Amplifire Module)	Configured as Absent by [REDACTED]
LBSS (Left Blind Spot Sensor)	Configured as Present by [REDACTED]
RBSS (Right Blind Spot Sensor)	Configured as Present by [REDACTED]
DASM (Driver Assistant System Module)	Configured as Present by [REDACTED]
TTM (Trailer Tow Module)	Configured as Absent by [REDACTED]
BCM (Body Control Module)	Configured as Has [REDACTED]
ECM (Engine Control Module)	Configured as Has [REDACTED]
EPS (Electric Power Steering)	Configured as Has [REDACTED]
IPC (Instrument Panel Cluster)	Configured as Has [REDACTED]
[REDACTED] (Transmission Control Module)	Configured as Has [REDACTED]
[REDACTED] M (Parking Assistant Module)	Configured as Has [REDACTED]
ORC (Occupant Restraint Control)	Configured as Has [REDACTED]
HALF (HAptic Lane Feedback)	Configured as Has [REDACTED]
AMP (Amplifire Module)	Configured as Has NOT [REDACTED]
LBSS (Left Blind Spot Sensor)	Configured as Has [REDACTED]
RBSS (Right Blind Spot Sensor)	Configured as Has [REDACTED]
DASM (Driver Assistant System Module)	Configured as Has [REDACTED]
TTM (Trailer Tow Module)	Configured as Has NOT [REDACTED]
BCM (Body Control Module)	[REDACTED]
ECM (Engine Control Module)	[REDACTED]
EPS (Electric Power Steering)	[REDACTED]
IPC (Instrument Panel Cluster)	[REDACTED]
[REDACTED] (Transmission Control Module)	[REDACTED]
[REDACTED] M (Parking Assistant Module)	[REDACTED]
ORC (Occupant Restraint Control)	[REDACTED]
HALF (HAptic Lane Feedback)	[REDACTED]
AMP (Amplifire Module)	[REDACTED]
LBSS (Left Blind Spot Sensor)	[REDACTED]
RBSS (Right Blind Spot Sensor)	[REDACTED]
DASM (Driver Assistant System Module)	[REDACTED]
TTM (Trailer Tow Module)	[REDACTED]
BCM (Body Control Module)	[REDACTED] Requested by the ECU
ECM (Engine Control Module)	[REDACTED] Requested by the ECU
EPS (Electric Power Steering)	[REDACTED] Requested by the ECU
IPC (Instrument Panel Cluster)	[REDACTED] Requested by the ECU
[REDACTED] (Transmission Control Module)	[REDACTED] Requested by the ECU
[REDACTED] M (Parking Assistant Module)	[REDACTED] Requested by the ECU
ORC (Occupant Restraint Control)	[REDACTED] Requested by the ECU

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

(Haptic Lane Feedback)	Requested by the ECU
AMP (Amplifire Module)	NOT Requested by the ECU
LBSS (Left Blind Spot Sensor)	Requested by the ECU
RBSS (Right Blind Spot Sensor)	Requested by the ECU
DASM (Driver Assistant System Module)	Requested by the ECU
TTM (Trailer Tow Module)	NOT Requested by the ECU
BCM (Body Control Module)	stored in the ECU
ECM (Engine Control Module)	stored in the ECU
EPS (Electric Power Steering)	stored in the ECU
IPC (Instrument Panel Cluster)	stored in the ECU
MTA/TCM/DCTM (Transmission Control Module)	stored in the ECU
PAM/SPM (Parking Assistant Module)	stored in the ECU
ORC (Occupant Restraint Control)	stored in the ECU
(Haptic Lane Feedback)	stored in the ECU
AMP (Amplifire Module)	NOT stored in the ECU
LBSS (Left Blind Spot Sensor)	stored in the ECU
RBSS (Right Blind Spot Sensor)	stored in the ECU
DASM (Driver Assistant System Module)	stored in the ECU
TTM (Trailer Tow Module)	NOT stored in the ECU
SDU (Smart Driver Unit)	Configured as Absent by
(Brake System Control Module)	Configured as Present by
M (Electronic Climate Control)	Configured as Present by
M (Gearbox Selector Module)	Configured as Present by
TBM (Telematic Box Module)	Configured as Present by
SCRM (Selective Catalytic Reduction Module)	Configured as Absent by
BPCM (Battery Pack Control Module)	Configured as Present by
OBCM (Onboard Charger Control Module)	Configured as Absent by
HCP (Hybrid Control Processor)	Configured as Present by
Config CAN systems 14	
(Secure Gateway)	Configured as Present by
(Brake System Control Module)	Configured as Has
M (Electronic Climate Control)	Configured as Has
M (Gearbox Selector Module)	Configured as Has
TBM (Telematic Box Module)	Configured as Has
SCRM (Selective Catalytic Reduction Module)	Configured as Has NOT
HCP (Hybrid Control Processor)	Configured as Has
M (Brake System Control Module)	
M (Electronic Climate Control)	
M (Gearbox Selector Module)	
TBM (Telematic Box Module)	
SDU (Smart Driver Unit)	
BPCM (Battery Pack Control Module)	

(Onboard Charger Control Module)	
(Hybrid Control Processor)	
BSM (Brake System Control Module)	Requested by the ECU
M (Electronic Climate Control)	Requested by the ECU
M (Gearbox Selector Module)	Requested by the ECU
TBM (Telematic Box Module)	Requested by the ECU
SCRM (Selective Catalytic Reduction Module)	NOT Requested by the ECU
(Hybrid Control Processor)	Requested by the ECU
BSM (Brake System Control Module)	stored in the ECU
M (Electronic Climate Control)	stored in the ECU
M (Gearbox Selector Module)	stored in the ECU
TBM (Telematic Box Module)	stored in the ECU
SCRM (Selective Catalytic Reduction Module)	NOT stored in the ECU
(Hybrid Control Processor)	stored in the ECU
Config CAN systems 14	
Config CAN systems 15	
Active CAN systems 14	
Active CAN systems 15	
CAN_systems 14	
CAN_systems 15	
OK CAN systems 14	
OK CAN systems 15	
(Adaptive Front Light Module)	Configured as Absent by
DSCD (Disassociated Center Stack Display)	Configured as Present by
LTM/ETM/HTM (Low level Telematic Module)	Configured as Present by
DCM (DampeningControl Module)	Configured as Absent by
(Heating and Memory Seat Module)	Configured as Present by
PN Panel Module)	Configured as Present by
PLGM (Power Lift gate module)	Configured as Absent by
DSCM (Drive Style Control Module)	Configured as Absent by
OCM (Occupant Classification Module)	Configured as Present by
M (Central Vision Processing Module)	Configured as Present by
P (Auxiliary Hybrid Control Processor)	Configured as Present by
B (Motor Control Processor B)	Configured as Absent by
APM (Auxiliary Power Module)	Configured as Absent by
(Digital TeleVision)	Configured as Absent by
EMCM (Entertainment Multimedia Control Module)	Configured as Present by
(Integrated Dual Charger Module)	Configured as Present by
(Adaptive Front Light Module)	Configured as Has NOT
DCSD (Disassociated Center Stack Display)	Configured as Has NOT
LTM/ETM/HTM (Low level Telematic Module)	Configured as Has
DCM (DampeningControl Module)	Configured as Has NOT

(Heating and Memory Seat Module)	Configured as Has	
HCPM (HVAC Control Panel Module)	Configured as Has	
PLGM (Power Lift gate module)	Configured as Has NOT	
BPCM (Battery Pack Control Module)	Configured as Has NOT	
CVPM (Central Vision Processing Module)	Configured as Has	
P (Auxiliary Hybrid Control Processor)	Configured as Has NOT	
MCPB (Motor Control Processor B)	Configured as Has NOT	
APM (Auxiliary Power Module)	Configured as Has NOT	
DTV (Digital TeleVision)	Configured as Has NOT	
EMCM (Entertainment Multimedia Control Module)	Configured as Has	
IDCM (Integrated Dual Charger Module)	Configured as Has NOT	
(Adaptive Front Light Module)		
(Disassociated Center Stack Display)		
LTM/ETM/HTM (Low level Telematic Module)		
DCM (DampeningControl Module)		
SCRM (Selective Catalytic Reduction Module)		
(Heating and Memory Seat Module)		
HCPM (HVAC Control Panel Module)		
PLGM (Power Lift gate module)		
DSCM (Drive Style Control Module)		
OCM (Occupant Classification Module)		
CVPM (Central Vision Processing Module)		
P (Auxiliary Hybrid Control Processor)		
MCPB (Motor Control Processor B)		
APM (Auxiliary Power Module)		
DTV (Digital TeleVision)		
EMCM (Entertainment Multimedia Control Module)		
IDCM (Integrated Dual Charger Module)		
(Adaptive Front Light Module)	NOT Requested by the ECU	
(Disassociated Center Stack Display)	NOT Requested by the ECU	
LTM/ETM/HTM (Low level Telematic Module)	Requested by the ECU	
DCM (DampeningControl Module)	NOT Requested by the ECU	
(Heating and Memory Seat Module)	Requested by the ECU	
HCPM (HVAC Control Panel Module)	Requested by the ECU	
PLGM (Power Lift gate module)	NOT Requested by the ECU	
BPCM (Battery Pack Control Module)	NOT Requested by the ECU	
CVPM (Central Vision Processing Module)	Requested by the ECU	
P (Auxiliary Hybrid Control Processor)	NOT Requested by the ECU	
MCPB (Motor Control Processor B)	NOT Requested by the ECU	
APM (Auxiliary Power Module)	NOT Requested by the ECU	
DTV (Digital TeleVision)	NOT Requested by the ECU	
EMCM (Entertainment Multimedia Control Module)	Requested by the ECU	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

██████ (Integrated Dual Charger Module)	██████ NOT Requested by the ECU
██████ (Adaptive Front Light Module)	██████ NOT stored in the ECU
DSCD (Disassociated Center Stack Display)	██████ NOT stored in the ECU
LTM/ETM/HTM (Low level Telematic Module)	██████ stored in the ECU
DCM (DamperingControl Module)	██████ NOT stored in the ECU
██████ (Heating and Memory Seat Module)	██████ stored in the ECU
HCPM (HVAC Control Panel Module)	██████ stored in the ECU
PLGM (Power Lift gate module)	██████ NOT stored in the ECU
BPCM (Battery Pack Control Module)	██████ NOT stored in the ECU
CVPM (Central Vision Processing Module)	██████ stored in the ECU
██████ P (Auxiliary Hybrid Control Processor)	██████ NOT stored in the ECU
MCPB (Motor Control Processor B)	██████ NOT stored in the ECU
APM (Auxiliary Power Module)	██████ NOT stored in the ECU
DTV (Digital TeleVision)	██████ NOT stored in the ECU
EMCM (Entertainment Multimedia Control Module)	██████ stored in the ECU
██████ (Integrated Dual Charger Module)	██████ NOT stored in the ECU
BCM (Body Control Module)	Configured as Present by ██████
ECM (Engine Control Module)	Configured as Present by ██████
EPS (Electric Power Steering)	Configured as Present by ██████
IPC (Instrument Panel Cluster)	Configured as Present by ██████
BSM (Brake System Control Module)	Configured as Present by ██████
ECC/ACM/MCM/MHM (Electronic Climate Control)	Configured as Present by ██████
MTA/TCM/DCTM (Transmission Control Module)	Configured as Present by ██████
GSM/STM/AGSM/DCSM (Gearbox Selector Module)	Configured as Present by ██████
PAM/SPM (Parking Assistant Module)	Configured as Present by ██████
ORC (Occupant Restraint Control)	Configured as Present by ██████
██████ (Adaptive Front Light Module)	Configured as Present by ██████
HALF (Haptic Lane Feedback)	Configured as Present by ██████
DSCD (Disassociated Center Stack Display)	Configured as Present by ██████
TBM (Telematic Box Module)	Configured as Present by ██████
LTM/ETM/HTM (Low level Telematic Module)	Configured as Present by ██████
DCM (DamperingControl Module)	Configured as Absent by ██████
SDU (Smart Driver Unit)	Configured as Absent by ██████
SCRM (Selective Catalytic Reduction Module)	Configured as Absent by ██████
AMP (Amplifire Module)	Configured as Absent by ██████
██████ (Heating and Memory Seat Module)	Configured as Present by ██████
HCPM (HVAC Control Panel Module)	Configured as Present by ██████
LBSS (Left Blind Spot Sensor)	Configured as Present by ██████
RBSS (Right Blind Spot Sensor)	Configured as Present by ██████
DASM (Driver Assistant System Module)	Configured as Present by ██████
TTM (Trailer Tow Module)	Configured as Absent by ██████
DTCM (Drive Train Control Module)	Configured as Absent by ██████

PLGM (Power Lift gate module)	Configured as Absent by	
(Battery Pack Control Module)	Configured as Present by	
OBCM (Onboard Charger Control Module)	Configured as Absent by	
DSCM (Drive Style Control Module)	Configured as Absent by	
OCM (Occupant Classification Module)	Configured as Present by	
CVPM (Central Vision Processing Module)	Configured as Present by	
(Auxiliary Hybrid Control Processor)	Configured as Present by	
MCPB (Motor Control Processor B)	Configured as Absent by	
(Hybrid Control Processor)	Configured as Present by	
APM (Auxiliary Power Module)	Configured as Absent by	
DTV (Digital Television)	Configured as Absent by	
EMCM (Entertainment Multimedia Control Module)	Configured as Present by	
(Secure Gateway)	Configured as Present by	
(Integrated Dual Charger Module)	Configured as Present by	
BCM (Body Control Module)	Configured as Has	
ECM (Engine Control Module)	Configured as Has	
IPC (Instrument Panel Cluster)	Configured as Has	
EPS (Electric Power Steering)	Configured as Has	
BSM (Brake System Control Module)	Configured as Has	
ECC/ACM/MCM/MHM (Electronic Climate Control)	Configured as Has	
(Transmission Control Module)	Configured as Has	
GSM/STM/AGSM/DCSM (Gearbox Selector Module)	Configured as Has	
PAM/SPM (Parking Assistant Module)	Configured as Has	
ORC (Occupant Restraint Control)	Configured as Has	
AFLM (Adaptive Front Light Module)	Configured as Has NOT	
HALF (Haptic Lane Feedback)	Configured as Has	
DCSD (Disassociated Center Stack Display)	Configured as Has NOT	
TBM (Telematic Box Module)	Configured as Has	
LTM/ETM/HTM (Low level Telematic Module)	Configured as Has	
DCM (Dampening Control Module)	Configured as Has NOT	
SCRM (Selective Catalytic Reduction Module)	Configured as Has NOT	
HMSM (Heating and Memory Seat Module)	Configured as Has	
PM (HVAC Control Panel Module)	Configured as Has	
(Left Blind Spot Sensor)	Configured as Has	
S (Right Blind Spot Sensor)	Configured as Has	
DASM (Driver Assistant System Module)	Configured as Has	
TTM (Trailer Tow Module)	Configured as Has NOT	
DTCM (Drive Train Control Module)	Configured as Has NOT	
PLGM (Power Lift gate module)	Configured as Has NOT	
(Battery Pack Control Module)	Configured as Has NOT	
OCM (Occupant Classification Module)	Configured as Has	
CVPM (Central Vision Processing Module)	Configured as Has	

AP (Auxiliary Hybrid Control Processor)	Configured as Has NOT
MB (Motor Control Processor B)	Configured as Has NOT
(Hybrid Control Processor)	Configured as Has
APM (Auxiliary Power Module)	Configured as Has NOT
(Digital TeleVision)	Configured as Has NOT
EMCM (Entertainment Multimedia Control Module)	Configured as Has
IDM (Integrated Dual Charger Module)	Configured as Has NOT
BCM (Body Control Module)	
ECM (Engine Control Module)	
EPS (Electric Power Steering)	
BSM (Brake System Control Module)	
ECC/ACM/MCM/HHM (Electronic Climate Control)	
(Transmission Control Module)	
GSM/STM/AGSM/DCSM (Gearbox Selector Module)	
PAM/SPM (Parking Assistant Module)	
ORC (Control)	
(Adaptive Front Light Module)	
(Haptic Lane Feedback)	
(Disassociated Center Stack Display)	
TBM (Telematic Box Module)	
LTM/ETM/HTM (Low level Telematic Module)	
DCM (Dampening Control Module)	
SCRM (Selective Catalytic Reduction Module)	
AMP (Amplifire Module)	
HMSM (Heating and Memory Seat Module)	
M (HVAC Control Panel Module)	
LBSS (Left Blind Spot Sensor)	
RBSS (Right Blind Spot Sensor)	
DASM (Driver Assistant System Module)	
TTM (Trailer Tow Module)	
DTCM (Drive Train Control Module)	
PLGM (Power Lift gate module)	
M (Battery Pack Control Module)	
OBCM (Onboard Charger Control Module)	
M (Drive Style Control Module)	
(Occupant Classification Module)	
CVPM (Central Vision Processing Module)	
AP (Auxiliary Hybrid Control Processor)	
MB (Motor Control Processor B)	
(Hybrid Control Processor)	
APM (Auxiliary Power Module)	
(Digital TeleVision)	

EMCM (Entertainment Multimedia Control Module)		
IDCM (Integrated Dual Charger Module)		
BCM (Body Control Module)	Requested by the ECU	
ECM (Engine Control Module)	NOT Requested by the ECU	
EPS (Electric Power Steering)	Requested by the ECU	
IPC (Instrument Panel Cluster)	NOT Requested by the ECU	
BSCM (Brake System Control Module)	NOT Requested by the ECU	
ECC/ACM/MCM/MHM (Electronic Climate Control)	NOT Requested by the ECU	
MTA/TCM/ICTM (Transmission Control Module)	NOT Requested by the ECU	
GSM/STM/AGSM/DCSM (Gearbox Selector Module)	NOT Requested by the ECU	
PAM/SPM (Parking Assistant Module)	NOT Requested by the ECU	
ORC (Occupant Restraint Control)	NOT Requested by the ECU	
(Adaptive Front Light Module)	NOT Requested by the ECU	
(Haptic Lane Feedback)	Requested by the ECU	
DSCD (Disassociated Center Stack Display)	NOT Requested by the ECU	
TBM (Telematic Box Module)	NOT Requested by the ECU	
ITM/ETM/HTM (Low level Telematic Module)	NOT Requested by the ECU	
DCM (Dampening Control Module)	NOT Requested by the ECU	
SCRM (Selective Catalytic Reduction Module)	NOT Requested by the ECU	
AMP (Amplifier Module)	NOT Requested by the ECU	
HMSM (Heating and Memory Seat Module)	NOT Requested by the ECU	
HCPM (HVAC Control Panel Module)	NOT Requested by the ECU	
LBSS (Left Blind Spot Sensor)	NOT Requested by the ECU	
RBSS (Right Blind Spot Sensor)	NOT Requested by the ECU	
DASM (Driver Assistant System Module)	NOT Requested by the ECU	
TTM (Trailer Tow Module)	NOT Requested by the ECU	
DTCM (Drive Train Control Module)	NOT Requested by the ECU	
PLGM (Power Lift gate module)	NOT Requested by the ECU	
BPCM (Battery Pack Control Module)	NOT Requested by the ECU	
OCM (Occupant Classification Module)	NOT Requested by the ECU	
CVPM (Central Vision Processing Module)	NOT Requested by the ECU	
P (Auxiliary Hybrid Control Processor)	NOT Requested by the ECU	
MCPB (Motor Control Processor B)	NOT Requested by the ECU	
HCP (Hybrid Control Processor)	NOT Requested by the ECU	
APM (Auxiliary Power Module)	NOT Requested by the ECU	
DTV (Digital TeleVision)	NOT Requested by the ECU	
EMCM (Entertainment Multimedia Control Module)	NOT Requested by the ECU	
IDCM (Integrated Dual Charger Module)	NOT Requested by the ECU	
BCM (Body Control Module)	stored in the ECU	
ECM (Engine Control Module)	NOT stored in the ECU	
EPS (Electric Power Steering)	NOT stored in the ECU	
IPC (Instrument Panel Cluster)	NOT stored in the ECU	

(Brake System Control Module)	NOT stored in the ECU
M (Electronic Climate Control)	NOT stored in the ECU
(Transmission Control Module)	NOT stored in the ECU
M (Gearbox Selector Module)	NOT stored in the ECU
PAM/SPM (Parking Assistant Module)	NOT stored in the ECU
ORC (Occupant Restraint Control)	NOT stored in the ECU
(Adaptive Front Light Module)	NOT stored in the ECU
HALF (Adaptive Lane Feedback)	NOT stored in the ECU
DSCD (Disassociated Center Stack Display)	NOT stored in the ECU
TBM (Telematics Module)	NOT stored in the ECU
M (Low Level Telematic Module)	NOT stored in the ECU
DCM (Dampening Control Module)	NOT stored in the ECU
SCRM (Selective Catalytic Reduction Module)	NOT stored in the ECU
AMP (Amplifire Module)	NOT stored in the ECU
(Heating and Memory Seat Module)	NOT stored in the ECU
(HVAC Control Panel Module)	NOT stored in the ECU
(Left Blind Spot Sensor)	NOT stored in the ECU
S (Right Blind Spot Sensor)	NOT stored in the ECU
DASM (Driver Assistant System Module)	NOT stored in the ECU
TTM (Trailer Tow Module)	NOT stored in the ECU
DTCM (Drive Train Control Module)	NOT stored in the ECU
PLGM (Power Lift gate module)	NOT stored in the ECU
BPCM (Battery Pack Control Module)	NOT stored in the ECU
OCM (Occupant Classification Module)	NOT stored in the ECU
CVPM (Central Vision Processing Module)	NOT stored in the ECU
P (Auxiliary Hybrid Control Processor)	NOT stored in the ECU
B (Motor Control Processor B)	NOT stored in the ECU
P (Hybrid Control Processor)	NOT stored in the ECU
APM (Auxiliary Power Module)	NOT stored in the ECU
DTV (Digital TeleVision)	NOT stored in the ECU
EMCM (Entertainment Multimedia Control Module)	NOT stored in the ECU
IDCM (Integrated Dual Charger Module)	NOT stored in the ECU
OCM (Occupant Classification Module)	
OCM (Occupant Classification Module)	Requested by the ECU
OCM (Occupant Classification Module)	stored in the ECU

HVAC CONFIGURATION

NAME	VALUE	UNITS
VIN Odometer Counter		miles
VIN Locked		
VIN LOCK State		
Proxi Process: number of executed writings	written	

Memory Flash reload		
VIN: number of executed writings	written	
Logistic Mode: Current Status		
Clima Type		
Clima Zone		
Anti Frost Sensor		
Anti Fog Sensor Humidity		
PTC		
Engine Type		
Hybrid Type		
Integrated Clima Touchscreen		
Power Mode Status (Logistic Mode)		
Temperature at Start of Test		°F
Temperature When Target Achieved		°F
Temperature at Minimum Run Time		°F
Refrigerant Pressure At Start Of Test		PSI
Refrigerant Pressure When Target Achieved		PSI
Refrigerant Pressure at Minimum Run Time		PSI
Evap Temperature Change Achieved		S
Minimum Evap Temperature Achieved		°F
Cooldown Test Status		
Maximum Refrigerant Pressure		PSI
Temperature Change Target		°F
Refrigerant Pressure Change Target		PSI
Refrigerant Pressure Change Achieved		S
Time Target		S
Most Evap Temperature at Start of Test		°F
Most Evap Temperature When Target Achieved		°F
Most Evap Temperature at Minimum Run Time		°F
Most Refrigerant Pressure At Start Of Test		PSI
Most Refrigerant Pressure When Target Achieved		PSI
Most Refrigerant Pressure at Minimum Run Time		PSI
Most Time Evap Temperature Change Achieved		S
Most Minimum Evap Temperature Achieved		°F
Most Cooldown Test Status		al Evap. Temp. too Low - Test not
Most Maximum Refrigerant Pressure		PSI
Most Evap Temperature Change Target		°F
Most Refrigerant Pressure Change Target		PSI
Most Time Refrigerant Pressure Change Achieved		S
Most Test Time Target		S
Programming Status (EEPROM / FLASH): Boot Block NOT present		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Programming Status (EEPROM / FLASH): Application Block NOT Present

size

OR CONFIGURATION

NAME	VALUE	UNITS
Configuration real diagnosis: Front Driver Airbag,		
Configuration real diagnosis: Front Driver Airbag,		
Configuration real diagnosis: Front Driver Airbag,		
Configuration real diagnosis: Front Passenger Airbag,		
Configuration real diagnosis: Front Passenger Airbag,		
Configuration real diagnosis: Front Passenger Airbag,		
Configuration real diagnosis: Front Passenger Airbag,		
Configuration real diagnosis: Rollover		
Configuration real diagnosis: Left Curtain Airbag		
Configuration real diagnosis: Right Curtain Airbag		
Configuration real diagnosis: Front Driver Kneebag		
Configuration real diagnosis: Front Passenger Kneebag		
Configuration real diagnosis: Front Left Sidebag		
Configuration real diagnosis: Front Right Sidebag		
Configuration real diagnosis: Row Left Sidebag		
Configuration real diagnosis: Row Right Sidebag		
Configuration real diagnosis: Left Sidebag		
Configuration real diagnosis: Right Sidebag		
Configuration real diagnosis: Front Passenger Disable switch		
Configuration real diagnosis: Rear Disable switch		
Configuration real diagnosis: Front Left Acceleration Impact Sensor		
Configuration real diagnosis: Front Right Acceleration Impact Sensor		
Configuration real diagnosis: Left Side B-Pillar Acceleration Impact Sensor		
Configuration real diagnosis: Right Side B-Pillar Acceleration Impact Sensor		
Configuration real diagnosis: Front Driver Retractor Pretensioner		
Configuration real diagnosis: Front Driver Anchor Pretensioner		
Configuration real diagnosis: Front Passenger Retractor Pretensioner		
Configuration real diagnosis: Front Passenger Anchor Pretensioner		
Configuration real diagnosis: Front Central Retractor Pretensioner		
Configuration real diagnosis: Front Central Anchor Pretensioner		
Configuration real diagnosis: Row Left Retractor Pretensioner		
Configuration real diagnosis: Left Anchor Pretensioner		
Configuration real diagnosis: Row Right Retractor Pretensioner		
Configuration real diagnosis: Row Right Anchor Pretensioner		

(b)(7)(D), 5 U.S.C. 552 (B) (6)

Configuration real diagnosis: w Central Retractor Pretensioner

Configuration real diagnosis: Central Anchor Pretensioner

Configuration real diagnosis: 3rd Row Left Retractor Pretensioner

Configuration real diagnosis: Left Anchor Pretensioner

Configuration real diagnosis: 3rd Row Right Retractor Pretensioner

Configuration real diagnosis: Right Anchor Pretensioner

Configuration real diagnosis: Central Retractor Pretensioner

Configuration real diagnosis: Central Anchor Pretensioner

Configuration real diagnosis: Front Driver Buckle switch

Configuration real diagnosis: Front Passenger Buckle switch

Configuration real diagnosis: Front Central Buckle switch

Configuration real diagnosis: Left Buckle switch

Configuration real diagnosis: w Right Buckle switch

Configuration real diagnosis: Central Buckle switch

Configuration real diagnosis: Left Buckle switch

Configuration real diagnosis: Central Buckle switch

Configuration real diagnosis: Right Buckle switch

Configuration real diagnosis: Front Passenger Presence Detection

Configuration real diagnosis: Front Central Presence Detection

Configuration real diagnosis: Left Presence Detection

Configuration real diagnosis: 2nd Row Right Presence Detection

Configuration real diagnosis: Central Presence Detection

Configuration real diagnosis: Left Presence Detection

Configuration real diagnosis: Central Presence Detection

Configuration real diagnosis: Right Presence Detection

IPC (Instrument Panel Cluster) PAD (Passenger Airbag Disable) Lamp

Configuration real diagnosis: Left Side Pressure Impact Sensor

Configuration real diagnosis: Right Side Pressure Impact Sensor

PAD (Passenger Airbag Disable) Switch via CAN

Configuration real diagnosis: Left Hand Driver / Right Hand Driver

Configuration real diagnosis: Front Driver Adaptive Load Limiter

Configuration real diagnosis: Front Passenger Adaptive Load Limiter

Configuration real diagnosis: Driver Active Hood

Configuration real diagnosis: Passenger Active Hood

PAD (Passenger Airbag Disable) Switch via ORC

Configuration real diagnosis: Front Driver Seat Track Position Sensor

Configuration real diagnosis: Front Passenger Seat Track Position Sensor

Configuration real diagnosis: Battery Cut Off

Configuration ECU capabilities: Front Driver Airbag,

Configuration ECU capabilities: Front Driver Airbag,

Configuration ECU capabilities: Front Driver Airbag,

Configuration ECU capabilities: Front Passenger Airbag,

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (5 U.S.C. 552 (B) (6))

Configuration ECU capabilities: Front Passenger Airbag, [REDACTED]

Configuration ECU capabilities: Front Passenger Airbag, [REDACTED]

Configuration ECU capabilities: Front Passenger Airbag, [REDACTED]

Configuration ECU capabilities: Rollover

Configuration ECU capabilities: Left Curtain Airbag

Configuration ECU capabilities: Right Curtain Airbag

Configuration ECU capabilities: Front Driver Kneebag

Configuration ECU capabilities: Front Passenger Kneebag

Configuration ECU capabilities: Front Left Sidebag

Configuration ECU capabilities: Front Right Sidebag

Configuration ECU capabilities: 2nd Row Left Sidebag

Configuration ECU capabilities: 2nd Row Right Sidebag

Configuration ECU capabilities: [REDACTED] Left Sidebag

Configuration ECU capabilities: [REDACTED] Right Sidebag

Configuration ECU capabilities: Front Passenger Disable switch

Configuration ECU capabilities: Rear Disable switch

Configuration ECU capabilities: Front Left Acceleration Impact Sensor

Configuration ECU capabilities: Front Right Acceleration Impact Sensor

Configuration ECU capabilities: Left Side B-Pillar Acceleration Impact Sensor

Configuration ECU capabilities: Right Side B-Pillar Acceleration Impact Sensor

Configuration ECU capabilities: Front Driver Retractor Pretensioner

Configuration ECU capabilities: Front Driver Anchor Pretensioner

Configuration ECU capabilities: Front Passenger Retractor Pretensioner

Configuration ECU capabilities: Front Passenger Anchor Pretensioner

Configuration ECU capabilities: Front Central Retractor Pretensioner

Configuration ECU capabilities: Front Central Anchor Pretensioner

Configuration ECU capabilities: [REDACTED] Left Retractor Pretensioner

Configuration ECU capabilities: [REDACTED] Left Anchor Pretensioner

Configuration ECU capabilities: 2nd Row Right Retractor Pretensioner

Configuration ECU capabilities: [REDACTED] Right Anchor Pretensioner

Configuration ECU capabilities: [REDACTED] Central Retractor Pretensioner

Configuration ECU capabilities: [REDACTED] Central Anchor Pretensioner

Configuration ECU capabilities: 3rd Row Left Retractor Pretensioner

Configuration ECU capabilities: [REDACTED] Left Anchor Pretensioner

Configuration ECU capabilities: 3rd Row Right Retractor Pretensioner

Configuration ECU capabilities: [REDACTED] Right Anchor Pretensioner

Configuration ECU capabilities: [REDACTED] Central Retractor Pretensioner

Configuration ECU capabilities: [REDACTED] Central Anchor Pretensioner

Configuration ECU capabilities: Front Driver Buckle switch

Configuration ECU capabilities: Front Passenger Buckle switch

Configuration ECU capabilities: Front Central Buckle switch

Configuration ECU capabilities: [REDACTED] Left Buckle switch

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT, 5 U.S.C. 552 (B) (6)

Configuration ECU capabilities: 2nd Row Right Buckle switch
 Configuration ECU capabilities: Central Buckle switch
 Configuration ECU capabilities: Left Buckle switch
 Configuration ECU capabilities: Central Buckle switch
 Configuration ECU capabilities: Right Buckle switch
 Configuration ECU capabilities: Front Passenger Presence Detection
 Configuration ECU capabilities: Front Central Presence Detection
 Configuration ECU capabilities: Left Presence Detection
 Configuration ECU capabilities: 2nd Row Right Presence Detection
 Configuration ECU capabilities: Central Presence Detection
 Configuration ECU capabilities: Left Presence Detection
 Configuration ECU capabilities: Central Presence Detection
 Configuration ECU capabilities: Right Presence Detection
 (Instrument Panel Cluster) PAD (Passenger Airbag Disable) Lamp
 Configuration ECU capabilities: Right Side Pressure Impact Sensor
 Configuration ECU capabilities: Left Side Pressure Impact Sensor
 PAD (Passenger Airbag Disable) Switch via CAN
 Configuration ECU capabilities: Left Hand Driver / Right Hand Driver
 Configuration ECU capabilities: Front Driver Adaptive Load Limiter
 Configuration ECU capabilities: Front Passenger Adaptive Load Limiter
 Configuration ECU capabilities: Driver Active Hood
 Configuration ECU capabilities: Passenger Active Hood
 PAD (Passenger Airbag Disable) Switch via ORC
 Configuration ECU capabilities: Front Driver Seat Track Position Sensor
 Configuration ECU capabilities: Front Passenger Seat Track Position Sensor
 Configuration ECU capabilities: Battery Cut Off
 Configuration Proxi capabilities: Front Driver Airbag,
 Configuration Proxi capabilities: Front Driver Airbag,
 Configuration Proxi capabilities: Front Driver Airbag,
 Configuration Proxi capabilities: Front Passenger Airbag,
 Configuration Proxi capabilities: Front Passenger Airbag,
 Configuration Proxi capabilities: Front Passenger Airbag,
 Configuration Proxi capabilities: Front Passenger Airbag,
 Configuration Proxi capabilities: Rollover
 Configuration Proxi capabilities: Left Curtian Airbag
 Configuration Proxi capabilities: Right Curtain Airbag
 Configuration Proxi capabilities: Front Driver Kneebag
 Configuration Proxi capabilities: Front Passenger Kneebag
 Configuration Proxi capabilities: Front Left Sidebag
 Configuration Proxi capabilities: Front Right Sidebag
 Configuration Proxi capabilities: 2nd Row Left Sidebag
 Configuration Proxi capabilities: Right Sidebag

Configuration Proxi capabilities: [REDACTED] Left Sidebag	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Right Sidebag	[REDACTED]
Configuration Proxi capabilities: Front Passenger Disable switch	[REDACTED]
Configuration Proxi capabilities: Rear Disable switch	[REDACTED]
Configuration Proxi capabilities: Front Left Acceleration Impact Sensor	[REDACTED]
Configuration Proxi capabilities: Front Right Acceleration Impact Sensor	[REDACTED]
Configuration Proxi capabilities: Left Side B-Pillar Acceleration Impact Sensor	[REDACTED]
Configuration Proxi capabilities: Right Side B-Pillar Acceleration Impact Sensor	[REDACTED]
Configuration Proxi capabilities: Front Driver Retractor Pretensioner	[REDACTED]
Configuration Proxi capabilities: Front Driver Anchor Pretensioner	[REDACTED]
Configuration Proxi capabilities: Front Passenger Retractor Pretensioner	[REDACTED]
Configuration Proxi capabilities: Front Passenger Anchor Pretensioner	[REDACTED]
Configuration Proxi capabilities: Front Central Retractor Pretensioner	[REDACTED]
Configuration Proxi capabilities: Front Central Anchor Pretensioner	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Left Retractor Pretensioner	[REDACTED]
Configuration Proxi capabilities: 2nd Row Left Anchor Pretensioner	[REDACTED]
Configuration Proxi capabilities: [REDACTED] 2nd Row Right Retractor Pretensioner	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Right Anchor Pretensioner	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Central Retractor Pretensioner	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Central Anchor Pretensioner	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Left Retractor Pretensioner	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Left Anchor Pretensioner	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Right Retractor Pretensioner	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Right Anchor Pretensioner	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Central Retractor Pretensioner	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Central Anchor Pretensioner	[REDACTED]
Configuration Proxi capabilities: Front Driver Buckle switch	[REDACTED]
Configuration Proxi capabilities: Front Passenger Buckle switch	[REDACTED]
Configuration Proxi capabilities: Front Central Buckle switch	[REDACTED]
Configuration Proxi capabilities: [REDACTED] 2nd Row Left Buckle switch	[REDACTED]
Configuration Proxi capabilities: 2nd Row Right Buckle switch	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Central Buckle switch	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Left Buckle switch	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Central Buckle switch	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Right Buckle switch	[REDACTED]
Configuration Proxi capabilities: Front Passenger Presence Detection	[REDACTED]
Configuration Proxi capabilities: Front Central Presence Detection	[REDACTED]
Configuration Proxi capabilities: [REDACTED] 2nd Row Left Presence Detection	[REDACTED]
Configuration Proxi capabilities: 2nd Row Right Presence Detection	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Central Presence Detection	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Left Presence Detection	[REDACTED]
Configuration Proxi capabilities: [REDACTED] Central Presence Detection	[REDACTED]

Configuration capabilities: Right Presence Detection

(Instrument Panel Cluster) PAD (Passenger Airbag Disable) Lamp

Configuration capabilities: Left Side Pressure Impact Sensor

Configuration capabilities: Right Side Pressure Impact Sensor

PAD (Passenger Airbag Disable) Switch via CAN

Configuration capabilities: Left Hand Driver / Right Hand Driver

Configuration capabilities: Front Driver Adaptive Load Limiter

Configuration capabilities: Front Passenger Adaptive Load Limiter

Configuration capabilities: Driver Active Hood

Configuration capabilities: Passenger Active Hood

PAD (Passenger Airbag Disable) Switch via ORC

Configuration capabilities: Front Driver Seat Track Position Sensor

Configuration capabilities: Front Passenger Seat Track Position Sensor

Configuration capabilities: Battery Cut Off

Mismatch: Front Driver Airbag

Mismatch: Front Driver Airbag

Mismatch: Front Driver Airbag

Mismatch: Front Passenger Airbag

Mismatch: Front Passenger Airbag

Mismatch: Front Passenger Airbag

Mismatch: Front Passenger Airbag

mismatch: Rollover

mismatch: Left Curtain Airbag

mismatch: Right Curtain Airbag

Mismatch: Front Driver Knee bag

Mismatch: Front Passenger Knee bag

mismatch: Front Left Side bag

mismatch: Front Right Side bag

mismatch: 2nd Row Left Side bag

mismatch: 2nd Row Right Side bag

mismatch: Left Side bag

mismatch: Right Side bag

Mismatch: Front Passenger Disable Switch

Mismatch: Rear Disable Switch

mismatch: Front Left Acceleration Impact Sensor

mismatch: Front Right Acceleration Impact Sensor

mismatch: Left Side B-Pillar Acceleration Impact Sensor

mismatch: Right Side B-Pillar Acceleration Impact Sensor

mismatch: Front Driver Retractor Pretensioner

mismatch: Front Driver Anchor Pretensioner

mismatch: Front Passenger Anchor Pretensioner

mismatch: Front Passenger Retractor Pretensioner

Proxi mismatch: Front Central Retractor Pretensioner

Proxi mismatch: Front Central Anchor Pretensioner

Proxi mismatch: 2nd Row Left Retractor Pretensioner

Proxi mismatch: Left Anchor Pretensioner

Proxi mismatch: Right Retractor Pretensioner

Proxi mismatch: Right Anchor Pretensioner

Proxi mismatch: Central Retractor Pretensioner

Proxi mismatch: Central Anchor Pretensioner

Proxi mismatch: Left Retractor Pretensioner

Proxi mismatch: Left Anchor Pretensioner

Proxi mismatch: 3rd Row Right Retractor Pretensioner

Proxi mismatch: Right Anchor Pretensioner

Proxi mismatch: Central Retractor Pretensioner

Proxi mismatch: Central Anchor Pretensioner

Proxi Mismatch: Front Driver Buckle Switch

Proxi Mismatch: Front Passenger Buckle Switch

Proxi Mismatch: Front Central Buckle Switch

Proxi mismatch: Left Buckle switch

Proxi mismatch: Right Buckle switch

Proxi mismatch: Central Buckle switch

Proxi mismatch: Left Buckle switch

Mismatch: Central Buckle Switch

Proxi mismatch: Right Buckle switch

Proxi Mismatch: Front Passenger Presence Detection

Proxi Mismatch: Front Central Presence Detection

Proxi mismatch: 2nd Row Left Presence Detection

Proxi mismatch: Right Presence Detection

Proxi mismatch: Central Presence Detection

Proxi mismatch: Left Presence Detection

Mismatch: Central Presence Detection

Proxi mismatch: Right Presence Detection

IPC (Instrument Panel Cluster) PAD (Passenger Airbag Disable) Lamp

Proxi mismatch: Left Side Pressure Impact Sensor

Proxi mismatch: Right Side Pressure Impact Sensor

PAD (Passenger Airbag Disable) Switch via CAN

Proxi Mismatch: Left Hand Driver / Right Hand Driver

Proxi mismatch: Front Driver Adaptive Load Limiter

Proxi mismatch: Front Passenger Adaptive Load Limiter

Mismatch: Driver Active Hood

Mismatch: Passenger Active Hood

PAD (Passenger Airbag Disable) Switch via ORC

Mismatch: Front Driver Seat Track Position Sensor

Mismatch: Front Passenger Seat Track Position Sensor

Proxi mismatch: Battery Cut Off

EPS CONFIGURATION

NAME	VALUE	UNITS
Tuning Table		

IPC CONFIGURATION

NAME	VALUE	UNITS
VIN Odometer Counter		
VIN Locked		
VIN LOCK State		
Public Certificates - Regional Support		
Secure boot failure event in last ECU initialization	---	
Signature failure event in last ECU reprogramming attempt	---	
Boot Block NOT present		
Application Block NOT Present		
Data Block NOT Present		
Transfer Data - Wrong Sequence		
Transfer Data - Incompatible block size		
Calibration Header Size	---	
Calibration Header File Size	---	
Calibration Header File Digest	---	
Calibration Header Subject Name	---	
Calibration Header Subject Key Identifier	---	
Calibration Header ECU Type	---	
Calibration Header RollBack ID	---	
Calibration Header Compatibility ID	---	
Calibration Header UUID	---	
Application Header Size	---	
Application Header File Size	---	
Application Header File Digest	---	
Application Header Subject Name	---	
Application Header Subject Key Identifier	---	
Application Header ECU Type	---	
Application Header RollBack ID	---	
Application Header Compatibility ID	---	
Application Header	---	
Bootloader Header Size	---	
Bootloader File Size	---	
Bootloader File Digest	---	
Bootloader Subject Name	---	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Bootloader Subject Key Identifier

Bootloader ECU Type

Bootloader RollBack ID

Bootloader Compatibility ID

Bootloader UUID

HTA Header Size

HTA File Size

HTA File Digest

HTA Subject Name

HTA Subject Key Identifier

HTA ECU Type

HTA RollBack ID

HTA Compatibility ID

HTA UUID

TCM CONFIGURATION

NAME	VALUE	UNITS
Car Shape Configuration		
Adaptive Cruise Control		
Gear Box Paddles		
Tire Size		
Axle Ratio		
Shifter Type Variant		
Drive Type Variant		
Fuel Type		
Stop And Start		
Autostick/ERS On/Off Switch Equipped		
Paddle-Shift Switches Equipped		
Shifter with Sport Mode Position Equipped		
Shifter with Low Mode Position Equipped		
Sport Mode Switch or Virtual Switch (Non-Terrain) Equipped		
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped		
ECO/Optimizer Switch Equipped		
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped		
ERS/Autostick/Tip Non-Paddle in D Position Equipped		
ERS/Autostick/Tip Non-Paddle in A or M Position Equipped		
FWD Equipped		
RWD Equipped		
AWD Equipped		
4WD with switchable Lo Range equipped		
Engine Start/Stop equipped		
Cableless E-shift Without Return-to-center Equipped		

Long Learn Enabled	[REDACTED]
Short Learn Enabled	[REDACTED]

ESM CONFIGURATION

NAME	VALUE	UNITS
Model Year	[REDACTED]	-
Vehicle Line	[REDACTED]	
Body Style	[REDACTED]	
Country Code	[REDACTED]	
ECU Sw	[REDACTED]	

ETM CONFIGURATION

NAME	VALUE	UNITS
VIN Odometer Counter	[REDACTED]	
VIN Locked	[REDACTED]	
VIN LOCK State	[REDACTED]	
Distortion Limiting	[REDACTED]	
Clock Defeat	[REDACTED]	
Stereo Blend	[REDACTED]	
High Cut	[REDACTED]	
Automated Loudness	[REDACTED]	
Anti-Theft Enable Status	[REDACTED]	
[REDACTED] Time Selection	[REDACTED]	
Front Seat Video Playback	[REDACTED]	
Cabin EQ Curve Number Currently Used by Radio	[REDACTED]	
Market Selection Configuration	00	
Splash Screen	[REDACTED]	
CAN Architecture	[REDACTED]	
Signal Status	[REDACTED]	
Antenna Status	[REDACTED]	
Satellite Signal	00	
Terrestrial Signal	00	
Audio Decoder Bitrate	00	
Satellite Subscription ID	[REDACTED]	
Subscription Status	[REDACTED]	
Reason Code	[REDACTED]	
Suspend Day	[REDACTED]	
Suspend Month	[REDACTED]	
Suspend Year	[REDACTED]	
Reason Text	[REDACTED]	
Phone Number		

CONFIGURATION

NAME	VALUE	UNITS
VIN Odometer Counter		
VIN Locked		
VIN LOCK State		
ECU Lock		
Boot Block NOT present		
Application Block NOT Present		
Data Block NOT Present		
Transfer Data - Wrong Sequence		
Transfer Data - Incompatible block size		

ACC CONFIGURATION

NAME	VALUE	UNITS
VIN Odometer Counter		
VIN Locked		
VIN LOCK State		
Boot Block NOT present		
Application Block NOT Present		
Data Block NOT Present		
Transfer Data - Wrong Sequence		
Transfer Data - Incompatible block size		

ICS CONFIGURATION

NAME	VALUE	UNITS
VIN Odometer Counter		miles
VIN Locked		
VIN LOCK State		
Programming Status: Boot Block NOT present		
Programming Status: Application Block NOT Present		
Programming Status: Data Block NOT Present		

DSM CONFIGURATION

NAME	VALUE	UNITS
VIN Odometer Counter		miles
VIN Locked		
VIN LOCK State		

CONFIGURATION

NAME	VALUE	UNITS
------	-------	-------

Vehicle Type	
Vehicle Propulsion Type	—
GPS Type	
VIN Odometer Counter	
VIN Locked	
VIN LOCK State	
Boot Block NOT present	
Application Block NOT Present	
Data Block NOT Present	
Transfer Data - Wrong Sequence	
Transfer Data - Incompatible block size	

CVPM CONFIGURATION

NAME	VALUE	UNITS
Rear Park Assist		
Front and Rear Park Assist		
Rear Emergency Braking		
Side Distance Warning		
Parallel and Perpendicular Parking		
Full Autonomous Parking		
Off Road Camera		
Surround View Camera		
Highway Assist Plus		

EMCM CONFIGURATION

NAME	VALUE	UNITS
VIN Odometer Counter		
VIN Locked		
VIN LOCK State		