



Vehicle

ECU

[illegible]

DPDM	Driver Presence Detection Module					
IDCM	Integrated Dual Charge Module					
	Telematic Box Module 2					

ECU SUMMARY INFO (CONT...)

[illegible]

	VALUE	UNITS

Sport Mode Switch or Virtual Switch (Non-Terrain) Equipped	False
Overdrive Off or Tow Haul Mode Switch or Virtual Switch (Non-Terrain) Equipped	
ECO/Optimizer Switch Equipped	
ERS/Autostick/Tip Non-paddle on Steering Wheel equipped	
ERS/Autostick/Tip Non-paddle on Shifter in D position equipped	
ERS/Autostick/Tip Non-paddle on Shifter in A or M position equipped	
FFV Equipped	
RWD Equipped	
AWD Equipped	
4WD with switchable Lo Range equipped	
Engine Start/Stop Equipped	
Polystable E-shift (Cableless without return-to-center) equipped	
Long Learn Enabled	
Short Learn Enabled	

PCM CONFIGURATION

NAME	VALUE	UNITS
AC Equipped		
AC Equipped Over Bus		
Power Steering Switch Equipped		
Integrated Cruise Control		
EMAT (Getrag DCT transmission) Equipped		
Vehicle Speed Sensor #1 Calculated from CAN		
Police Package Equipped		
Unleaded Gasoline Fuel		
Unleaded diesel fuel		
V8 Engine		
4 Speed Automatic Transmission Equipped		
Electronic Automatic Transmission (EATX) Equipped		
Vehicle Speed Sensor #1 Calculated by ECU		
V8 Engine		
V8 Engine		
V8 Engine		
Sensorless FFV Enabled		
Electronic Throttle Control Equipped		
Engine		
4.0 Liter I6 Engine		
Engine		
V6 Engine		
Engine		
Engine		
V6 Engine		

2.7 Liter V6 Engine

Solenoid Equipped

Equipped

Turbocharger Equipped

SRV Equipped

Secondary Air Equipped

Shift Indicator Lamp Equipped

Barometric Sensor Equipped

TIP Equipped

Battery Temp Sensor Equipped

Knock Sensor 1 Equipped

Knock Sensor 2 Equipped

Variable Valve Timing Equipped

Clutch Interlock Switch Equipped

ESIM Equipped

Linear Purge Equipped

Linear EGR Equipped

Continuous Variable Transmission Equipped

Direct Injection Equipped

Secondary Fuel Pump Equipped

Electronic Coolant Pump Equipped

O2 Sensor Bank 1 Sensor 1 Equipped

O2 Sensor Bank 1 Sensor 2 Equipped

Sensor Bank 1 Sensor 3 Equipped

O2 Sensor Bank 2 Sensor 1 Equipped

Sensor Bank 2 Sensor 2 Equipped

Variable Displacement AC Equipped

Fixed displacement AC Equipped

Intake Flow Control Valve Equipped

Electric Coolant Valve Equipped

Engine Oil Heater Cooler Equipped

Transmission Oil Heater Equipped

Electric Water Pump Equipped

Rear Heater Equipped

Starter Relay 2 Equipped

Inrush Current Reduction Relay Equipped

Active Grille Shutter Equipped

Electronic Vacuum Pump Equipped

Wide Range O2 Sensor Equipped

Wide Range O2 Sensor Equipped

MultiAir Equipped

Engine Stop Start Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Viscosity Sensor Equipped

Duty Cycle Purge Valve Equipped

Electric Thermostat Heater Equipped

Exhaust Cam 1 Equipped

Intake Cam 1 Equipped

WI4 engine

WI4 engine

WI4 engine

Engine

Tumble Generator Valve Equipped

Hybrid Electric Vehicle Equipped

Auxiliary Heater Electric Water Pump Equipped

Dual Speed Fuel Pump Equipped

Exhaust Cam 2 Equipped

Intake Cam 2 Equipped

1 Speed Fan Mechanical Relay System Equipped

2 Speed Fan Mechanical Relay System Equipped

2 Speed Fan PWM Relay System Equipped

Linear PWM Fan Relay System Equipped

PWM Fan Motor System Equipped

3 Speed Fan Mechanical Relay System Equipped

Fan Wake Up Relay System Equipped

2 Speed Fan 3 Relay System Equipped

/

/

/

VLP Is Learnable Indicator

VLP Equipped Indicator

VFS Actuators Available Indicator

ERS Equipped Indicator

Engine Software In Package

Transmission Software Included

ICC Cruise Equipped

ETC Cruise equipped

Adaptive Cruise Control Equipped

A/C Equipped

Adaptive Cruise Control Hardware Equipped

DUAL_ALTERNATOR_GEN1_LEARNEDCOPY

TOOL.CONFIG_OIL_PRESS_ABS_EQUIPPED

GPEC2 Equipped

Equipped

Equipped

Cummins Equipped

Equipped

VMM Equipped

Powernet Equipped

CUSW () Equipped

CUSW () Equipped

Equipped

Next Gen Bus Equipped

Constant Heater Temperature Control Valve Equipped

High Side Port Tumble Valve Equipped

CMCV H Equipped

Turbine Volute Valve Actuator Equipped

H- Equipped

Active Exhaust Valve Equipped

Active Exhaust Pressure Sensor Equipped

Engine Idle Shutoff Equipped

Aisin RWD Transmission Equipped

Cooled EGR Equipped

Supercharger Equipped

Low Temperature Radiator Coolant Pump Equipped

Mechanical Coolant Pump Heater Equipped

Auxiliary Coolant Pump Heater Equipped

Compressed Natural Gas Equipped

CUSW PROXI Write Programming Support Enabled

Active Engine Mount Equipped

ZF 9 Transmission Equipped

HPT Transmission Equipped

Variable Speed Fuel Pump Equipped

Operator Idle Speed Request Equipped

PTO System Equipped

Air Shutoff Valve Bank 1 Control Solenoid 1 Equipped

Air Shutoff Valve Bank 1 Control Solenoid 2 Equipped

Air Shutoff Valve Bank 2 Control Solenoid 2 Equipped

Dual Stage Oil Pump Equipped

Auxiliary Coolant Pump Equipped

Trans Skip Shift Equipped

Trans Reverse Lockout Equipped

Port Flap Valve Equipped

Brushless PWM Fan Equipped

V8 Engine

Primary Lin Alternator Equipped

Coolant On-Off Pump Equipped

Oil Pressure Sensor Enabled

VIN Learning Strategy Equipped

Yaw Rate Sensor ESC Equipped

I3 Engine

Coolant On-Off Valve Equipped

Buffered Crank Output for ANC (Active Noise Cancellation) Equipped

Buffered Crank Output for PHEV Engine Pulse Calculation Equipped

Throttle Inlet Temp Sensor Equipped

Humidity, Temperature and Pressure Sensor (LIN) Equipped

Dual Fuel Pressure Sensor Equipped

Brake Pedal Sensor Equipped

Dual Fuel Tank Equipped

PTO System Equipped

Low Temp Radiator Coolant Pump Equipped

Engine Idle Shutoff Equipped

A/C Relay Powered from Engine Switched Battery

CNG Large Gas Tank Equipped

Cooled EGR Equipped

Supercharger Equipped

Hybrid MEC Shifter Equipped

Dual Alternator Capable

Auxillary Coolant Pump Equipped

ZF 9- Trans Equipped

HPT 6- Trans Equipped

CUSW Cruise Equipped

Power Steering Angle Sensor Mandatory

Throttle Inlet Temp Sensor Equipped

LIN Humidity, Temp, and Pressure Sensor Equipped

Dual Fuel Pressure Sensor Equipped

Brake Pedal Sensor Equipped

Clutch Sensor Equipped

SWAP HARDWIRED BRAKE SWITCH INPUTS

Mass Airflow System Equipped

Bi-Directional Crank Sensor Equipped

5 Button Cruise (LIN) Equipped

Operator Idle Request Equipped

INTAKE EQUIPPED

Cylinder Pressure Sensor Equipped

Make Up Air Sensor Equipped

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Active Exhaust Pressure Sensor Equipped

Secondary Mass Airflow Sensor Equipped

I3 Engine

Engine

Variable Valve Lift Equipped

Coolant On-Off Pump Equipped

Primary Lin Alternator Equipped

Electronic Parking Brake Equipped

Active Exhaust Valve(s) Equipped

Mechanical Coolant Pump Equipped

Aux Coolant Pump Heater Equipped

Heater Temp Control Valve Equipped

High Side Port Tumble Valve Equipped

Wastegate HBridge Equipped

Remote Start Present

Engine Oil Pressure Sensor Type

ICS CONFIGURATION

NAME	VALUE	
Display Type (Base)		
Display Type (Mid)		
Display Type (High)		

RFH CONFIGURATION

NAME	VALUE	UNITS
PIN Successfully Programmed		
VIN Successfully Programmed		
Valid Key In Ignition		
Keyless Go		
Ignition system type connected		
e-shifter present		
Auto Park Present		
Secret Codes Programmed		
Passive Entry		
RKE		
Module Configuration Status		
Remote Start Present		
Programmed by		
Hardware Configuration: Remote Start Antenna		
Hardware Configuration: Front Left Door Handle H/W		
Hardware Configuration: Front Right Door Handle H/W		
Hardware Configuration: Rear Left Door Handle H/W		

Hardware Configuration: Rear Right Door Handle H/W

Hardware Configuration: Trunk Door Handle H/W

RFHub Locked

Fob Location #1 Successfully Programmed

Fob Location #2 Successfully Programmed

Fob Location #3 Successfully Programmed

Fob Location #4 Successfully Programmed

Fob Location #5 Successfully Programmed

Fob Location #6 Successfully Programmed

Fob Location #7 Successfully Programmed

Fob Location #8 Successfully Programmed

Back Up Vehicle Config 1

Back Up Vehicle Config 2

Back Up Vehicle Config 3

Back Up Vehicle Config 4

Back Up Vehicle Config 5

Back Up Vehicle Config 6

Back Up Vehicle Config 7

Back Up ECU Configuration 1

Back Up ECU Configuration 2

Back Up ECU Configuration 3

Back Up ECU Configuration 4

Back Up ECU Configuration 5

Back Up ECU Configuration 6

Back Up ECU Configuration 7

Back Up ECU Configuration 8

Back Up ECU Configuration 9

Back Up ECU Configuration 10

Back Up ECU Configuration 11

Back Up ECU Configuration 12

Back Up ECU Configuration 13

Back Up ECU Configuration 14

Back Up ECU Configuration 15

Back Up ECU Configuration 16

Back Up ECU Configuration 17

Back Up Customer Settings Menu 1 ()

Back Up Customer Settings Menu 2 ()

Back Up Programmed ECUs: Cabin Network

Back Up Programmed ECUs: P/T Chassis Network

Secret Key Sent to Body Controller - Most recent attempt

Secret Key Sent to Body Controller - Original attempt

Base TPM Present

Full Size Matching Spare Tire Present

ECU Ship Status

Tire Pressure System

Selectable Tire Fill Alert

TPM Auto-Locate Enabled

TPMS Configuration

CONFIGURATION

NAME	VALUE	UNITS
Full-Time T-Case		
Front Locker Present		
Rear Locker Present		
FAD Present		
Mode Switch Present		
Left/Right Hand Drive		
Axle Ratio		
T-Case Type		
SRT Present		

ORC CONFIGURATION

NAME	VALUE	UNITS
Rollover Sensing		
EPPM		
Occupant Classification (OCM)		
Driver Seatbelt Buckle Switch		
Passenger Seatbelt Buckle Switch		
Left seat belt Switch		
Center seat belt Switch		
Right seat belt Switch		
Driver Seat Track Position Sensor		
Passenger Seat Track Position Sensor		
Passenger Occupant Detection Sensor		
Passenger Airbag Disable Switch		
Passenger Airbag Disable Indicator		
Driver Frontal Squib 1		
Driver Frontal Squib 2		
Driver Frontal Squib 3		
Passenger Frontal Squib 1		
Passenger Frontal Squib 2		
Passenger Frontal Squib 3		
Driver Knee Bolster Squib		
Passenger Knee Bolster Squib		

Driver Seatbelt Retractor Pretensioner
 Passenger Seatbelt Retractor Pretensioner
 Driver Seatbelt Load Limiter
 Passenger Seatbelt Load Limiter
 Driver Seatbelt Anchor Pretensioner
 Passenger Seatbelt Anchor Pretensioner
 Driver Seatbelt Buckle Pretensioner
 Passenger Seatbelt Buckle Pretensioner
 Left Curtain Squib 1
 Right Curtain Squib 1
 Left Side Seat Squib 1
 Right Side Seat Squib 1
 Left Seat Side Airbag
 Second Row Right Seat Side Airbag
 Driver Frontal Squib 4
 Passenger Frontal Squib 4
 Left Up-Front Acceleration Sensor
 Right Up-Front Acceleration Sensor
 Right B-Pillar Impact Acceleration Sensor
 Left B-Pillar Impact Acceleration Sensor
 Left C-Pillar Impact Acceleration Sensor
 Right C-Pillar Impact Acceleration Sensor
 Right D-Pillar Impact Acceleration Sensor
 Left D-Pillar Impact Acceleration Sensor
 Left Side Door Pressure Sensor
 Right Side Door Pressure Sensor
 Configuration Column Identifier

HVAC CONFIGURATION

NAME	VALUE	UNITS
DualZone ATC Control (Factory)		
DualZone ATC Control		
Dual Zone MTC Control		
Single Zone MTC Control		
MTC With EBL ()		
MTC Without EBL ()		
MTC heater only ()		

AMP CONFIGURATION

NAME	VALUE	UNITS
ANC Calibration Date -		
ANC Calibration Date -		

of

C Calibration Date - Patch

Current Calibration ID - Service

C Status

Surround Sound Activated

Door Module - Left Front

Door Module - Right Front

Premium - 1

Premium - 2

Premium - 3

Non -

No Rear Doors

No

IPC CONFIGURATION

NAME		
Main Fuel Tank Gauge - Empty Stop Calibration		
Main Fuel Tank Gauge - Datum Calibration		
Main Fuel Tank Gauge - Datum Calibration		
Main Fuel Tank Gauge - Datum Calibration		
Main Fuel Tank Gauge - Full Stop Calibration		
Sub Fuel Tank Gauge - Empty Stop Calibration		
Sub Fuel Tank Gauge - Datum Calibration		
Sub Fuel Tank Gauge - Datum Calibration		
Sub Fuel Tank Gauge - Datum Calibration		
Sub Fuel Tank Gauge - Full Stop Calibration		

SCCM CONFIGURATION

NAME	VALUE	
Rear Wiper		
Tilt Telescope		
Paddle Shifter		
Cruise Control / ACC		

CONFIGURATION

NAME	VALUE	UNITS
RBSM		
LBSM		
PCM (Interior Bus)		
HSM		
PTCM		
Radio		

SessionID

ITM		
AMP		
EDM		
HVAC_R		
TBM		
AHLM/AFLS		
ASCM		
BCM (P)		
DTCM		
PCM		
EPS		
ESM		
ABS		
RFH		
IPC		
ORC		
PTS		
SCCM		
ELSD		
TCM		
TPM		
AFLS		
ITBM		
OCM		
DPDM		
SGW		
ASBS		
ANC		
Number of Reprogramming Attempts - Counter #0		
Vehicle Configuration Programmed Status		
Last Programmed Status		
Last Configuration Odometer		miles

Programmed ECUs: Hybrid LAN Network

INFORMATION REQUESTED IS EXEMPT FROM DISCLOSURE PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Power Inverter Type	
Present	
Rain Sensor Present	
System Present	
Air Conditioning Present	
Cruise Feature is Present	
Fluor Glass Present	
Full Size Spare	
Off Road Capable	
Special Packages	
Max Load Inflation Pressure Rear Tire	
Max Load Inflation Pressure Front Tire	
Light Load Inflation Pressure Rear Tire	
Police Lighting Feature	
Power Lift Gate Present	
Power Right Sliding Door Present	
Power Left Sliding Door Present	
System Present	
Sunshade Present	
T-Case Type	
Wheel Base	
FOBIK Safe Enable	
ELV Present	
Fuel Capacity	
Window Express Feature Configuration	
Adjustable Pedal Feature Present (non-Memory)	
Auto Headlamp Feature Present	
Door Alert Feature Present	
Present	
Vehicle is an SRT	
Disable Display of Radio Clock	
Chassis Type	
Display Outside Temperature Present	
HVAC Configuration	
Vehicle Brand	
Display Compass Heading Present	
Interior EC Mirror Present	
ESCL system present	
High Intensity Discharge Head Lamps	
Secondary Lock Present	
Liftgate/Trunk Type	
Collision Mitigation System present	

[illegible]

Starter Relay Lowside Coil Drive - Pin D7

Diesel Cabin Heater #2 Output Present - Pin D9

Diesel Cabin Heater #3 Output Present - Pin

Diesel Cabin Heater #1 Output Present - Pin

Right Dedicated DRL Lamp Output Present - Pin

Left Dedicated DRL Lamps Output Present - Pin

Flapper Glass #2 Output Present

Foot Well Lamps Output Present - Pin

Front Fog Lamps Output Present - Pin A1 &

Inverter Enable Relay Output Present - Pin

Reserved -

Gated Park ZFII Output Present - Pin D-24

Reserved - Pin

Rear Fog Lamps Output Present - Pin &

Rear Park Lamps Output Present - &

Rear Turn Lamps Output Present - Pin E3 &

Run-ACC Y Relay #2 Output Present - Pin E9

Side Markers Output Present - Pin &

Trailer Backup Lamps Output Present -

Reserved - Pin F4

UGDO Feed Output Present - Pin

Warning LED Output Present - Pin

Park Brake Input Present - Pin

Ambient Temperature Sensor Present - Pin

Tip Start Enabled

Dual Start Relay System Present

Wiper Service Position Enabled

Trailer Tow Present

Quad Headlamps Enable

Horn Chirp Allowed

Bi Xenon Headlamps Enable

Hazard Lamp Configuration

Park Lamp Loadshed Enable

Front Fog Lamp Dropout Enable

Combined Rear Lighting Enable

Side Repeaters Enable

Lane Change

Exterior Light Loadshed Enable

Front Wiper Park Enable

Rear Wiper Park Enable

Reversible Washer Pump Enable

Element Tail Lamp

DRL Configuration

DRL Lamp Location

DRL Dropout Enable

Tunnel Detection

Military Vehicle Present

LED Reverse Lamps Present

LED Stop Lamps Present

LED Rear Turn Lamps Present

LED Tail Lamps Present

LED Rear Fog Lamps Present

LED License Lamps Present

LED Front Turn Lamps Present

LED Front Fog Lamps Present

LED Dedicated DRL Present

LED Low Beam Lamps Present

LED High Beam Lamps Present

LED Front Park/Marker Lamps Present

Lock Switch Signal FT LT Usage (F9)

Lock Switch Signal FT RT Usage (F23)

Headlamp Wash Interval

Headlamp Wash Shot

Front Wiper Wipes After Wash

Headlamp Washer Low Fluid Shut-Off Enable

Intermittent Wiper States

LED CHMSL Lamp Present

Rear Camera Present

Power Inverter Present

Front Park Assist Present

Front Heated Seats Present

Front Ventilated Seats Present

Destination

Cabin Equilization Curve Number

Hill Start Assist Customer Setting Option Present

Radio Apps Present

CTP Easy Entry Enable

CTP Passive Entry Present

CTP Auto Lock Disable

SDAR Travel Link Present

DAB Present

Vehicle Theft Alarm Present

Heated Steering Wheel Present

VIN Check Digit Diable

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Surround Sound Feature Present

Present

Antenna Type

CTP Max AC Present

Hybrid Electric Powertrain Present

Disable CD Eject

DTV Front Camera Present

DTV Side Camera Present

Tow Haul Present

Hill Descent Control Present

Audio Steering Wheel Switch Configuration

Radio Display On/Off Softkey Present

Microphone Tuning Parameter

Microphone Configuration

Microphone Type

External Port Type

Splashscreen Type

ERS Available

Rear Wheel Dually

Max Gear

Virtual Speedometer Units

Speedometer Range Max Scale

IC Config Feature

PTO Present

AMB Dimmer

Heated Seat Present

Split Shaft Present

Manual Headlamp Leveling

Gear Shift Indicator

Service Interval

Temperature Celsius for UK

Type of Gallons

Tip Start Present

5 Trunk Lock

Airport Scenario Trunk Set

1 Left Front

Right Front

Left Rear

AP4 Right Rear

Global Up

Global Down

Sun Shade

SessionID

- Puddle Lamp Present
- Rear Door Pre Short Drop
- Passenger Window Lockout
- Auto Power Folding Mirrors Present
- Folding mirrors present
- Heated Mirrors Present
- Mirror turn signals present
- Driver Memory Mirrors Present
- Passenger Memory Mirror Present
- Electro-chromatic driver mirror present
- Electro-chromatic passenger mirror present
- Tow Mirror Present
- Blindspot Mirror Present
- Window Motor Type
- Window Hall Sensors Present
- Frameless Window Present
- Memory Adjustable Pedals Present
- Tilt/Telescope Steering Present
- Memory Seat Present
- Rear Heated Seats Present
- Front Vented Seats Present
- Heated Steering Wheel Present
- Heated Seat Material Type
- Heated Wheel Material Type
- Rear Vented Seats Present
- Front Heated Seat Present
- Brake System ECU Configuration A
- Wheel overall ESC Maserati
- Brake System ECU Configuration B
- ECO Mode Configuration
- Alternator Present
- ODS Present
- Driver Kneebag Present
- Passenger Kneebag Present
- Curtain Airbags Present
- Tow Hooks Present
- Passive Present
- 2nd Row Present
- Reserved
- Reserved
- Integrated EPP Present
- BUX vehicle

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Signature Light Present		
Dual Filament Headlamp		
Front Turn Lamp Diagnostics		
Auto Headlamp On Threshold		
Auto Headlamp Off Threshold		
Left Low Beam Voltage Regulation		
Left High Beam Voltage Regulation		
Right Low Beam Voltage Regulation		
Right High Beam Voltage Regulation		
Left Front Corner Voltage		
Right Front Corner Voltage		
Left Rear Corner Voltage		
Right Rear Corner Voltage		
Panic Enable		
Compass Mounting Orientation		
Washer Fluid Level Voltage Threshold		
IBS Present		
MM Present		
Humidity Sensor Present		
Manual Trans Present		
DC to DC Converter Present		
M Present		
Auto Relock Time		
VTA System Present		
DC to DC Converter #2 Present		
Illuminated Approach Interior Lighting Target Percentage		
Illuminated Approach Headlamp Target Percentage		
Illuminated Approach Taillamp Target Percentage		
Illuminated Approach Interior Lighting Ramp Up Time		
CRVMM Present		
EVIC Switch Module Present		
Compass Mounting Angle		
Backup Reverse Lamp Left Present - Pin F41		
Backup Reverse Lamp Right Present - Pin		
Stop/Turn Lamp or Stop Lamp Present Pin &		
Left High Beam Present - Pin D1		
Right High Beam Present - Pin A2		
Left Front Lamp Diagnostics Present - Pin		
Right Front Lamp Diagnostics Present - Pin		
Left Rear Turn Lamp Diagnostics Present - Pin		
Right Rear Turn Lamp Diagnostics Present - Pin		
Brake Fluid Level Switch Signal Present - Pin		

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Siren	
Ultrasonics	
Tilt	
Gate Lock Present - Pin	
Gate Unlock Present - Pin	
Front Fog Voltage	
Rear Fog Voltage	
Pump Output Disable	
Secondary Door Ajar Present - Pin	
Manual Door Locks Present	
Rain Sensor Module #2 Present	
Auto High Beam Module Location	
Average Last Longitudinal Acceleration Values	
Average Last Lateral Acceleration Values	
Excess Longitudinal Acceleration Factor	
Excess Lateral Acceleration Factor	
Brake Smoothing Duration	
Brake Smoothing Factor	
Steering Smoothing Duration	
Steering Smoothing Factor	
Steering Smoothing Threshold	
Brake Smoothing Threshold	
Maximum Longitudinal Change	
Maximum Lateral Change	
Acceleration Threshold	
Acceleration Factor	
Nose Dive Threshold	
Nose Dive Factor	
RKE Auto-Relock Feature Enable	
PE Auto-Relock Feature Enable	
VTA Hood Ajar Monitoring	
Horn Chirp Duration	
Pitch and Roll Present	
Parking Light Enable	
ASBM Minimum Voltage Time	
ASBM Battery Minimum Voltage	
Interior Lighting Night Threshold	
Interior Lighting Day Threshold	
Axle Locker Configuration	
Transmission Equipped	
Park Brake Type	
TPMS Configuration	

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)

Hybrid Type

Module Present

R feature Present

Present

Temperature Display Resolution

RTC Present

Glarebox Control

Glare Free Present

Brake Type

Suspension Type

Park assist customer settings menu

Park assist brake customer settings menu

Park assist front volume customer settings menu

Park assist rear volume customer settings menu

Electric power steering customer settings menu

Forward collision warning customer settings menu

Auto on driver comfort customer settings menu

Auxiliary switches customer settings menu

Rear view camera gridlines customer settings menu

Unit set customer settings menu

Power accessory delay customer settings menu

Ambient dimmer customer settings menu

Tire jack mode customer settings menu

Air suspension warning customer settings menu

Automatic aero mode customer settings menu

Auto high beam customer settings menu

Auto park customer settings menu

Blind spot alert customer settings menu

Clock display customer settings menu

Compass calibration customer settings menu

Compass variance customer settings menu

Consumption unit customer settings menu

Distance unit customer settings menu

Auto door lock customer settings menu

Easy exit seat customer settings menu

Auto entry exit mode customer settings menu

EPB service mode customer settings menu

Headlamp drop customer settings menu

Headlamp off delay customer settings menu

Headlamps on with wiper customer settings menu

Passive entry customer settings menu

Illuminated approach customer settings menu

Lane departure torque customer settings menu

Lane departure warning customer settings menu

Rear camera customer settings menu

Rain sensitive wipers customer settings menu

Power take off customer settings menu

Pressure unit customer settings menu

Power unit customer settings menu

Power window chime customer settings menu

Performance shift enable customer settings menu

Rear view camera delay customer settings menu

RKE unlock customer settings menu

Speed unit customer settings menu

Tilt mirror in reverse customer settings menu

Torque unit customer settings menu

Teen Key Fuel Pop-up Customer Settings Menu

Teen Key Automatic High Beam Customer Settings Menu

Passenger Airbag On/Off Customer Settings Menu

Forward Collision Warning and Brake Customer Settings Menu

Doors and Engine Off Power Delay Customer Settings Menu

Radio Speaker Open Circuit Disable (LF)

Radio Speaker Open Circuit Disable (RF)

Radio Speaker Open Circuit Disable (LR)

Radio Speaker Open Circuit Disable (RR)

C Calibration Parameter Data Set

ms

Surround View Camera On/Off Softkey Present

Drive Mode Version

Rear Defrost and Heated Mirrors Present

Show Phone Information in Cluster

Auto Dimming Mirror Hard Button Present

Clari-Fi Present

Automatic Crash Notification Feature Present

Trailer Hitch Camera Present

Park Assist Tuning Set

Rear Defrost Presence

Heated Mirrors Present

Engine Displacement

Steering C Factor

Speedometer Tolerance

Increasing speed constant

Tachometer Type

Present

Tri-State Comfort Climate Softkey Function Present

RADIO CONFIGURATION

NAME	VALUE	
Satellite Subscription ID	[REDACTED]	
Satellite Subscription Status	[REDACTED]	
Satellite Subscription Suspend Day	[REDACTED]	
Satellite Subscription Suspend Month	[REDACTED]	
Satellite Subscription Suspend Year	[REDACTED]	
Satellite Subscription Reason Code	[REDACTED]	
NAV Activation Request Code	---	
SDARS	[REDACTED]	
Navigation Active	[REDACTED]	
Cellular	[REDACTED]	
Internal CD Player	[REDACTED]	
Wi-Fi	[REDACTED]	
Bluetooth	[REDACTED]	
Application Framework	[REDACTED]	
FM Diversity	[REDACTED]	
Clock Defeat	[REDACTED]	
Automated Loudness	[REDACTED]	
Anti-Theft Enable Status	[REDACTED]	
[REDACTED] Time Selection	[REDACTED]	
Front Seat Video Playback	[REDACTED]	
Cabin EQ Curve Number Currently Used by Radio	[REDACTED]	
Market Selection Configuration	[REDACTED]	
Splash Screen	[REDACTED]	
Cabin EQ Major/Minor Version	[REDACTED]	

ABSO CONFIGURATION

NAME	VALUE	
Vehicle Line Identification	[REDACTED]	
Displacement	[REDACTED]	No Unit
Hybrid [REDACTED]	[REDACTED]	
Trans [REDACTED]	[REDACTED]	
Drive Configuration	[REDACTED]	
Chassis [REDACTED]	[REDACTED]	
Axle Ratio	[REDACTED]	No Unit
Tire Circumference	[REDACTED]	[REDACTED]

[REDACTED] CONFIGURATION

NAME	VALUE	UNITS
Enable Auto Answer	---	



WI
TECH 2.0

INFORMATION

[REDACTED]

[REDACTED]

[REDACTED]

REDACTED

[illegible]

(B) (6)

Case No.	Case Name	Case Type	Case Status	Case Date	Case Location
1	Case 1	Case 1	Case 1	Case 1	Case 1
2	Case 2	Case 2	Case 2	Case 2	Case 2
3	Case 3	Case 3	Case 3	Case 3	Case 3
4	Case 4	Case 4	Case 4	Case 4	Case 4

4

[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]

ECU	DTC CODE	DTC DESCRIPTION	STATUS
TCM			

NAME	VALUE	UNITS
------	-------	-------

SessionID # [REDACTED]

[REDACTED]		
Test Failed	[REDACTED]	
Test Failed This Operation Cycle	[REDACTED]	
Pending DTC	[REDACTED]	
Confirmed DTC	[REDACTED]	
Test Not Completed Since Last Clear	[REDACTED]	
Test Failed Since Last Clear	[REDACTED]	
Test Not Completed This Operation Cycle	[REDACTED]	
Warning Indicator Requested	[REDACTED]	
DTC Extended Data Record Number - All	[REDACTED]	
Occurrence flag	[REDACTED]	
Original Odometer Value	[REDACTED]	
Most Recent Odometer Value	[REDACTED]	
Frequency Counter	[REDACTED]	
Ignition Cycle Counter	0	

SNAPSHOT DATA SUMMARY

No Snapshot Data available for [REDACTED]

INFORMATION REDACTED PURSUANT TO THE FREEDOM OF INFORMATION ACT (FOIA), 5 U.S.C. 552 (B) (6)