



903 South Main Street • P.O. Box 460 • Middlebury, IN 46540 • (574) 825-0608 • Fax (574) 825-0572

November, 05

Associate Administrator for Enforcement
National Highway Traffic Safety Administration
U.S. Department of Transportation
400 Seventh Street S.W.
Washington, DC. 20590

Dear Sir or Madam:

Jayco is preparing to re-notify owners involved in safety recall 04V-142 who have not had their vehicles corrected or accounted for; we are submitting the enclosed "Second Notice" document for review and approval.

The original scope of the recall involved 95 units; of the total units, 52 have been remedied, for a completion rate of 54.74%.

The revised owner list is completed with an approximate start date of owner notification within 5 days after receiving approval for the re-notification. As required, Jayco Inc. will also provide additional quarterly reporting for this recall, which is due in January 2006.

If you have any questions or concerns, please feel free to contact me at (574) 825-5861 Ext. 2729.

Sincerely,

David C. VanderMolen

Jayco Customer Service
Senior Technical Research Liaison



903 South Main Street • P.O. Box 460 • Middlebury, IN 46540 • (574) 825-0608 • Fax (574) 825-0572

December, 05

«Name»
«Address»
«City», «St» «Zip»
«Country»

RECORDED
2005 DEC -1 A 3 28

VEHICLE SAFETY DEFECT RECALL-FOLLOW UP NOTICE SECOND NOTIFICATION

NHTSA Recall Campaign # 04V-142

Unit Serial Number: «Serial»

Dear Jayco Owner:

This notice is sent to you in accordance with the requirements of the National Traffic and Motor Vehicle Safety Act.

Jayco, Inc. has decided that a defect which relates to motor vehicle safety exists in specific model year 2003 & 2004 Jayco Talon fifth wheels.

This is a follow up notice that was sent to you in April 2004 concerning the 1-inch by 1-inch steel angle on the front and rear of the axle plate may be improperly located or welded. The steel angle may come loose from either side of the axle plate and drag or separate completely from the vehicle causing the risk of a crash or signs of premature tire wear. ***Please read this follow up communication.***

Our records indicate, as of November 2005, you are the owner of this vehicle and have not yet had this important remedy performed. Please contact your Jayco dealer to schedule an appointment.

Again, it is important that this modification be performed. If you are unable to have this service completed for any reason, please contact us at the address on this letterhead or call our Jayco Customer Service Department at our toll free number 1-800-283-8267 for assistance.

This letter attached with a **“Recall Claim Form”** will serve as an authorization to have the correction made. Please present the **“Claim Form”** to your dealer upon arrival of your service appointment. **After the repairs are completed, sign the bottom of the “Claim Form”.** This will assist in making the necessary correction in the shortest possible time and allow the dealer the ability to mail in the form to Jayco to confirm the recall repair has been performed. If you have sold or traded your vehicle, or for any reason cannot have this recall service performed, please let us know by completing the information on the enclosed postage paid post card and

returning it to us promptly. Federal regulations require that any vehicle lessor receiving this notice must forward a copy of this notice to the lessee within ten days.

After contacting your Jayco dealer and Jayco Customer Service and you are not able to have the safety defect remedied without charge and/or within a reasonable time, you may wish to submit a complaint to the Administrator, National Highway Traffic Safety Administration, 400 Seventh Street, SW, Washington, DC 20590; or call the toll-free Vehicle Safety Hotline at 1-888-327-4236 (TTY: 1-800-424-9153); or go to <http://www.safercar.gov>.

We apologize for this inconvenience. However, we have taken this action in the interest of your safety and continued satisfaction with your Jayco recreational vehicle.

Sincerely,

Jayco, Inc.
Technical Research Department