

Keystone RV Company

Report Date 10/23/2006

Vehicle Safety Recall Quarterly Report Information

| 3rd Quarter Report Jul - Sep 2006 | | | | NHTSA Report | | | Vehicles Determined to be Unreachable | | | | | |
|-----------------------------------|----------|--------|----------------------------------|-------------------|---------|----------------------|---------------------------------------|----------|--------|----------|------------------|-----------------------|
| NHTSA# | TransCA# | KRV# | Name | Notification Date | # Units | Inspected & Remedied | Inspected Only - No remedy rqd | Exported | Stolen | Scrapped | Unable to Notify | Otherwise Unreachable |
| 06V-346 | 06-225 | 06-075 | Oregon Cougar Axle Shackle Bolts | 9/14/2006 | 286 | 59 | 0 | 75 | 0 | 0 | 0 | 0 |
| 06V-318 | 06-202 | 06-074 | Cougar Furnace Intake Tube | 9/14/2006 | 135 | 2 | 2 | 42 | 0 | 0 | 0 | 0 |
| 06V-257 | 06-185 | 06-072 | Cougar 311 Axle Spring | 8/3/2006 | 76 | 13 | 4 | 10 | 0 | 0 | 0 | 0 |
| 06V-230 | N/A | 06-070 | Breakaway Switch | 6/21/2006 | 27 | 15 | 0 | 0 | 0 | 0 | 0 | 0 |
| 06V-192 | 06-142 | 06-068 | CO Detector | 7/13/2006 | 9486 | 143 | 0 | 140 | 0 | 0 | 0 | 0 |
| 06V-145 | 06-104 | 06-069 | Oregon Cougar Axle | 4/27/2006 | 85 | 54 | 0 | 23 | 0 | 0 | 0 | 0 |
| 06V-087 | N/A | 06-067 | Raptor Kitchen Slide | 3/27/2006 | 18 | 17 | 0 | 0 | 0 | 0 | 0 | 0 |
| 06V-086 | 06-071 | 06-066 | Mountaineer Bunk Light | 4/3/2006 | 107 | 41 | 0 | 2 | 0 | 0 | 0 | 0 |
| 06V-053 | N/A | 06-064 | NRG Pull Down Bunk | 2/27/2006 | 33 | 14 | 0 | 0 | 0 | 0 | 0 | 0 |
| 05V-500 | 05-357 | 05-061 | Laredo 12V Wiring | 11/7/2005 | 764 | 232 | 0 | 163 | 0 | 0 | 0 | 0 |
| 05V-424 | 05-287 | 05-060 | Chrome Wheel Insp & Replacement | 2/15/2006 | 633 | 133 | 53 | 63 | 0 | 0 | 0 | 0 |
| 05V-309 | 05-202 | 05-055 | Alum Wheel Insp & Torque | 9/7/2005 | 2668 | 675 | 0 | 169 | 0 | 0 | 0 | 0 |
| 05V-201 | 05-144 | 06-057 | Cambridge Steel Wheel | 5/9/2005 | 174 | 151 | 0 | 10 | 0 | 0 | 0 | 0 |
| 05V-083 | 05-067 | 05-053 | Cambridge Dimmer Switch | 3/18/2005 | 88 | 15 | 26 | 3 | 0 | 0 | 0 | 0 |
| 05V-076 | 05-066 | 05-052 | Plant 902 Furnace | 3/14/2005 | 2168 | 296 | 634 | 256 | 0 | 0 | 0 | 0 |

Report Author - Garrett Carolus

Phone - 574.537.3925