



SAFETY RECALL - BULLETIN FP012506

February 24, 2006

To: Vehicle Owner

Subject: FUEL PUMP SAFETY RECALL FP012506

Part Numbers: E7103M, E7115M, E7121M, E7122M, E7127M, E7128M, E7156M

Vehicle Applications:
1997-2001 Jeep Cherokee
1997-2004 Jeep Grand Cherokee
1997-2004 Jeep Wrangler
2000-2003 Dodge Dakota Pickup

This notice is being sent to you under the requirements of the National Traffic Motor Vehicle Safety Act. Airtex has decided that a defect which relates to motor safety exists in certain Airtex fuel pump modules that may have been installed on your vehicle.

The Airtex Parts Distributors and/or Installers have identified you as a potential owner of an affected fuel pump module. The plastic electrical grommet connectors at the top of the fuel pump module may degrade causing a potential leak path for fuel which, in the presence of an ignition source, could result in a fire. To avoid any potential issues, it is necessary that the affected fuel pumps be replaced at Airtex expense.

To avoid any potential issues the above part numbers with top **flange stamping numbers EP98-48, EP98-49 and EP98-50, installed between February 4, 2005 and January 16, 2006, must be removed and returned to us.**



AFFECTED FLANGE STAMPING NUMBERS

If an affected fuel pump module was installed on your vehicle during the dates listed, the unit must be replaced. You must take your vehicle to a qualified technician to have the affected fuel pump module replaced. Replacement will be done without charge to you.

Please contact the Airtex Customer Service Department at 1-800-880-3056 to make arrangements for a no-charge replacement unit to be shipped directly to your attention. A check for reimbursement will be mailed to your attention upon our receipt of the recalled unit and an invoice documenting the cost of the replacement operation.

If you have had your vehicle repaired prior to receipt of this notice, you may be entitled to reimbursement if you incurred any out of pocket cost due to this matter. For further information, please contact us at 1-800-880-3056.

On the form enclosed please enter the required information. Once the unit has been replaced, return the completed form, the Installer's invoice for replacement and the recalled unit to:

Airtex Products
Product Safety Bulletin FP012506
407 West Main Street
Fairfield, IL 62837

If you have purchased and not yet installed the affected fuel pump module please return the unit to Airtex for a free replacement fuel pump module. Please include a completed copy of the enclosed form.

Make reference to **FUEL PUMP SAFETY RECALL FP012506** in all your correspondence, packing and shipping documents.

If you have any questions concerning this safety related recall, please contact us by calling Customer Service at 1-800-880-3056. After contacting your installer or Airtex, if you are still not able to have the safety defect remedied without charge and within a reasonable time, you may wish to write the Administrator, National Highway Traffic Safety Administration, 400 Seventh Street, S.W., Washington, D.C. 20590 or call 1-888-327-4236 (TTY: 1-800-424-9153); or go to <http://www.safercar.gov>.

Please accept our apology for any inconvenience incurred as a result of this issue. We are taking this action in the interest of your safety and continued satisfaction with our products. Thank you for your attention and cooperation to this very important matter.

Very truly yours,

Pam Schell
Customer Service Manager

Product safety Bulletin FP012506

Date: _____ *Reference Number: _____

Vehicle Owner Name: _____

Address: _____

City/State/Zip code: _____

Phone Number: _____

Vehicle, Year, Make, Model: _____

VIN: _____

Fuel Pump Part Number: _____

Date Originally Installed: _____

Date Replacement Installed: _____

Replacement Cost: _____

Installer Name: _____

Company Name: _____

Address: _____

City/State/Zip code: _____

Phone Number: _____

Please return the recalled fuel pump module, completed copy of this form and the Installer's invoice documenting replacement to:

Airtex Products
Product Safety Bulletin FP012506
407 West Main Street
Fairfield, IL 62837

customerservice@airtexproducts.com
1-800-880-3056
Fax: 1-618-842-4069
TechLine: 1-800-424-7839

* To be assigned by Airtex