



Dodgen Mobile Technologies

July 15, 2008

National Highway Traffic Safety Administration
1200 New Jersey S.E.
Washington, DC 20590

Dear Sir or Madam:

Please find enclosed our quarterly report information regarding the Suburban recall number 07E-050. Dodgen Industries is supplying our updated information as a progress report for the quarter ending June 30, 2008 on this recall. For purposes of your cross reference, Dodgen Industries recall number is 07V-405.

Please feel free to give us a call at 800-247-1835 if you have any questions in regards to the recall.

Sincerely,

Dennis Day
Vice President - Commercial Division
Dodgen Industries, Inc.

Vehicle Safety Recall Quarterly Report Information¹

Required per 49 CFR Part 573.6

Report Date: 7/15/2008

Calendar Quarter: 4/1/2008-6/30/2008

Safety Recall Quarterly Report from 4/1/08 through 6/30/08

Manufacturer: Suburban Manufacturing Company

Report Author: Neil Stultz Phone: (423) 775-7002

Recall Subject: 3 Burner Stove Top

1. NHTSA Safety Recall Campaign Number: 07E-050 Suburban Mfg.

Also, for completeness, if your company has assigned a code number to this campaign, please provide your code: 07V-405

2. (a) The date notification to purchasers began: September 6, 2007

(b) The date notification of purchasers was completed: October 3, 2007

3. The Total Number of Vehicles Involved: 20

The total number of vehicles involved in the subject campaign (including all items sold or distributed to purchasers, dealers, distributors, and similar entities beyond the immediate control of the manufacturer/importer).

4. (a) Total Number Inspected & Remedied: 20

Total number of vehicles which were inspected and/or otherwise repaired or remedied.

(b) Total Number Inspected & NOT REQUIRING REMEDY: 0

Total number of vehicles involved in the recall and inspected, but determined to NOT REQUIRE REMEDIAL or recall repair work.

5. Vehicles Determined to be Unreachable

Total Number Exported: 0

Total Number Stolen: 0

Total Number Scrapped: 0

Total Number Unable to Notify: 0

Total Number Otherwise Unreachable: 0

¹Any Questions please contact Mrs. Kelly Schuler or Mr. Jon White at (202) 366-5226 or by FAX at (202) 366-7882.