

January 17, 2008

VIA E-MAIL
RECEIPT CONFIRMATION REQUESTED

08V-039
(2 Pages)

Mr. Daniel Smith
Associate Administrator for Enforcement
National Highway Traffic Safety Administration
Attn: Recall Management Division (NVS-215)
1200 New Jersey Ave. S.E.
Washington, DC 20590

RECEIVED
2008 JAN. - 29 AM 9:30
DEFECTS INVESTIGATION
RECALL MGMT DIV.

Re: Eldorado National - California
Defect and Non-Compliance Report

Dear Mr. Smith:

Eldorado National - California has been notified by Ricon concerning a safety non-compliance with FMVSS 403 involving wheel chair lift products built between April 1, 2005 and October 9, 2007 inclusive. Ricon has already initiated a safety recall campaign with respect to this non-compliance. NHTSA has assigned recall number 07E-095 to the Ricon recall campaign.

Pursuant to Part 573 of Title 49 of the Code of Federal Regulations, we are hereby notifying the National Highway Traffic Safety Administration that certain buses manufactured by Eldorado National - California were built with Ricon wheel chair lifts that contain the non-compliance.

As more specifically set forth below, Ricon has agreed to conduct the recall campaign involving these non-compliant wheel chair lifts. Eldorado National - California will provide Ricon with a list of dealers and owners to assist Ricon in remedying the non-compliance. Ricon will be filing the quarterly reports in connection with the recall campaign.

- A. Recall Population and Vehicle Identification. The non-compliant wheel chair lifts supplied by Ricon have been used on the following buses:

<u>Models</u>	<u>Model Years</u>
MST, MST II, Transmark	2005, 2006, 2007

These buses were manufactured by Eldorado National - California between April 2005 and November 2007.

The total number of buses subject to this recall campaign is 31.

- B. Description of Defect. The threshold warning system may not detect the presence of a "wheelchair test device" when tested in accordance with S7.4 of the FMVSS 403. No accidents have been reported as a result of this condition to date.

- C. Basis for Determining that a Defect Exists. Eldorado National - California received notification from Ricon on or about November 15, 2007 that the non-compliance with the wheel chair lifts exists.
- D. Remedying of Defect. As set forth in the notification issued by Ricon in connection with recall campaign 07E-095, Ricon will correct the wheel chair lift if found to be non-compliant. The owners of the buses subject to this recall campaign will be advised to contact Ricon in order to make arrangements to have the remedy completed by Ricon. Ricon will implement the recall campaign in accordance with the procedures specified in recall campaign 07E-095. Ricon has agreed to remedy the defect without charge to the owners.
- E. Owner Notifications. Eldorado National - California will provide Ricon the owner's information and assist them in contacting the bus owners. A copy of the owner's letter has been submitted with recall 07E-095.
- F. Quarterly Reporting Requirements. Ricon will be responsible for filing quarterly reports in connection with recall campaign 07E-095. Because the information included by Ricon in its quarterly reports will encompass the remedying of the Eldorado National - California buses subject to this recall campaign, Eldorado National - California will not file quarterly reports to avoid duplication.
- G. Campaign Number. Eldorado National - California does not have an internal campaign number for this recall. Eldorado National - California will use the recall campaign number assigned by NHTSA.

The enclosed information should comply with the NHTSA regulations and satisfy the obligations of Eldorado National - California with respect to this recall campaign. If you need any additional information regarding the participation of Eldorado National - California in this recall campaign, please feel free to contact me at 937-596-6849, Ext. 7363.

Sincerely,



David M. Mihalick
Thor Industries, Standards Compliance Manager