



## SAFETY RECALL NOTICE

RICON RECALL 07E-097

Dear Access Mobility:

This notice is sent to you in accordance with the requirements of the National Traffic and Motor Vehicle Safety Act.

Ricon Corp. has decided that a defect which relates to motor vehicle safety exists in Lift # S2010

### **! IMPORTANT !**

- **Your Lift # S2010-F1020000A215426 is being recalled**

**This lift was installed in the following vehicle  
VIN # 1FTNS24W37DB41268**

- **You should follow the action stated in this notice**

#### **Why is a recall being conducted?**

The Anti-stow interlock may not detect the presence of the 50 pound test weight when the weight is located close to the pivot point for the platform in accordance with test procedures in S7 of FMVSS 403.

The pressure sensing switch that detects the presence of weight on the platform was not adjusted to the necessary sensitivity level.

The platform could stow even though an object was still occupying the area of the platform close to the pivot point of the platform.

#### **What are we doing about the problem?**

Adjust sensitivity of the anti-stow pressure switch mounted on the hydraulic pump to a position that causes the platform to exhibit 5-6 pulses during the stowing cycle. A pulse is characterized by a momentary hesitation in movement of the platform. Lifts subject to this recall will exhibit 1-2 pulses only.

#### **What should you do?**

Contact Mobility Transportation Services at 1-800-496-4280.



**What if you no longer own this lift?**

Contact Mobility Transportation Services at 1-800-496-4280 and let us know who does own it.

**Who should you contact if you have further questions or concerns?**

Contact Mark Travis at 1-800-496-4280 (ext 205).

If you have already paid to have the above stated lift repaired for this condition, you may be eligible for reimbursement of the charges you paid for the repair / replacement. To learn more about what you need to do to obtain reimbursement, review enclosed instructions.

If after having attempted to take advantage of this recall you believe you have not been able to have your X Series lift remedied without charge and within a reasonable amount of time, you may submit a complaint to the Administrator, National Highway Traffic Safety Administration, 1200 New Jersey Ave., S.E., Washington, D.C., 20590; or call the toll-free Vehicle Safety Hotline at 1-888-327-4236 (TTY: 1-800-424-9153); or go to <http://www.safercar.gov>.

We apologize for any inconvenience this safety recall may cause, but your safety is our first concern.

Sincerely,

Mobility Transportation Services