

June 11, 2008

**TO: ALL HYUNDAI DEALER PRINCIPALS/GENERAL MANAGERS:  
ALL HYUNDAI DEALERSHIP SERVICE MANAGERS:  
ALL HYUNDAI DEALERSHIP PARTS MANAGERS:  
ALL HYUNDAI DEALERSHIP SALES MANAGERS:**

**SUBJECT: Campaign 084 - 2007/2008 Santa Fe - Gross Axle Weight Rating (GAWR)  
Correction Label Installation**

Hyundai Motor America is conducting a Customer Notification for a Gross Axle Weight Rating Correction Label Installation campaign on 2007 and 2008 Model Year Santa Fes that were equipped at the assembly plant with 18 inch tires and wheels.

This campaign provides a procedure to install a corrected GAWR label only on vehicles with 18 inch factory installed tires and wheels.

In order to identify only those vehicles affected by Campaign 084, it will be necessary to access Hyundai Motor America's "Warranty Vehicle Information" screen via DCS On-line before installing a corrected GAWR label. The "Warranty Vehicle Information" screen will identify affected vehicles with an open Campaign 084. All in-stock vehicles, if any, must have Campaign 084 completed prior to retailing.

Enclosed with the Service Manager's letter are materials, which were developed for your use: Dealer Letter, five (5) copies of the Technical Service Bulletin (TSB#08-01-007) containing instructions on performing the service and submitting the campaign claim, and a VIN listing of your dealer stock vehicles only. TSB #08-01-007 will be available on Hyundai's Website on June 11, 2008.

**All Hyundai dealers will be shipped GAWR Labels for 100% of their in-stock vehicles starting June 11, 2008. Additional labels can be ordered from your facing PDC.**

Customer notification letters, including a label, will be mailed to all affected customers at a later date.

It is IMPORTANT TO SUBMIT A CAMPAIGN CLAIM FOR EACH VEHICLE SERVICED so your dealership can be compensated for your work and Hyundai can maintain accurate records of campaign completions.

LEGAL LIABILITY NOTICE: You are required to keep confidential any and all information and documents provided to you by Hyundai Motor America in the conduct of carrying out work for this service campaign. Hyundai Motor America dealers may use owner information provided for the campaign only for the purpose of conducting and performing this service campaign, and for no other purpose.

Hyundai appreciates your cooperation and support. Questions may be directed to your District Parts and Service Manager or Warranty HELPREP line at 1-877-446-2922.

**HYUNDAI MOTOR AMERICA**



# HYUNDAI Technical Service Bulletin

Group	CAMPAIGN
Number	08-01-007
Date	JUNE, 2008
Model	2007-2008 SANTA FE

Subject  
**GROSS AXLE WEIGHT RATING CORRECTION LABEL  
 INSTALLATION (CAMPAIGN 084)**

<b>CIRCULATE TO:</b>	<input type="checkbox"/> GENERAL MANAGER	<input checked="" type="checkbox"/> PARTS MANAGER	<input checked="" type="checkbox"/> TECHNICIAN
<input checked="" type="checkbox"/> SERVICE ADVISOR	<input checked="" type="checkbox"/> SERVICE MANAGER	<input checked="" type="checkbox"/> WARRANTY MGR	<input type="checkbox"/> SALES MANAGER

**IMPORTANT: DEALERS MUST PERFORM THIS CAMPAIGN ON ALL AFFECTED VEHICLES PRIOR TO CUSTOMER RETAIL DELIVERY.**

**NOTE:** This campaign applies only to 2007-2008 model year Santa Fe vehicles that were equipped at the assembly plant with 18 inch wheels and P235/60R18 tires.

**DESCRIPTION:**

On some Santa Fe (CM) vehicles, the Gross Axle Weight Rating (GAWR) information on the Certification Label may be incorrect. This bulletin describes the procedure to apply the GAWR correction label.

**APPLICABLE TO:**

Model: Santa Fe (CM) equipped with factory installed 18 inches tires.

Applicable vehicle production date range: Job#1 through May 29, 2008


**TOOLS/PARTS INFORMATION:**

PART NAME	FIGURE
GAWR Correction Label P/N 86463-0W00A	<p><b>ATTENTION</b>          THE GAWR INFORMATION ON THE CERTIFICATION LABEL IS INCORRECT. THE CORRECT GAWR INFORMATION IS LOCATED AT THE BOTTOM OF THIS LABEL.</p> <p>GAWR          FRONT <b>2910 lbs</b>          REAR <b>3131 lbs</b></p>

**SERVICE PROCEDURE:**

**NOTE: The GAWR Correction Label should be installed when the temperature is above 50 degrees F.**

1. Locate the black Certification Label (A) on the driver's side center pillar as shown.



2. Clean the painted area (B) above the black Certification Label using a rag dampened with rubbing alcohol. Wipe the surface dry with a paper towel.



3. Carefully peel the new GAWR Correction Label from its backing beginning at the center, pulling it downward at an angle towards the other side.



4. Carefully apply the new GAWR Correction Label onto the driver's side center pillar in the painted space above the black Certification Label.

**CAMPAIGN CLAIM INFORMATION:**

OP CODE	OPERATION	OP TIME	
80BA08R1	NEW GAWR CORRECTION LABEL INSTALLATION (DEALER)	0.2 M/HI	

**NOTE: Submit claim using the Campaign Claim Screen.**