09V-276^{AGE} 02/10 (7 Pages)

Safety Defect and Noncompliance Report Guide for Vehicles PART 573 Defect and Noncompliance Responsibility and Report

On_	November, 1		, 2007,	Ricon Cor	'p	[IFR] decided the	at (a defect
whic	h relates to moto	r vehicle safe	ty)(a nonc	ompliance wit	th Federal Moto	r Vehicle Safety S	tandard
No.	403 exists	in the motor	vehicles li	isted below, ar	id is furnishing	n itification to the	National
	way Traffic Safe			cordance with	1 49 CFR Part 5	7 1 Defect and	
None	compliance Respo	onsibility and	Reports.				
Date	this report was p	orepared: Jun	e 29, 2009 _.				
Furn	ish the manufact	urer's identif	ication co	de for this rec	all (if applicable		
recal	lentify the full co lled vehicle is imp cribed by 49 U.S.	orted, provid	of the fah le the nam	oricating man te and <u>mailing</u>	ufacturer of the <u>address</u> of the o	ehicle being reca signated agent a	lled. If the s
Rico	n Corp.					/—NMACCONQUES	
recal						ontact with respo	ect to this
Teler	phone Number:	856 82 <u>9 944</u>	9			29 4402	
Nam	e and Title of Per	son who prei	ared this	report.			
1 1 1				-			
	Eugene Mori	on, Secretary	& Acting (General Mgr.		400	*******
Signo	ed:						

Each manufacturer must furnish a report, to the Associate Administrator for Enforcement, for each defect or noncompliance condition which relates to motor vehicle safety.

This guide was developed from 49 CFR Part 573, "Defect and Noncomplian a Responsibility and Reports" and also outlines information currently requested. Any questions, please consult the complete Part 573 or contact Mr. George Person at (202) 366-5210, by FAX at (202) 366-7882, or by E-Mail to RMD.ODI@dot.gov.

I. Identify the Vehicle Models Involved in the Recall

2. Identify the Vehicles Involved in the Recall, for each make and model or applicable vehicle line (provide

illustrations or photographs as necessary to describe the vehicle), provide; Make(s): Ford Model Years Involved: 2006 Model 3): E-250 Production Dates: Beginning: _____ Ending: ____ VIN Range: Beginning: _1FDNE24LX6DB32784______Endir g: ____ Vehicle Type: Van Bodystyle: E 250_____ Descriptive information which characterizes/distinguishes the recalled vehicles from those model vehicles not included in the recall: Ricon Lift SN#00215918 Make(s): _____Model Years Involved: _____Model(s): ____ Production Dates: Beginning: _____ Ending: ____ VIN Range: Beginning: Ending: Vehicle Type: ____ Bodystyle: _____ Descriptive information which characterizes/distinguishes the recalled vehicles from those model vehicles not included in the recall: Make(s): _____ Model Years Involved: _____ Model(s): ____ Production Dates: Beginning: ____ Ending: ____ VIN Range: Beginning: _____ Ending: ____ Vehicle Type: Bodystyle: Descriptive information which characterizes/distinguishes the recalled vehicles from those model vehicles not included in the recall:

Identify the approximate percentage of the production of all the recalled reodels manufactured by your company between the inclusive dates of manufacture provided above, that the recalled model population represents. For example, if the recall involved Vehicles equipped with cer ain items of equipment from January 1, 1996 through April 1, 1997, then what was the percentage of the recalled Vehicles of all Vehicles manufactured during that time period.

II. Identify the Recall Population

Model E 250	Year 2006		ber of Vehicles ntially Involved
		A A A A A A A A A A A A A A A A A A A	No.
			84.4
Total Number Potentially Affe	cted by the Recall:		one
	ercentage of the total number of ve	chicles esti	aated to actually
defect or noncompliance: One Identify and describe how the 1		-in particı	ar how the reca
defect or noncompliance: One Identify and describe how the I were selected and the basis for	recall population was determined-	-in particı sanufactus	ar how the reca
defect or noncompliance: One Identify and describe how the swere selected and the basis for	recall population was determined- the beginning and final dates of m	-in particı sanufactus	ar how the reca
defect or noncompliance: One Identify and describe how the swere selected and the basis for	recall population was determined- the beginning and final dates of m	-in particı sanufactus	ar how the reca

III. Describe the Defect or Noncompliance

5. Describe the defect or noncompliance. The description should address t location of the defect or noncompliance. Illustrations should be provided a The threshold Warning System may not detect the presence of a "wheelchair testing the state of the presence of the state of the stat	appropriate.
accordance with S7.4 of the FMVSS 403	
Describe the cause(s) of the defect or noncompliance condition.	
Results from misinterpretation of the testing parameters	
Describe the consequence(s) of the defect or noncompliance condition.	
The threshold system may not activate when a certain point on the threshold are	a is encroached
Identify any warning which can (a) precede or (b) occur. With the lift platform one inch or more below vehicle floor, the Threshold War	ing system will activate when a
wheelchair or individual using a mobility aid enters the designated Threshold a	ea but may deactivate if the
wheelchair or mobility aid user continues to move toward a certain point on the	threshold area.
If the defect or noncompliance is in a component or assembly purchased for supplier by corporate name and address.	•
N/A	
Identify the name and title of the chief executive officer or knowledgeable # N/A	

IV. Provide the Chronology in Determining the Defect/Noncompliance

If the recall is for a defect,	complete item 6	, otherwise item 7.
--------------------------------	-----------------	---------------------

- 6. With respect to a defect, furnish a chronological summary (including dates) of all the principle events that were the basis for the determination of the defect. The summary should include, but not be limited to, the number of reports, accidents, injuries, fatalitics, and warranty claim. N/A
- 7. With respect to a noncompliance, identify and provide the test results or other data (in chronological order and including dates) on which the noncompliance was determined.

NHTSA Compliance Test Report # 63865A and NHTSA -2007-28140 Notice 1	formed the basis for Ricon
Corporation's determination of noncompliance.	

V. Identify the Remedy

8. A description of the manufacturer's program for remedying the defect or noncompliance. This
program shall include a plan for reimbursing an owner or purchaser who i ccurred costs to obtain a
remedy for the problem addressed by the recall within a reasonable time is advance of the
manufacturer's notification of owners, purchasers and dealers, in accordarce with §573.13 of this part. A
manufacturer's plan may incorporate by reference a general reimbursement plan it previously submitted
to NHTSA, together with information specific to the individual recall. Information required by \$573.13
that is not in a general reimbursement plan shall be submitted in the manu facturer's report to NHTSA
under this section. If a manufacturer submits one or more general reimbur sement plans, the
manufacturer shall update each plan every two years, in accordance with § 573.13. The manufacturer's
remedy program and reimbursement plans will be available for inspection by the public at NHTSA
headquarters.

Replace the Threshold	Warning System meta	l covers and optical	sensor mount	ng retainers.
				10000017**
	distriction of the second of t			1

describe the differences between the recall condition and the remedy.	, and a control of
N/A	
Clearly describe the distinguishing characteristics of the remedy componer component/assembly.	Vassembly versus the recalled
N/A	
	· · · · · · · · · · · · · · · · · · ·
Identify and describe how and when the recall condition was corrected in premedy was identical to the recall remedy in the field, so state. If the prod	
N/A	
	<u>-</u>
VI. Identify the Recall Schedule	
10. Furnish a schedule or agenda (with specific dates) for notification to of dealers/retailers, and purchasers. Please, identify any foreseeable problem recall.	
Customer was notified verbally on June 26, 2009. A formal written notification	will sent June 29, 2009

VII. Furnish Recall Communications

11. Furnish a final copy of all notices, bulletins, and other communications that relate directly to the defect or noncompliance and which are sent to more than one manufacture, distributor, or purchaser. This includes all communications (including both original and follow-up) of neerning this recall from the time your company determines the defect or noncompliance condition on, rot just the initial notification. A DRAFT copy of the notification documents should be submitted to this office by Fax (202-366-7882) or by E-Mail to RMD.ODI@dot.gov for review prior to mailing.

Note that these documents are to be submitted separately from those provided in accordance with Part 579.5 requirements.