

**LONG CHIH INDUSTRIAL COMPANY LIMITED**  
101, Show Shan Road, Shinchuang City, Taipei Hsien, Taiwan, ROC  
Tel: 886-2-29068666 Fax: 886-2-2906-8669 E-mail: longchih@ms31.hinet.net

## **SAFETY RECALL NOTICE**


Dear trailer owner,

This notice is sent to you in accordance with the requirements of the National Traffic and Motor Vehicle Safety Act.

Long Chih – trailer manufacturer has decided that all our trailers manufactured from September 1, 2005 to December 31, 2008 fail to conform to Federal Motor Vehicle Safety Standard No. 110. "Tire Selection and Rims." These trailers are missing the tire placard label which states the tire size, tire pressure, and maximum load information. The gross vehicle weight rate (GVWR) on the VIN plate on some of the trailers is incorrect and the GVWR and gross axle weight rate (GAWR) units should be specified in pounds on the VIN plate. Also, the owner's manual is missing the information to report suspected safety defects as required by Federal Regulation Title 49 CFR Part 575 "Consumer Information." A misprinted label could lead to improper vehicle loading specification or tire inflation which could result in a tire failure, increasing the risk of a crash.

### **What you should do.**

Enclosed with this letter is the correct tire placard label and GVWR label. Please affix these labels to the driver's side of the trailer tow bar near the VIN plate as shown below in this picture. Also enclosed is the "Reporting Safety Defects" statement as a part of owner's manual. Please read this statement and save it with



the owner's manual and any other documentation you may have for the trailer.

If you are a lessor receiving this recall notice you must forward a copy of this notice to the lessee within ten days.

The U.S. agent for Long Chih Ind. Co., Ltd. is as follows:

Armor Rex Inc.

1361 Mountain View Circle  
Azusa, CA 91702  
Attn: Mr. Daniel Huang  
Tel: (626) 969-0889 ext. 215. Fax No.: (626)969-0810 E-mail: Daniel@armorrex.com

If you had this repair performed before you received this letter, you may be eligible to receive reimbursement for the cost of obtaining a pre-notification remedy of the problem associated with this recall. For more information, please contact Armor Rex, Inc. Also, if you have any questions about this recall or what you need to do, please contact Armor Rex.

If we fail or are unable to remedy these issues without charge and within a reasonable time, you may submit a written complaint to the administrator, National Highway Traffic Safety Administration, 1200 New Jersey Avenue SE., Washington, DC 20590; or call the toll free Vehicle Safety Hotline as 1-888-327-4263 (TTY:1-800-424-9153); or go to <http://www.safercar.gov>.

Sincerely Yours.



---

Managing Director

Remark:

How to install the stickers?

1. Clean the surface of the tow bar driver's side as on above diagram.
2. Please affix the provided corrected GVWR label first then tire placard on clean surface of tow bar.

**Reporting safety defects:** If you believe that your vehicle has a defect which could cause a crash or could cause injury or death, you should immediately inform the National Highway Traffic Safety Administration (NHTSA) in addition to notifying Long Chih Industrial Company Limited.

If NHTSA receives similar complaints, it may open an investigation, and if it finds that a safety defect exists in a group of vehicles, it may order a recall and remedy campaign. However, NHTSA cannot become involved in individual problems between you, your dealer, or Long Chih Industrial Company Limited.

To contact NHTSA, you may call the Vehicle Safety Hotline toll-free at 1-888-327-4236 (TTY: 1-800-424-9153); go to <http://www.safercar.gov>; or write to: Administrator, NHTSA, 400 Seventh Street, SW., Washington, DC 20590. You can also obtain other information about motor vehicle safety from <http://www.safercar.gov>.

Long Chih USA Customer Service Center: Toll Free: 800-576-7888



### TIRE AND LOADING INFORMATION

The weight of cargo should not exceed 441 kg or 971 lbs

TIRE	SIZE	COLD TIRE PRESSURE	SEE OWNER'S
FRONT	4.80-8	410KPA, 60PSI	MANUAL FOR
REAR	NONE	NONE	ADDITIONAL
SPARE	NONE	NONE	INFORMATION

### GVWR & GAWR for HT-92796 Trailer Kit(sticker)

**GVWR-530 KGS, 1170 LBS**



### TIRE AND LOADING INFORMATION

The weight of cargo should not exceed 536 kg or 1180 lbs

TIRE	SIZE	COLD TIRE PRESSURE	SEE OWNER'S
FRONT	18.5x8.5-8	240KPA, 35PSI	MANUAL FOR
REAR	NONE	NONE	ADDITIONAL
SPARE	NONE	NONE	INFORMATION

### GVWR & GAWR for 87-6176 Snowmobile trailer(sticker)

**GVWR-690 KGS, 1520 LBS**

**GAWR-690 KGS, 1520 LBS**

<b>MODEL</b>	<b>CORRECTED GVWR</b>
LCI-240TA5	GVWR-709 KGS, 1560 LBS GAWR-709 KGS, 1560 LBS
LCI-832TA	GVWR-709 KGS, 1560 LBS GAWR-709 KGS, 1560 LBS
LCI-248TE	GVWR-1000 KGS, 2200 LBS GAWR-1000 KGS, 2200 LBS
LCI-745TC	GVWR-900 KGS, 1980 LBS GAWR-900 KGS, 1980 LBS
LCI-748TC	GVWR-900 KGS, 1980 LBS GAWR-900 KGS, 1980 LBS
LCI-852T	GVWR-900 KGS, 1980 LBS GAWR-900 KGS, 1980 LBS
LCI-958TC	GVWR-900 KGS, 1980 LBS GAWR-900 KGS, 1980 LBS
LCI-958TR	GVWR-900 KGS, 1980 LBS GAWR-900 KGS, 1980 LBS
LCI-746TE	GVWR-886 KGS, 1950 LBS GAWR-886 KGS, 1950 LBS
LCI-749TE	GVWR-818 KGS, 1800 LBS GAWR-818 KGS, 1800 LBS
LCI-749TC	GVWR-818 KGS, 1800 LBS GAWR-818 KGS, 1800 LBS
LCI-830T	GVWR-530 KGS, 1170 LBS GAWR-530 KGS, 1170 LBS
LCI-832T	GVWR-530 KGS, 1170 LBS GAWR-530 KGS, 1170 LBS
LCI-850T	GVWR-530 KGS, 1170 LBS GAWR-530 KGS, 1170 LBS
LCI-850TA	GVWR-530 KGS, 1170 LBS

	GAWR-530 KGS, 1170 LBS
LCI-851T	GVWR-530 KGS, 1170 LBS GAWR-530 KGS, 1170 LBS
LCI-851TA	GVWR-530 KGS, 1170 LBS GAWR-530 KGS, 1170 LBS
LCI-851TAX	GVWR-530 KGS, 1170 LBS GAWR-530 KGS, 1170 LBS
LCI-882G	GVWR-530 KGS, 1170 LBS GAWR-530 KGS, 1170 LBS
LCI-830TA	GVWR-545 KGS, 1200 LBS GAWR-545 KGS, 1200 LBS
LCI-880P	GVWR-363 KGS, 800 LBS GAWR-363 KGS, 800 LBS
LCI-881G	GVWR-363 KGS, 800 LBS GAWR-363 KGS, 800 LBS
LCI-881PA	GVWR-363 KGS, 800 LBS GAWR-363 KGS, 800 LBS
LCI-890T	GVWR-690 KGS, 1520 LBS GAWR-690 KGS, 1520 LBS