

**IMPORTANT SAFETY RECALL 09V-098
April 2009**

**Pacific Coachworks, Inc. Model year 2008 Travel Trailers
Models 256RKS, 276RBS and 299BHS
Tire Pressure/Axle Rating Decals applied between
April 26, 2007 and December 18, 2008**

Dear Valued Tango Customers:

WHY YOU ARE RECEIVING THIS NOTICE: This notice is sent to you in accordance with the requirements of the National Traffic and Motor Vehicle Safety Act. Pacific Coachworks, Inc., located in Riverside, California has decided that a defect which relates to motor vehicle safety exists in certain 2008 model year travel trailers.

Pacific Coachworks has discovered incorrect tire pressure/axel rating decals on some of our 256RKS, 276RBS and 299BHS travel trailers. The information provided on the tire and loading information labels denoting the tire pressure and the Gross Axle Weight Rating (GAWR) is incorrect. **The incorrect tire pressure reads 65 PSI when it should read 50 PSI and the incorrect GAWR reads 3700 lbs when it should read 3500 lbs.**

Incorrect tire pressure can lead to improper tire inflation and improper loading of the unit, which could result in a tire failure, increasing the risk of a crash.

WHAT SHOULD YOU DO?

Due to safety related reasons please adhere to the manufacturers tire pressure specifications. Please make certain you immediately inspect your decal to confirm if it is correct or incorrect. We have enclosed a new correct tire pressure/axle rating decal in case an incorrect decal needs to be replaced. (See attachment 1)

If you sold or traded the travel trailer in, please take a moment to provide the name and address of the person/dealership you sold it to on the bottom of the enclosed response card and return it to Pacific Coachworks. This will allow us to update our records and if necessary, notify the new owner using the information provided.

For leased vehicles - Any vehicle lessor receiving this recall notice must forward a copy of this notice to the lessee within ten days.

If you are unable to obtain the specified repair promptly and without charge, please contact:

Pacific Coachworks - RECALL #09V-098
549 Rivera Street
Riverside, CA 92586
(951) 679-1351

If you believe that the dealer and Pacific Coachworks, Inc., have failed or have been unable to remedy the defect without charge or within a reasonable period of time, you may submit a complaint to:

Administrator
National Highway Traffic Safety Administration
1200 New Jersey Avenue, S.E.
Washington, DC 20590

Or call the toll-free Vehicle Safety Hotline at 1-888-327-4236
(TTY: 1-800-424-9153)
or go to
<http://www.safercar.gov>

Pacific Coachworks, Inc. is taking these steps in the interest of your safety. We regret any inconvenience this may cause you.

Sincerely,
Pacific Coachworks, Inc.

Gina Privitt
Warranty Manager

Model 299BHS tire pressure axle rating decals:



TIRE AND LOADING INFORMATION
The weight of cargo should never exceed
744 Kg or 1640 Lbs.

Incorrect

TIRE	SIZE	COLD TIRE PRESSURE	SEE OWNER'S
FRONT	S1205/76R15C	345 KPA /50 PSI	MANUAL FOR
REAR	S1205/76R15C	345 KPA /50 PSI	ADDITIONAL
SPARE	S1205/76R15C	345 KPA /50 PSI	INFORMATION

MANUFACTURED BY/FABRIQUE PAR: Pacific Coastworks, DATE 2/2008
inc.

GVWR/PNEU 3387 KG (7400 LB)

GAWR (EACH AXLE)/PNEU (CHAQUE ESSEU) 1878 KG (3700 LB)

TIRE PNEU S1205/76R15C RIMMANTE 15 X 6 J
COLD INFL. PRESS/PRESS. DE GONFL. A FROID 345 KPA (50 PSI/PC) SINGLE
BRISQUONDA RALLI/PNEU (CADA UNO) RIMMANTE 15 X 6 J
INFL. FRIO 345 KPA (50 PSI/PC) SINGLO
DAG PNEU (SINGLES) RIMMANTE 15 X 6 J
INFL. FROID 345 KPA (50 PSI/PC) SINGLO

VIN/INLV:

TYPE/TYPE: TRAILER TRAREM

Figure 1



TIRE AND LOADING INFORMATION
The weight of cargo should never exceed
717 Kg or 1580 Lbs.

Correct

TIRE	SIZE	COLD TIRE PRESSURE	SEE OWNER'S
FRONT	S1205/76R15C	345 KPA /50 PSI	MANUAL FOR
REAR	S1205/76R15C	345 KPA /50 PSI	ADDITIONAL
SPARE	S1205/76R15C	345 KPA /50 PSI	INFORMATION

MANUFACTURED BY/FABRIQUE PAR: Pacific Coastworks, DATE 8/2008
inc.

GVWR/PNEU 3387 KG (7400 LB)

GAWR (EACH AXLE)/PNEU (CHAQUE ESSEU) 1588 KG (3500 LB)

TIRE PNEU S1205/76R15C RIMMANTE 15 X 6 J
COLD INFL. PRESS/PRESS. DE GONFL. A FROID 345 KPA (50 PSI/PC) SINGLE
BRISQUONDA RALLI/PNEU (CADA UNO) RIMMANTE 15 X 6 J
INFL. FRIO 345 KPA (50 PSI/PC) SINGLO
DAG PNEU (SINGLES) RIMMANTE 15 X 6 J
INFL. FROID 345 KPA (50 PSI/PC) SINGLO

VIN/INLV:

TYPE/TYPE: TRAILER TRAREM

Figure 2

549 Rivera Street
Riverside, CA 92501

**Pacific
Coachworks™**

SAFETY RECALL NOTICE

Customer Envelope

1