



GENERAL MOTORS LLC  
Global Interior and Safety Center

RECEIVED

By Recall Management Division at 12:52 pm, Jul 14, 2010

July 14, 2010

Mr. Daniel C. Smith  
Associate Administrator for Enforcement  
National Highway Traffic Safety Administration  
Recall Management Division (NVS-215)  
1200 New Jersey Avenue, SE – Room W45-306  
Washington, DC 20590

Dear Mr. Smith:

The following information is an update of the 573.6(c)(2)(3)(4) information in our April 1, 2010 letter as it relates to a determination by General Motors of a safety defect involving certain 2010 model year Chevrolet Express and GMC Savana 2500, 3500 and 4500 Series vehicles equipped with a 145 amp generator (RPO KG3, KD9). This information is submitted pursuant to the requirements of 49 CFR 573.6.

GM is amending its April 1, 2010 letter due to vehicle and production date population expansion. On July 2, 2010, GM became aware of a new report on a generator from the field that preceded the original breakpoint. GM and the supplier investigated the report and as a result, the inspection date code that determines the breakpoint for generators without the suspect capacitor has been changed. Consequently, all vehicles still open under recall 10091B (10V-138) have been closed and transferred to recall 10216. GM will report completion information under recall number 10216.

573.6(c)(2)(3)(4): This information is shown on the attached sheet.

573.6(c)(10): GM provided the revised dealer bulletin and owner letter under separate cover. The dealer bulletin was sent on July 6, 2010.

The customer notification letter mailing is scheduled for July 19, 2010. The owners of vehicles that were completed under #10091B without the alternator being replaced (inspection only) will be sent another letter advising that their vehicles need to be re-inspected using the revised date code.

If you have any questions regarding this revision to GM's April 1, 2010 letter please call.

Sincerely,

Gay P. Kent,  
Director, Product Investigations  
and Safety Regulations

Attachment

Mail Code: 480-210-2V1  
30001 Van Dyke Road • Warren, MI 48090-9020  
N100091 - N100216 573 Letter.docx



573.6(c)(2),(3),(4)

VEHICLES POTENTIALLY AFFECTED BY MAKE, MODEL, AND MODEL YEAR  
PLUS INCLUSIVE DATES OF MANUFACTURE

<u>MAKE</u>	<u>MODEL SERIES</u>	<u>MODEL YEAR</u>	<u>NUMBER INVOLVED</u>	<u>INCLUSIVE MANUFACTURING DATES (FROM)</u>	<u>INCLUSIVE MANUFACTURING DATES (TO)</u>	<u>DESCRIPTIVE INFO. TO PROPERLY IDENT. VEH.</u>	<u>EST. NO. W/CONDITION</u>
Chevrolet	G-Van	2010	3,906	01/2010	04/2010	Express	*
GMC	G-Van	2010	1,945	01/2010	04/2010	Savana	"
GM Total:			5,851				

\* All involved vehicles will be corrected as necessary.

573.6(c)(2)(iv): The component part that will be replaced to remedy the defect is the generator supplied by Remy Componentes, S. de R.L. de C.V. / Alternator & Motor Plant.

Remy Componentes, S. de R.L. de C.V. / Alternator & Motor Plant  
Ave. Circuito Canada #102  
Parque Industrial Tres Naciones  
San Luis Potosi, SLP 78395  
Mexico

Phone: (52) 444 834 7800