

TOYOTA CUSTOMER SERVICES

Volume: XVIII
Number: TC11-012
Date: 03/09/11
 Action
 Retain
 Information

To: All PD Dealer Operations/Parts & Service Vice Presidents,
All Region/PD Customer Service Field Managers,
All Region/PD Technical Service & Training Managers,
All Region/PD Customer Service Operations Managers

From: Bob Waltz 
Vice-President, Product Quality and Service Support

Subject: Owner Renotification of Non-Completed Safety Recalls and Service Campaigns

Toyota will renotify owners whose vehicles have not yet had campaign repairs completed. Please note the following information for Regional and PD associates.

1. Campaign(s) Involved in the Renotification

Safety Recall/ SSC/LSC	Safety Recall / Service Campaign / Limited Service Campaign Description
90L Phase 8	Safety Recall – 90L 2010 Through Certain 2011 Model Year Camry Vehicles Equipped With Factory Installed Metallic Accelerator Pedal Potential Floor Mat Interference with Accelerator Pedal
90L Phase 9	Safety Recall – 90L 2005 Through Certain 2010 Model Year Tacoma Vehicles 2009 Through Certain 2010 Model Year Venza Vehicles Potential Floor Mat Interference with Accelerator Pedal

2. Dealer Renotification Letter Mailing Date

Dealer Letters will be mailed in early March 2011.

3. Owner Renotification Letter Mailing Date

The owner renotification will begin in mid-March 2011, following the dealer notification. The letters will be mailed over a period of several weeks.

A word track has been provided for dealerships that would like to contact customers in regards to this campaign renotification, please reference the dealer letter for details.

4. Number of Involved Vehicles

We have enclosed the following campaign Summary Reports in the Dealer Operations/Parts & Service VP's, CSFM's, TSTM's, and CSOM's package for the campaigns involved in this renotification:

- Region/PD Summary Reports that provide an overview of the entire Region/PD for each campaign.
- District Summary Reports that indicate the number of involved vehicles per dealership in each district for each campaign.

Please review this letter with your staff and familiarize them with the content to help maximize our combined customer satisfaction efforts. Please refer to the attached Dealer Letter for additional information.

Thank you for your cooperation.

Enclosures

cc: Region/Private Distributor Assistant General Managers
Region/Private Distributor Customer Service Operations Managers
Region/Private Distributor Service Managers/Directors/VPs
Region/Private Distributor Parts Managers/Directors/VPs
Region/Private Distributor Customer Services Field Managers
Region/Private Distributor Technical Services and Training Managers
Region/Private Distributor District Service and/or Parts Managers
Region/Private Distributor Customer Relations Managers
Region/Private Distributor PDC Managers
Region/Private Distributor Field Technical Specialists
Region/Private Distributor Service Training Specialists
Region/Private Distributor Vehicle Operations Managers
All NAPC General Managers
All TMS Sales Administration Managers
All TMS Product Quality & Service Support Managers
All Field Product Engineers

G. Borst
R. Broughman
G. Bryan
W. Burns
D. Camden
B. Carter
G. Christoff
J. Colon
B. Cooper
R. Daly
F. Davidson
T. Doi
D. Esmond
W. Fay
N. Fein
F. Fontanella
H. Fukui
S. Haag

J. Hanson
K. Higgins
M. Hosoe
C. Hostetter
Y. Inaba
K. Ito
M. King
M. Kosugi
J. Lang
J. Lentz
E. Matsuda
M. Michels
T. Morrison
S. Nakagawa
H. Nishida
T. Ogawa
D. Pettitt
R. Pflughaupt

C. Reynolds
C. Roberts
R. Sakai
A. Smith
R. Specht
J. Stempkowski
S. Sugawara
M. Templin
J. Tetherow
P. Turner
P. Uribe
K. Ura
A. Vaish
R. Waltz
S. Watanabe
H. Yoshihashi
D. Zellers

To: All Toyota Dealer Service Managers & Parts Managers

Subject: Owner Renotification of Non-Completed Safety Recalls and Service Campaigns

Safety Recall and Service Campaign completion is important not only in satisfying government requirements but also as an integral part of our commitment to meet customer expectations of Toyota products. In order to assure customer satisfaction, Toyota will renotify owners whose vehicles have not yet had campaign repairs completed.

We request your assistance in completing the applicable campaign repairs as owners receive the renotification and contact your dealership. Please note the renotification activity may cause an increase in your current campaign owner appointments.

1. Campaign(s) Involved in the Renotification

Safety Recall/ SSC/LSC	Safety Recall / Service Campaign / Limited Service Campaign Description
90L Phase 8	Safety Recall – 90L 2010 Through Certain 2011 Model Year Camry Vehicles Equipped With Factory Installed Metallic Accelerator Pedal Potential Floor Mat Interference with Accelerator Pedal
90L Phase 9	Safety Recall – 90L 2005 Through Certain 2010 Model Year Tacoma Vehicles 2009 Through Certain 2010 Model Year Venza Vehicles Potential Floor Mat Interference with Accelerator Pedal

2. Owner Renotification Letter Mailing Date

The owner renotification will begin in mid-March 2011, following the dealer notification. The letters will be mailed over a period of several weeks.

If your dealership will be contacting customers in regards to this campaign renotification, please use the following word track.

Hello [Mr./Ms.] _____ [Customer Name],

My name is _____ [dealership associate] from the Service Department of _____ [dealership name].

I am following up with you regarding (Safety Recall and/or Limited Service Campaign) _____ [Safety Recall and/or LSC Number] which involves _____ [Safety Recall and/or LSC title]. Our records indicate that your vehicle falls within the parameters of this Campaign and as a customer convenience I would like to answer any questions that you may have. [Answer any questions]

May I schedule an appointment for your vehicle to complete this important campaign?

What date and time will be convenient for you to bring your vehicle into our service department which is located at _____ [dealership address]. If you have any further questions or concerns, please contact me at _____ [contact telephone no.]

3. **Technical Instructions**

Technical Instructions to conduct these campaigns can be found on **TIS**.

4. **Number of Involved Vehicles**

Dealer Reports will no longer contain a VIN list. However, they will contain the number of involved vehicles per dealership where applicable.

These counts are based upon the dealership's Primary Marketing Area (PMA) or selling dealership where applicable. Based upon our records, a dealership which does not have a vehicle covered by this recall in their PMA will receive a report indicating so.

5. **Parts Ordering**

The applicable parts ordering information can be found in the Dealer Cover Letter and Technical Instructions of the **specific** Safety Recall or LSC. As a practice, please utilize the following guidelines to determine your parts order for this renotification activity:

- Check current stock levels.
- Order parts ensuring that dealership stock levels do not exceed 5% of the notices being mailed in your dealership's PMA.
- Subsequent orders should be based on customer appointments.
- Replenishment orders of parts should be based on a "sell one, buy one" basis.

6. **Vehicles in Dealer Stock**

Dealerships are requested to perform campaign procedures on any vehicles in your stock prior to delivery, provided that it has not yet expired in the case of an LSC. Always verify eligibility by consulting Dealer Daily/TIS prior to performing repairs.

To ensure customer satisfaction, please review this letter with your Service and Parts staff to familiarize them with the proper procedure for this Service Campaign.

Thank you for your cooperation.

TOYOTA MOTOR SALES, U.S.A., INC.



Toyota Motor Sales, U.S.A., Inc.
19001 South Western Avenue
PO Box 2991
Torrance, CA 90509-2991

**2010 Through Certain 2011 Model Year Camry Vehicles
Equipped with Factory Installed Metallic Accelerator Sports Pedal
Potential Floor Mat Interference with Accelerator Pedal
Safety Recall Campaign**

Please make an appointment with your local Toyota Dealer to have this important remedy completed.

[VIN]

Dear Toyota Owner:

This notice is being sent to you in accordance with the requirements of the National Traffic and Motor Vehicle Safety Act. Toyota has decided that a defect which relates to motor vehicle safety exists in 2010 through certain 2011 model year Camry vehicles equipped with factory installed metallic accelerator sports pedal.

What is the Condition?

- The defect is the potential for an unsecured or incompatible driver's floor mat to interfere with the accelerator pedal and cause it to get stuck in the wide open position. A stuck open accelerator pedal may result in very high vehicle speeds and make it difficult to stop the vehicle, which could cause a crash, serious injury or death. Toyota has determined that this defect does not exist in vehicles in which the driver side floor mat is compatible with the vehicle and properly secured.

What will Toyota do?

- To make it less likely that an unsecured or incompatible driver's floor mat can interfere with the accelerator pedal on your vehicle, any Toyota dealer will remedy your vehicle at **NO CHARGE** to you. The remedy will entail replacement of the factory installed metallic accelerator sports pedal **foot pad** with a newly designed one and modification of the floor surface in the driver's foot-well.
- If your vehicle is equipped with a set of optional genuine Toyota All Weather Floor Mats (AWFM), it will be inspected to determine if the AWFM set is of an older design. If it is, the older design AWFM's for the driver and the front seat passenger will be replaced with newly designed ones at **NO CHARGE** to you.
- Before the vehicle is returned to you, Toyota will inspect the driver's carpet and will clean it if necessary at **NO CHARGE** to you.

As an additional measure independent of the vehicle-based recall remedy, Toyota will install a newly designed override system in your vehicle to provide an extra measure of confidence. This system will cut engine power in case of simultaneous application of both accelerator and brake pedals at certain speeds and driving conditions. This installation will also be conducted at **NO CHARGE** to you.

What should you do?

This is an important Safety Recall

Please contact your authorized Toyota dealer to make appointment to have these important remedies performed on your vehicle as soon as possible.

The remedy will take approximately two hours. However, depending upon the dealer's work schedule, it may be necessary to make your vehicle available for a longer period of time.

Until these important remedies are completed, we request that you take out **any removable** driver's floor mat, place it in the trunk, and NOT replace it with any other floor mat until the campaign remedy has been implemented on your vehicle. **If you have an optional genuine Toyota All Weather Floor Mat, please bring it to the dealership at the time of your remedy.**

In the event you choose not to take out your removable floor mat, Toyota strongly recommends that you ensure that the correct floor mat is being used, that it is properly installed and secured, that it is not flipped over with the bottom-side up, and that one floor mat is not stacked over another. Please visit <http://www.toyota.com/floormats> for additional information.

What should you do if you experience accelerator pedal interference?

Should the vehicle continue to accelerate rapidly after releasing the accelerator pedal, this could be an indication of floor mat interference. If this occurs, Toyota recommends you take the following actions:

First, if it is possible and safe to do so, pull back the floor mat and dislodge it from the accelerator pedal; then pull over and stop the vehicle.

If the floor mat cannot be dislodged, then firmly and steadily step on the brake pedal with both feet. Do NOT pump the brake pedal repeatedly as this will increase the effort required to slow the vehicle.

Shift the transmission gear selector to the Neutral (N) position and use the brakes to make a controlled stop at the side of the road and turn off the engine.

If unable to put the vehicle in Neutral, turn the engine OFF. This will not cause loss of steering or braking control, but the power assist to these systems will be lost.

- If the vehicle is equipped with an Engine Start/Stop button, firmly and steadily push the button for at least three seconds to turn off the engine. Do NOT tap the Engine Start/Stop button.
- If the vehicle is equipped with a conventional key-ignition, turn the ignition key to the ACC position to turn off the engine. Do NOT remove the key from the ignition as this will lock the steering wheel.

Please place this letter in your Owner's Manual for future reference.

What if you have other questions?

Please visit <http://www.toyota.com/floormats> for further information. Your local Toyota dealer will be more than happy to answer any of your questions as well. If you require further assistance, you may contact the **Toyota Customer Experience Center** at 1-888-270-9371 Monday through Friday, 5:00 am to 6:00 pm, or Saturday 7:00 am through 4:00 pm Pacific Time. Your satisfaction is extremely important to us. In the event you are not satisfied with the modification of your accelerator pedal after it is completed, a replacement accelerator pedal will be offered. Customers who have had the remedy completed will have the opportunity to receive a new pedal at no charge if desired.

If you believe that the dealer or Toyota has failed or is unable to remedy the defect within a reasonable time, you may submit a complaint to the Administrator, National Highway Traffic Safety Administration, 1200 New Jersey Avenue, S.E., Washington, D.C. 20590; or call the toll-free Vehicle Safety Hotline at 1-888-327-4236 (TTY: 1-800-424-9153) or go to <http://www.safercar.gov>.

What if you have previously paid for the replacement of your vehicle's factory installed metallic accelerator sports pedal pad or floor surface to be modified to address the same condition described above?

If you have previously paid for replacement of your vehicle's factory installed metallic accelerator sports pedal pad or floor surface to be modified to address the same condition described above, please mail a copy of your repair order, proof-of-payment, and proof-of-ownership to the following address for reimbursement consideration

Toyota Motor Sales, U.S.A., Inc.
Toyota Customer Experience, WC10
19001 South Western Avenue
Torrance, CA 90509

If you are a vehicle lessor, Federal law requires that any vehicle lessor receiving this recall notice must forward a copy of this notice to the vehicle lessee within ten days of your receipt of this letter.

We have sent this notice in the interest of your continued satisfaction with our products.

Thank you for driving a Toyota.

Sincerely,

TOYOTA MOTOR SALES, U.S.A., INC.

Spanish translation on back side
Traducción en español en el reverso



Toyota Motor Sales, U.S.A., Inc.
19001 South Western Avenue
P.O. Box 2991
Torrance, CA 90509-2991

**Potencial interferencia de la alfombra de piso con el pedal del acelerador, en los vehículos Camry modelos 2010 a ciertos modelos 2011, equipados con un pedal del acelerador deportivo y metálico instalado de fábrica
Aviso de reparación preventiva de seguridad**

Haga una cita con su concesionario Toyota local para que le complete esta importante reparación.

[VIN]

Estimado propietario de Toyota:

Le estamos enviando este aviso de acuerdo con los requisitos establecidos en la Ley Nacional de Seguridad de Tráfico y Vehículos Motorizados. Toyota ha decidido que existe un defecto el cual se relaciona con la seguridad del automotor, en los vehículos Camry, modelos 2010 a ciertos modelos 2011, equipados con un pedal del acelerador deportivo y metálico instalado de fábrica.

¿Cuál es la condición?

- El defecto consiste en el potencial de que -debido a que la alfombra de piso del conductor no esté bien asegurada o sea incompatible- el pedal del acelerador se trabe en la posición totalmente abierta. Cuando el pedal del acelerador abierto se traba, el vehículo puede alcanzar velocidades muy altas. Ante la dificultad para frenarlo, puede producirse un choque, una lesión grave o la muerte. Toyota ha determinado que esta condición no existe en aquellos vehículos en los que la alfombra de piso del lado del conductor es compatible con el vehículo y está debidamente asegurada.

¿Qué hará Toyota?

- Para reducir las probabilidades de que una alfombra para piso del conductor que no esté fija o sea incompatible interfiera con el pedal del acelerador en su vehículo, cualquier concesionario Toyota reparará su vehículo **SIN CARGO** para usted. La solución implicará el reemplazo del **acolchado** del pedal del acelerador deportivo y metálico instalado de fábrica, por otro de nuevo diseño y la modificación en la superficie del piso, en el sector de la pedalera del conductor.
- Si su vehículo viene equipado con un juego de alfombras para pisos para todo tipo de climas (AWFM, All Weather Floor Mats) genuinas de Toyota, opcionales, el mismo será inspeccionado para determinar si el juego de AWFM es de un diseño más antiguo. Si lo es, las AWFM de diseño anterior para el conductor y el acompañante serán reemplazadas por unas de nuevo diseño, **SIN CARGO ALGUNO** para usted.
- Antes de devolverle el vehículo, Toyota inspeccionará la alfombra del conductor y la limpiará de ser necesario, **SIN CARGO ALGUNO** para usted.

Como medida adicional e independiente de la reparación propuesta con el retiro preventivo realizado en el vehículo, Toyota instalará en su vehículo un sistema de anulación del freno (override system) recientemente diseñado, para brindar una medida de confianza extra. Este sistema reduce la potencia del motor en caso de que se apliquen simultáneamente el pedal del acelerador y el del freno, a ciertas velocidades y en determinadas condiciones de conducción. Esta instalación también se hará **SIN CARGO** para usted.

¿Qué debería hacer usted?

Este es un aviso de reparación preventiva de seguridad importante

Por favor, comuníquese con su concesionario Toyota autorizado para hacer una cita, a fin de que se implementen estas importantes reparaciones en su vehículo, tan pronto como sea posible.

La reparación llevará dos horas aproximadamente. Sin embargo, según los trabajos programados por el concesionario, puede ser necesario dejar el vehículo por más tiempo.

Hasta que se completen estas importantes reparaciones, le solicitamos que saque **cualquier** alfombra de piso para el conductor **que sea extraíble**, que la coloque en el baúl y que **NO** la reemplace con ninguna otra alfombra de piso, hasta que la campaña reparadora esté implementada en su vehículo. **Si tiene una alfombra para piso para todo tipo de climas genuina de Toyota, opcional, llévela al concesionario en el momento de efectuar la reparación.**

En caso que usted opte por no sacar su alfombra de piso, Toyota le recomienda especialmente que se asegure de que se esté utilizando la alfombra de piso correcta, de que la misma esté instalada en la forma apropiada y bien fijada, de que no esté doblada, con el lado inferior hacia arriba y de que no haya una alfombra de piso apilada sobre otra. Visite <http://www.toyota.com/floormats> para obtener información adicional.

¿Qué debería hacer usted si hay interferencia con el pedal del acelerador?

Si el vehículo sigue acelerando rápidamente después de soltar el pedal del acelerador, esto podría ser una indicación de interferencia de la alfombra de piso. Si esto sucede, Toyota le recomienda que adopte las siguientes medidas:

Primero, si es posible y seguro hacerlo, corra hacia atrás la alfombra de piso y retírela del pedal del acelerador; luego hágase a un costado y detenga el vehículo.

Si no puede retirar la alfombra de piso, pise con firmeza y sostenidamente el pedal del freno, con ambos pies. NO bombee el pedal de freno repetidamente, dado que esto aumentará el esfuerzo requerido para reducir la velocidad del vehículo.

Pase el selector de la caja de transmisión a la posición Neutral (N) y use los frenos para detenerse en forma controlada al costado de la carretera y apague el motor.

Si no puede poner el vehículo en neutral, apague el motor [OFF]. Si bien esto no causará pérdida de dirección o del control del freno, sí se perderá la asistencia de poder a estos sistemas.

- Si el vehículo viene equipado con un botón de arranque/detención del motor, oprímalo con firmeza y sostenidamente durante tres segundos como mínimo, para apagar el motor. NO aplique golpes suaves intermitentes sobre el botón de arranque/detención del motor.
- Si el vehículo viene equipado con encendido convencional con llave, gire la llave de encendido a la posición ACC para apagar el motor. NO retire la llave del tambor de encendido porque esta acción trava el volante.

Coloque esta carta en su Manual del Propietario para futura referencia.

Si desea realizar otras preguntas

Visite <http://www.toyota.com/floor mats> para obtener más información. Su concesionario Toyota local responderá con gusto a todas sus preguntas también. Si necesita más asistencia, puede comunicarse con el **Centro de Experiencia del Cliente de Toyota**, llamando al **1-888-270-9371**, de lunes a viernes, de 5:00 a.m. a 6:00 p.m., sábados de 7:00 a. m. a 4:00 p. m., hora del Pacífico. Su satisfacción es de extrema importancia para nosotros. En caso de que no quede satisfecho con la modificación del pedal del acelerador después de haberla completado, le ofrecerán un pedal del acelerador de reemplazo. Los clientes que hayan completado la reparación tendrán la oportunidad de recibir un nuevo pedal sin cargo, si lo desean.

Si cree que el concesionario o Toyota no ha logrado o no puede solucionar el defecto dentro de un período razonable, usted puede presentar una queja al Administrador, a la National Highway Traffic Safety Administration [Administración Nacional de Seguridad Vial en Autopistas], 1200 New Jersey Avenue S.E., Washington, D.C. 20590 ó llame sin cargo a la Línea Directa de Seguridad Automotor al 1-888-327-4236 (TTY: 1-800-424-9153) o visite <http://www.safercar.gov>.

¿Qué sucede si ya hubiera pagado previamente por el reemplazo del acolchado del pedal del acelerador deportivo y metálico instalado de fábrica de su vehículo o por la modificación de la superficie del piso de su vehículo para abordar la misma condición que se describió anteriormente?

Si usted ya hubiera pagado previamente por el reemplazo del acolchado del pedal del acelerador deportivo y metálico instalado de fábrica de su vehículo o por la modificación de la superficie del piso de su vehículo para abordar la misma condición que se describió anteriormente, por favor envíe por correo una copia de la orden de reparación, el comprobante de pago y comprobante de propiedad a la siguiente dirección para que se considere el reembolso:

Toyota Motor Sales, U.S.A., Inc.

Toyota Customer Experience, WC10, 19001 South Western Avenue, Torrance, CA 90509

Si usted fuera arrendador del vehículo, considere que la Ley Federal exige que toda persona que alquilara estos vehículos a terceros y reciba este aviso de reparación preventiva, debe enviar una copia del mismo al arrendatario del vehículo dentro de los diez días, a partir del recibo esta carta.

Hemos enviado este aviso porque estamos interesados en su constante satisfacción con nuestros productos.

Gracias por conducir un Toyota.

Atentamente.

TOYOTA MOTOR SALES, U.S.A., INC.

English version on front side
Versión en inglés en el frente



Toyota Motor Sales, U.S.A., Inc.
19001 South Western Avenue
P.O. Box 2991
Torrance, CA 90509-2991

**2005 Through Certain 2010 Model Year Tacoma Vehicles
Potential Floor Mat Interference with Accelerator Pedal
Safety Recall Follow-Up Notice**

Please make an appointment with your local Toyota Dealer to have this important remedy completed.

[VIN]

Dear Toyota Owner:

This notice is being sent to you in accordance with the requirements of the National Traffic and Motor Vehicle Safety Act. Toyota has decided that a defect which relates to motor vehicle safety exists in 2005 through certain 2010 model year Tacoma vehicles. Our records indicate that you own a vehicle that has not yet had this condition corrected.

What is the Condition?

- The defect is the potential for an unsecured or incompatible driver's floor mat to interfere with the accelerator pedal and cause it to get stuck in the wide open position. A stuck open accelerator pedal may result in very high vehicle speeds and make it difficult to stop the vehicle, which could cause a crash, serious injury or death. Toyota has determined that this defect does not exist in vehicles in which the driver side floor mat is compatible with the vehicle and properly secured.

What will Toyota do?

- To make it less likely that an unsecured or incompatible driver's floor mat can interfere with the accelerator pedal on your vehicle, any Toyota dealer will remedy your vehicle at **NO CHARGE** to you. The remedy will entail modifying the accelerator pedal.
- If your vehicle is equipped with a set of optional genuine Toyota All Weather Floor Mats (AWFM), it will be inspected to determine if the AWFM set is of an older design. If it is, the older design AWFMs for the driver and the front seat passenger will be replaced with newly designed ones at **NO CHARGE** to you.
- Before the vehicle is returned to you, Toyota will inspect the driver's carpet and will clean it if necessary at **NO CHARGE** to you.

As an additional measure independent of the vehicle-based recall remedy, Toyota will install a newly designed override system in your vehicle to provide an extra measure of confidence. This system will cut engine power in case of simultaneous application of both accelerator and brake pedals at certain speeds and driving conditions. This installation will also be conducted at **NO CHARGE** to you.

What should you do?

This is an important Safety Recall

Please contact your authorized Toyota dealer to make an appointment to have these important remedies performed on your vehicle as soon as possible.

The remedy will take approximately 1½ hours. However, depending upon the dealer's work schedule, it may be necessary to make your vehicle available for a longer period of time.

Until these important remedies are completed, we request that you take out **any removable** driver's floor mat, place it in the trunk, and NOT replace it with any other floor mat until the campaign remedy has been implemented on your vehicle. **If you have an optional genuine Toyota All Weather Floor Mat, please bring it to the dealership at the time of your remedy.**

In the event you choose not to take out your removable floor mat, Toyota strongly recommends that you ensure that the correct floor mat is being used, that it is properly installed and secured, that it is not flipped over with the bottom-side up, and that one floor mat is not stacked over another. Please visit <http://www.toyota.com/floormats> for additional information.

Spanish translation on back side
Traducción en español en el reverso

What should you do if you experience accelerator pedal interference?

Should the vehicle continue to accelerate rapidly after releasing the accelerator pedal, this could be an indication of floor mat interference. If this occurs, Toyota recommends you take the following actions:

First, if it is possible and safe to do so, pull back the floor mat and dislodge it from the accelerator pedal; then pull over and stop the vehicle.

If the floor mat cannot be dislodged, then firmly and steadily step on the brake pedal with both feet. Do NOT pump the brake pedal repeatedly as this will increase the effort required to slow the vehicle.

Shift the transmission gear selector to the Neutral (N) position and use the brakes to make a controlled stop at the side of the road and turn off the engine.

If unable to put the vehicle in Neutral, turn the engine OFF. This will not cause loss of steering or braking control, but the power assist to these systems will be lost.

- If the vehicle is equipped with an Engine Start/Stop button, firmly and steadily push the button for at least three seconds to turn off the engine. Do NOT tap the Engine Start/Stop button.
- If the vehicle is equipped with a conventional key-ignition, turn the ignition key to the ACC position to turn off the engine. Do NOT remove the key from the ignition as this will lock the steering wheel.

Please place this letter in your Owner's Manual for future reference.

What if you have other questions?

Please visit <http://www.toyota.com/floormats> for further information. Your local Toyota dealer will be more than happy to answer any of your questions as well. If you require further assistance, you may contact the **Toyota Customer Experience Center** at **1-888-270-9371** Monday through Friday, 5:00 am to 6:00 pm, or Saturday 7:00 am through 4:00 pm Pacific Time. Your satisfaction is extremely important to us. In the event you are not satisfied with the modification of your accelerator pedal after it is completed, a replacement accelerator pedal will be offered. Customers who have had the remedy completed will have the opportunity to receive a new pedal at no charge if desired.

If you believe that the dealer or Toyota has failed or is unable to remedy the defect within a reasonable time, you may submit a complaint to the Administrator, National Highway Traffic Safety Administration, 1200 New Jersey Avenue, S.E., Washington, D.C. 20590; or call the toll-free Vehicle Safety Hotline at 1-888-327-4236 (TTY: 1-800-424-9153) or go to <http://www.safercar.gov>.

What if you have previously paid for your vehicle's accelerator pedal to be modified to address the same condition described above?

If you have previously paid for your vehicle's accelerator pedal to be modified to address the same condition described above, please mail a copy of your repair order, proof-of-payment and proof-of-ownership to the following address for reimbursement consideration:

Toyota Motor Sales, U.S.A., Inc.
Toyota Customer Experience, WC10
19001 South Western Avenue
Torrance, CA 90509

If you are a vehicle lessor, Federal law requires that any vehicle lessor receiving this recall notice must forward a copy of this notice to the vehicle lessee within ten days of your receipt of this letter.

We have sent this notice in the interest of your continued satisfaction with our products.

Thank you for driving a Toyota.

Sincerely,

TOYOTA MOTOR SALES, U.S.A., INC.

Spanish translation on back side
Traducción en español en el reverso



Toyota Motor Sales, U.S.A., Inc.
19001 South Western Avenue
P.O. Box 2991
Torrance, CA 90509-2991

Potencial interferencia de la alfombra de piso con el pedal del acelerador, en ciertos vehículos Tacoma, modelos 2005 a ciertos modelos 2010
Aviso de seguimiento de reparación preventiva de seguridad

Haga una cita con su concesionario Toyota local para que le complete esta importante reparación.

[VIN]

Estimado propietario de Toyota:

Le estamos enviando este aviso de acuerdo con los requisitos establecidos en la Ley Nacional de Seguridad de Tráfico y Vehículos Motorizados. Toyota ha decidido que existe un defecto, el cual se relaciona con la seguridad del automotor, en ciertos vehículos Tacoma modelos 2005 a ciertos modelos 2010. Según nuestros registros, usted es propietario de un vehículo al que todavía no se le corrigió esta condición.

¿Cuál es la condición?

- El defecto consiste en el potencial de que—debido a que la alfombra de piso del conductor no esté bien asegurada o sea incompatible—el pedal del acelerador se trabe en la posición totalmente abierta. Cuando el pedal del acelerador se traba abierto, el vehículo puede alcanzar velocidades muy altas. Ante la dificultad para frenarlo, puede producirse un choque, una lesión grave o la muerte. Toyota ha determinado que esta condición no existe en aquellos vehículos en los que la alfombra de piso del lado del conductor es compatible con el vehículo y está debidamente asegurada.

¿Qué hará Toyota?

- Para reducir las probabilidades de que una alfombra para piso del conductor que no esté fija o sea incompatible interfiera con el pedal del acelerador en su vehículo, cualquier concesionario Toyota reparará su vehículo **SIN CARGO** para usted. La solución implicará la modificación del pedal del acelerador.
- Si su vehículo viene equipado con un juego de alfombras para pisos para todo tipo de climas (AWFM, All Weather Floor Mats) genuinas de Toyota, opcionales, el mismo será inspeccionado para determinar si el juego de AWFM es de un diseño más antiguo. Si lo es, las AWFM de diseño anterior para el conductor y el acompañante serán reemplazadas por unas de nuevo diseño, **SIN CARGO** para usted.
- Antes de devolverle el vehículo, Toyota inspeccionará la alfombra del conductor y la limpiará de ser necesario, **SIN CARGO** para usted.

Como medida adicional e independiente de la reparación propuesta con el retiro preventivo realizado en el vehículo, Toyota instalará en su vehículo un sistema de anulación del freno (override system) recientemente diseñado, para brindar una medida de confianza extra. Este sistema reduce la potencia del motor en caso de que se apliquen simultáneamente el pedal del acelerador y el del freno, a ciertas velocidades y en determinadas condiciones de conducción. Esta instalación también se hará **SIN CARGO** para usted.

¿Qué debería hacer usted?

Éste es una reparación preventiva de seguridad importante

Por favor, comuníquese con su concesionario Toyota autorizado para hacer una cita, a fin de que se implementen estas importantes reparaciones en su vehículo, tan pronto como sea posible.

La reparación llevará una hora y media aproximadamente. Sin embargo, según los trabajos programados por el concesionario, puede ser necesario dejar el vehículo por más tiempo.

Hasta que se completen estas importantes reparaciones, le solicitamos que saque **cualquier** alfombra de piso para el conductor que **sea extraíble**, que la coloque en el baúl y que **NO** la reemplace con ninguna otra alfombra de piso, hasta que la campaña reparadora esté implementada en su vehículo. **Si tiene una alfombra para piso para todo tipo de climas genuina de Toyota, opcional, llévela al concesionario en el momento de efectuar la reparación.**

En caso que usted opte por no sacar su alfombra de piso, Toyota le recomienda especialmente que se asegure de que se esté utilizando la alfombra de piso correcta, de que la misma esté instalada en la forma apropiada y bien fijada, de que no esté doblada, con el lado inferior hacia arriba y de que no haya una alfombra de piso apilada sobre otra. Visite <http://www.toyota.com/floormats> para obtener información adicional.

English version on front side
Versión en inglés en el frente

¿Qué debería hacer usted si hay interferencia con el pedal del acelerador?

Si el vehículo sigue acelerando rápidamente después de soltar el pedal del acelerador, esto podría ser una indicación de interferencia de la alfombra de piso. Si esto sucede, Toyota le recomienda que adopte las siguientes medidas:

Primero, si es posible y seguro hacerlo, corra hacia atrás la alfombra de piso y retírela del pedal del acelerador; luego hágase a un costado y detenga el vehículo.

Si no puede retirar la alfombra de piso, pise con firmeza y sostenidamente el pedal del freno, con ambos pies. NO bombee el pedal de freno repetidamente, dado que esto aumentará el esfuerzo requerido para reducir la velocidad del vehículo.

Pase el selector de la caja de transmisión a la posición Neutral (N) y use los frenos para detenerse en forma controlada al costado de la carretera y apague el motor.

Si no puede poner el vehículo en neutral, apague el motor [OFF]. Si bien esto no causará pérdida de dirección o del control del freno, sí se perderá la asistencia de poder a estos sistemas.

- Si el vehículo viene equipado con un botón de arranque/detención del motor, oprímalo con firmeza y sostenidamente durante tres segundos como mínimo, para apagar el motor. NO aplique golpes suaves intermitentes sobre el botón de arranque/detención del motor.
- Si el vehículo viene equipado con encendido convencional con llave, gire la llave de encendido a la posición ACC para apagar el motor. NO retire la llave del tambor de encendido porque esta acción trava el volante.

Coloque esta carta en su Manual del Propietario para futura referencia.

Si desea realizar otras preguntas

Visite <http://www.toyota.com/floormats> para obtener más información. Su concesionario Toyota local responderá con gusto a todas sus preguntas también. Si necesita más asistencia, puede comunicarse con el **Centro de Experiencia del Cliente de Toyota**, llamando al **1-888-270-9371**, de lunes a viernes, de 5:00 a.m. a 6:00 p.m., sábados de 7:00 a.m. a 4:00 p.m., hora del Pacífico. Su satisfacción es de extrema importancia para nosotros. En caso de que no quede satisfecho con la modificación del pedal del acelerador después de haberla completado, le ofrecerán un pedal del acelerador de reemplazo. Los clientes que hayan completado la reparación tendrán la oportunidad de recibir un nuevo pedal **sin cargo**, si lo desean.

Si cree que el concesionario o Toyota no ha logrado o no puede solucionar el defecto dentro de un período razonable, usted puede presentar una queja al Administrador, a la National Highway Traffic Safety Administration [Administración Nacional de Seguridad Vial en Autopistas], 1200 New Jersey Avenue S.E., Washington, D.C. 20590 ó llame sin cargo a la Línea Directa de Seguridad Automotor al 1-888-327-4236 (TTY: 1-800-424-9153) o visite <http://www.safercar.gov>.

¿Qué sucede si ya hubiera pagado previamente por la modificación del pedal del acelerador de su vehículo para abordar la misma condición antes descrita?

Si usted ya hubiera pagado previamente por la modificación del pedal del acelerador del vehículo para abordar la misma condición antes descrita, por favor envíe una copia por correo de la orden de reparación, el comprobante de pago y comprobante de propiedad a la siguiente dirección para que se considere el reembolso:

Toyota Motor Sales, U.S.A., Inc.
Toyota Customer Experience, WC10
19001 South Western Avenue
Torrance, CA 90509

Si usted fuera arrendador del vehículo, considere que la Ley Federal exige que toda persona que alquilara estos vehículos a terceros y reciba este aviso de reparación preventiva, debe enviar una copia del mismo al arrendatario del vehículo dentro de los diez días, a partir del recibo esta carta.

Hemos enviado este aviso porque estamos interesados en su constante satisfacción con nuestros productos.

Gracias por conducir un Toyota.

Atentamente.

TOYOTA MOTOR SALES, U.S.A., INC.

English version on front side
Versión en inglés en el frente



Toyota Motor Sales, U.S.A., Inc.
19001 South Western Avenue
P.O. Box 2991
Torrance, CA 90509-2991

**2009 Through Certain 2010 Model Year Venza Vehicles
Potential Floor Mat Interference with Accelerator Pedal
Safety Recall Follow-Up Notice**

Please make an appointment with your local Toyota Dealer to have this important remedy completed.

[VIN]

Dear Toyota Owner:

This notice is being sent to you in accordance with the requirements of the National Traffic and Motor Vehicle Safety Act. Toyota has decided that a defect which relates to motor vehicle safety exists in 2009 through certain 2010 model year Venza vehicles. Our records indicate that you own a vehicle that has not yet had this condition corrected.

What is the Condition?

- The defect is the potential for an unsecured or incompatible driver's floor mat to interfere with the accelerator pedal and cause it to get stuck in the wide open position. A stuck open accelerator pedal may result in very high vehicle speeds and make it difficult to stop the vehicle, which could cause a crash, serious injury or death. Toyota has determined that this defect does not exist in vehicles in which the driver side floor mat is compatible with the vehicle and properly secured.

What will Toyota do?

- To make it less likely that an unsecured or incompatible driver's floor mat can interfere with the accelerator pedal on your vehicle, any Toyota dealer will remedy your vehicle at **NO CHARGE** to you. The remedy will entail modifying the accelerator pedal and the floor surface in the driver's foot-well.
- If your vehicle is equipped with a set of optional genuine Toyota All Weather Floor Mats (AWFM), it will be inspected to determine if the AWFM set is of an older design. If it is, the older design AWFM's for the driver and the front seat passenger will be replaced with newly designed ones at **NO CHARGE** to you.
- Before the vehicle is returned to you, Toyota will inspect the driver's carpet and will clean it if necessary at **NO CHARGE** to you.

As an additional measure independent of the vehicle-based recall remedy, Toyota will install a newly designed override system in your vehicle to provide an extra measure of confidence. This system will cut engine power in case of simultaneous application of both accelerator and brake pedals at certain speeds and driving conditions. This installation will also be conducted at **NO CHARGE** to you.

What should you do?

This is an important Safety Recall

Please contact your authorized Toyota dealer to make an appointment to have these important remedies performed on your vehicle as soon as possible.

The remedy will take approximately 1½ hours. However, depending upon the dealer's work schedule, it may be necessary to make your vehicle available for a longer period of time.

Until these important remedies are completed, we request that you take out **any removable** driver's floor mat, place it in the trunk, and **NOT** replace it with any other floor mat until the campaign remedy has been implemented on your vehicle. **If you have an optional genuine Toyota All Weather Floor Mat, please bring it to the dealership at the time of your remedy.**

In the event you choose not to take out your removable floor mat, Toyota strongly recommends that you ensure that the correct floor mat is being used, that it is properly installed and secured, that it is not flipped over with the bottom-side up, and that one floor mat is not stacked over another. Please visit <http://www.toyota.com/floormats> for additional information.

Spanish translation on back side
Traducción en español en el reverso

What should you do if you experience accelerator pedal interference?

Should the vehicle continue to accelerate rapidly after releasing the accelerator pedal, this could be an indication of floor mat interference. If this occurs, Toyota recommends you take the following actions:

First, if it is possible and safe to do so, pull back the floor mat and dislodge it from the accelerator pedal; then pull over and stop the vehicle.

If the floor mat cannot be dislodged, then firmly and steadily step on the brake pedal with both feet. Do NOT pump the brake pedal repeatedly as this will increase the effort required to slow the vehicle.

Shift the transmission gear selector to the Neutral (N) position and use the brakes to make a controlled stop at the side of the road and turn off the engine.

If unable to put the vehicle in Neutral, turn the engine OFF. This will not cause loss of steering or braking control, but the power assist to these systems will be lost.

- If the vehicle is equipped with an Engine Start/Stop button, firmly and steadily push the button for at least three seconds to turn off the engine. Do NOT tap the Engine Start/Stop button.
- If the vehicle is equipped with a conventional key-ignition, turn the ignition key to the ACC position to turn off the engine. Do NOT remove the key from the ignition as this will lock the steering wheel.

Please place this letter in your Owner's Manual for future reference.

What if you have other questions?

Please visit <http://www.toyota.com/floormats> for further information. Your local Toyota dealer will be more than happy to answer any of your questions as well. If you require further assistance, you may contact the **Toyota Customer Experience Center at 1-888-270-9371** Monday through Friday, 5:00 am to 6:00 pm, or Saturday 7:00 am through 4:00 pm Pacific Time. Your satisfaction is extremely important to us. In the event you are not satisfied with the modification of your accelerator pedal after it is completed, a replacement accelerator pedal will be offered. Customers who have had the remedy completed will have the opportunity to receive a new pedal at no charge if desired.

If you believe that the dealer or Toyota has failed or is unable to remedy the defect within a reasonable time, you may submit a complaint to the Administrator, National Highway Traffic Safety Administration, 1200 New Jersey Avenue, S.E., Washington, D.C. 20590; or call the toll-free Vehicle Safety Hotline at 1-888-327-4236 (TTY: 1-800-424-9153) or go to <http://www.safercar.gov>.

What if you have previously paid for your vehicle's accelerator pedal or floor surface to be modified to address the same condition described above?

If you have previously paid for your vehicle's accelerator pedal or floor surface to be modified to address the same condition described above, please mail a copy of your repair order, proof-of-payment, and proof-of-ownership to the following address for reimbursement consideration:

Toyota Motor Sales, U.S.A., Inc.
Toyota Customer Experience, WC10
19001 South Western Avenue
Torrance, CA 90509

If you are a vehicle lessor, Federal law requires that any vehicle lessor receiving this recall notice must forward a copy of this notice to the vehicle lessee within ten days of your receipt of this letter.

We have sent this notice in the interest of your continued satisfaction with our products.

Thank you for driving a Toyota.

Sincerely,

TOYOTA MOTOR SALES, U.S.A., INC.

Spanish translation on back side
Traducción en español en el reverso



Toyota Motor Sales, U.S.A., Inc.
19001 South Western Avenue
P.O. Box 2991
Torrance, CA 90509-2991

Potencial interferencia de la alfombra de piso con el pedal del acelerador, en ciertos vehículos Venza, modelos 2009 a ciertos modelos 2010
Aviso de seguimiento de reparación preventiva de seguridad

Haga una cita con su concesionario Toyota local para que le complete esta importante reparación.

[VIN]

Estimado propietario de Toyota:

Le estamos enviando este aviso de acuerdo con los requisitos establecidos en la Ley Nacional de Seguridad de Tráfico y Vehículos Motorizados. Toyota ha decidido que existe un defecto, el cual se relaciona con la seguridad del automotor, en ciertos vehículos Venza modelos 2009 a ciertos modelos 2010. Según nuestros registros, usted es propietario de un vehículo al que todavía no se le corrigió esta condición.

¿Cuál es la condición?

- El defecto consiste en el potencial de que—debido a que la alfombra de piso del conductor no esté bien asegurada o sea incompatible—el pedal del acelerador se trabe en la posición totalmente abierta. Cuando el pedal del acelerador se traba abierto, el vehículo puede alcanzar velocidades muy altas. Ante la dificultad para frenarlo, puede producirse un choque, una lesión grave o la muerte. Toyota ha determinado que esta condición no existe en aquellos vehículos en los que la alfombra de piso del lado del conductor es compatible con el vehículo y está debidamente asegurada.

¿Qué hará Toyota?

- Para reducir las probabilidades de que una alfombra para piso del conductor que no esté fija o sea incompatible interfiera con el pedal del acelerador en su vehículo, cualquier concesionario Toyota reparará su vehículo **SIN CARGO** para usted. La solución implicará la modificación del pedal del acelerador y la superficie del piso de la pedalera del conductor.
- Si su vehículo viene equipado con un juego de alfombras para pisos para todo tipo de climas (AWFM, All Weather Floor Mats) genuinas de Toyota, opcionales, el mismo será inspeccionado para determinar si el juego de AWFM es de un diseño más antiguo. Si lo es, las AWFM de diseño anterior para el conductor y el acompañante serán reemplazadas por unas de nuevo diseño, **SIN CARGO** para usted.
- Antes de devolverle el vehículo, Toyota inspeccionará la alfombra del conductor y la limpiará de ser necesario, **SIN CARGO** para usted.

Como medida adicional e independiente de la reparación propuesta con el retiro preventivo realizado en el vehículo, Toyota instalará en su vehículo un sistema de anulación del freno (override system) recientemente diseñado, para brindar una medida de confianza extra. Este sistema reduce la potencia del motor en caso de que se apliquen simultáneamente el pedal del acelerador y el del freno, a ciertas velocidades y en determinadas condiciones de conducción. Esta instalación también se hará **SIN CARGO** para usted.

¿Qué debería hacer usted?

Éste es una reparación preventiva de seguridad importante

Por favor, comuníquese con su concesionario Toyota autorizado para hacer una cita, a fin de que se implementen estas importantes reparaciones en su vehículo, tan pronto como sea posible.

La reparación llevará una hora y media aproximadamente. Sin embargo, según los trabajos programados por el concesionario, puede ser necesario dejar el vehículo por más tiempo.

Hasta que se completen estas importantes reparaciones, le solicitamos que saque **cualquier** alfombra de piso para el conductor que **sea extraíble**, que la coloque en el baúl y que **NO** la reemplace con ninguna otra alfombra de piso, hasta que la campaña reparadora esté implementada en su vehículo. **Si tiene una alfombra para piso para todo tipo de climas genuina de Toyota, opcional, llévela al concesionario en el momento de efectuar la reparación.**

En caso que usted opte por no sacar su alfombra de piso, Toyota le recomienda especialmente que se asegure de que se esté utilizando la alfombra de piso correcta, de que la misma esté instalada en la forma apropiada y bien fijada, de que no esté doblada, con el lado inferior hacia arriba y de que no haya una alfombra de piso apilada sobre otra. Visite <http://www.toyota.com/floormats> para obtener información adicional.

English version on front side
Versión en inglés en el frente

¿Qué debería hacer usted si hay interferencia con el pedal del acelerador?

Si el vehículo sigue acelerando rápidamente después de soltar el pedal del acelerador, esto podría ser una indicación de interferencia de la alfombra de piso. Si esto sucede, Toyota le recomienda que adopte las siguientes medidas:

Primero, si es posible y seguro hacerlo, corra hacia atrás la alfombra de piso y retírela del pedal del acelerador; luego hágase a un costado y detenga el vehículo.

Si no puede retirar la alfombra de piso, pise con firmeza y sostenidamente el pedal del freno, con ambos pies. NO bombee el pedal de freno repetidamente, dado que esto aumentará el esfuerzo requerido para reducir la velocidad del vehículo.

Pase el selector de la caja de transmisión a la posición Neutral (N) y use los frenos para detenerse en forma controlada al costado de la carretera y apague el motor.

Si no puede poner el vehículo en neutral, apague el motor [OFF]. Si bien esto no causará pérdida de dirección o del control del freno, sí se perderá la asistencia de poder a estos sistemas.

- Si el vehículo viene equipado con un botón de arranque/detención del motor, oprímalo con firmeza y sostenidamente durante tres segundos como mínimo, para apagar el motor. NO aplique golpes suaves intermitentes sobre el botón de arranque/detención del motor.
- Si el vehículo viene equipado con encendido convencional con llave, gire la llave de encendido a la posición ACC para apagar el motor. NO retire la llave del tambor de encendido porque esta acción trava el volante.

Coloque esta carta en su Manual del Propietario para futura referencia.

Si desea realizar otras preguntas

Visite <http://www.toyota.com/floormats> para obtener más información. Su concesionario Toyota local responderá con gusto a todas sus preguntas también. Si necesita más asistencia, puede comunicarse con el **Centro de Experiencia del Cliente de Toyota**, llamando al **1-888-270-9371**, de lunes a viernes, de 5:00 a.m. a 6:00 p.m., sábados de 7:00 a.m. a 4:00 p.m., hora del Pacífico. Su satisfacción es de extrema importancia para nosotros. En caso de que no quede satisfecho con la modificación del pedal del acelerador después de haberla completado, le ofrecerán un pedal del acelerador de reemplazo. Los clientes que hayan completado la reparación tendrán la oportunidad de recibir un nuevo pedal **sin cargo**, si lo desean.

Si cree que el concesionario o Toyota no ha logrado o no puede solucionar el defecto dentro de un período razonable, usted puede presentar una queja al Administrador, a la National Highway Traffic Safety Administration [Administración Nacional de Seguridad Vial en Autopistas], 1200 New Jersey Avenue S.E., Washington, D.C. 20590 ó llame sin cargo a la Línea Directa de Seguridad Automotor al 1-888-327-4236 (TTY: 1-800-424-9153) o visite <http://www.safercar.gov>.

¿Qué sucede si ya hubiera pagado previamente por la modificación del pedal del acelerador o de la superficie del piso de su vehículo para abordar la misma condición antes descrita?

Si usted ya hubiera pagado previamente por la modificación del pedal del acelerador del vehículo o de la superficie del piso de su vehículo para abordar la misma condición antes descrita, por favor envíe una copia por correo de la orden de reparación, el comprobante de pago y comprobante de propiedad a la siguiente dirección, para que se considere el reembolso:

Toyota Motor Sales, U.S.A., Inc., Toyota Customer Experience, WC10
19001 South Western Avenue, Torrance, CA 90509

Si usted fuera arrendador del vehículo, considere que la Ley Federal exige que toda persona que alquilara estos vehículos a terceros y reciba este aviso de reparación preventiva, debe enviar una copia del mismo al arrendatario del vehículo dentro de los diez días, a partir del recibo esta carta.

Hemos enviado este aviso porque estamos interesados en su constante satisfacción con nuestros productos.

Gracias por conducir un Toyota.

Atentamente.

TOYOTA MOTOR SALES, U.S.A., INC.

English version on front side
Versión en inglés en el frente