

Safety Defect and Noncompliance Report Guide for Vehicles
PART 573 Defect and Noncompliance Report¹

On September 19, 2011 Cruiser RV decided that a defect which relates to motor vehicle safety exits in the motor vehicles listed below, and is furnishing notification to the National Highway Traffic Safety Administration in accordance with 49 CFR Part 573 Defect and Noncompliance Reports.

Date this report was prepared: September 27, 2011

Furnish the manufacturer's identification code for this recall (if applicable): _____

1. Identify the full corporate name of the fabricating manufacturer of the vehicle being recalled. If the recalled vehicle is imported, provide the name and mailing address of the designated agent as prescribed by 49 U.S.C. §30164.

Cruiser RV

7805 State Road 9

PO Box 130

Howe, IN 46746

Identify the corporate official, by name and title, whom the agency should contact with respect to this recall.

Deborah Baker

Governmental Compliance Manger

Telephone Number: 574-457-6472 Fax No.: 574-831-2308

Name and Title of Person who prepared this report.

Deborah Baker

Governmental Compliance Manager

¹ Each manufacturer must furnish a report, to the Associate Administrator for Safety Assurance, for each defect or noncompliance condition which relates to motor vehicle safety.

This guide was developed from 49 CFR Part 573, "Defect and Noncompliance Reports" and also outlines information currently requested. Any questions, please consult the complete Part 573 or contact Mr. George Person at (202) 366-5210 or by FAX at (202) 366-7882.

I. Identify the Vehicle Models Involved in the Recall

2. Identify the Vehicles Involved in the Recall, for each make and model or applicable vehicle line (provide illustrations or photographs as necessary to describe the vehicle), provide:

Make(s): Cruiser Model Years Involved: 2011 Model(s): V-27RBSS, V-22RBDS, S-285RLS, S-260BHS, S-280QBS

Production Dates: Beginning: 4-21-11 Ending: 9-06-11

VIN Range: Beginning: 21827 Ending: 23189

Vehicle Type: Travel Trailer Recreational Vehicle Bodystyle: _____

Descriptive information which characterizes/distinguishes the recalled vehicles from those model vehicles not included in the recall:

Model year 2011 within Vin # range and model type.

Make(s): _____ Model Years Involved: _____ Model(s): _____

Production Dates: Beginning: _____ Ending: _____

VIN Range: Beginning: _____ Ending: _____

Vehicle Type: _____ Bodystyle: _____

Descriptive information which characterizes/distinguishes the recalled vehicles from those model vehicles not included in the recall:

Make(s): _____ Model Years Involved: _____ Model(s): _____

Production Dates: Beginning: _____ Ending: _____

VIN Range: Beginning: _____ Ending: _____

Vehicle Type: _____ Bodystyle: _____

Descriptive information which characterizes/distinguishes the recalled vehicles from those model vehicles not included in the recall:

Identify the approximate percentage of the production of all the recalled models manufactured by your company between the inclusive dates of manufacture provided above, that the recalled model population represents. For example, if the recall involved Widgets equipped with certain items of equipment from January 1, 1996 through April 1, 1997, then what was the percentage of the recalled Widgets of all Widgets manufactured during that time period.

II. Identify the Recall Population

3. Furnish the total number of vehicles recalled potentially containing the defect or noncompliance.

Model	Year	Number of Vehicles Potentially Involved
V-27RBSS, V-22RBDS, S-285RLS, S-260BHS, S-280QBS	2011	1362

Total Number Potentially Affected by the Recall: 1362

4. Furnish the approximate percentage of the total number of vehicles estimated to actually contain the defect or noncompliance: 38% (521 total units)

Identify and describe how the recall population was determined--in particular how the recalled models were selected and the basis for the beginning and final dates of manufacture of the recalled vehicles:

All units that fall within the specified VIN # range and model type.

III. Describe the Defect or Noncompliance

5. Describe the defect or noncompliance. The description should address the nature and physical location of the defect or noncompliance. Illustrations should be provided as appropriate.

All units that fall within the specified VIN # range and model type. See sample tags to follow.

Describe the cause(s) of the defect or noncompliance condition.

Same as above.

Describe the consequence(s) of the defect or noncompliance condition.

None

Identify any warning which can (a) precede or (b) occur.

None

If the defect or noncompliance is in a component or assembly purchased from a supplier, identify the supplier by corporate name and address.

N/A

Identify the name and title of the chief executive officer or knowledgeable representative of the supplier:
N/A

IV. Provide the Chronology in Determining the Defect/Noncompliance

If the recall is for a defect, complete item 6, otherwise item 7.

6. With respect to a defect, furnish a chronological summary (including dates) of all the principle events that were the basis for the determination of the defect. The summary should include, but not be limited to, the number of reports, accidents, injuries, fatalities, and warranty claims.

N/A

7. With respect to a noncompliance, identify and provide the test results or other data (in chronological order and including dates) on which the noncompliance was determined.

N/A

V. Identify the Remedy

8. Furnish a description of the manufacturer's remedy for the defect or noncompliance. Clearly describe the differences between the recall condition and the remedy.

Cruiser RV will provide to vehicle owners VIN specific replacement labels which will show the corrected weight load allowances for all affected trailers. The labels will be placed directly over the existing incorrect label.

Clearly describe the distinguishing characteristics of the remedy component/assembly versus the recalled component/assembly.

See sample tags to follow.

Identify and describe how and when the recall condition was corrected in production. If the production remedy was identical to the recall remedy in the field, so state. If the product was discontinued, so state.

As of September 6 all Cruiser RV units are showing the correct weight load ratings. Owners of all affected units will receive the new label reflecting the correct information.

VI. Identify the Recall Schedule

Furnish a schedule or agenda (with specific dates) for notification to other manufacturers, dealers/retailers, and purchasers. Please, identify any foreseeable problems with implementing the recall.

Once a recall number has been established and mailing materials approved customer notification will begin within 14 days.

VII. Furnish Recall Communications

9. Furnish a final copy of all notices, bulletins, and other communications that relate directly to the defect or noncompliance and which are sent to more than one manufacturer, distributor, or purchaser. This includes all communications (including both original and follow-up) concerning this recall from the time your company determines the defect or noncompliance condition on, not just the initial notification. *A DRAFT copy of the notification documents should be submitted to this office by Fax (202-366-7882) for review prior to mailing.*

Cruiser RV will provide this information once the proposed remedy has been approved.

Note that these documents are to be submitted separately from those provided in accordance with Part 573.8 requirements

TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

The weight of cargo should never exceed
Le poids du chargement ne doit jamais dépasser

1043 kg or 2297 lbs.
kg or lb.

Incorrect

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	205/75R14C	50	FD-503
REAR ARRIERE	205/75R14C	50	
SPARE DE SECOURS	205/75D14C	50	

RECREATION VEHICLE TRAILER CARGO CARRYING CAPACITY
VIN:
CAUTION: THE WEIGHT OF CARGO SHOULD NEVER EXCEED
1043 kg or 2297 lbs. ← *Incorrect*
Approx. Dry Weight of Trailer 5238lb
A full load of water equals 136 kg or 299 lbs of cargo @1 kg/L (8.3 lb/gal)

MANUFACTURED BY/FABRIQUE PA Cruiser RV, LLC DATE: 09/2011

GVWR/PNBV 3421 KG(7535 LB)
GAWR(EACH AXLE)/PNBE (CHAQUE ESSIEU) 2135 KG(4703 LB)
TIRES/PNEU 205/75R14 RIMS/JANTE 14X5
COLD INFL. PRESS./PRESS. DE GONFL. A FROID 345 KPA(50 PSI/LPC) SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES EN VIGUEUR A LA DATE DE SA FABRICATION.

V.I.N./N.I.V.: TYPE/TYPE: TRAILER TRA/REM V-27RBSS

V 27 RBSS
OLD

TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

The weight of cargo should never exceed
Le poids du chargement ne doit jamais dépasser

795 kg or 1750 lbs.
kg or lb.

Correct

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	205/75R14C	50	FD-503
REAR ARRIERE	205/75R14C	50	
SPARE DE SECOURS	205/75D14C	50	

RECREATION VEHICLE TRAILER CARGO CARRYING CAPACITY
VIN:
THE WEIGHT OF CARGO SHOULD NEVER EXCEED
795 kg or 1750 lbs. ← *Correct*
Approx. Dry Weight of Trailer 5835lb
A full load of water equals 136 kg or 299 lbs of cargo @1 kg/L (8.3 lb/gal)

MANUFACTURED BY/FABRIQUE PAF Cruiser RV, LLC DATE: 09/2011

GVWR/PNBV 1564 KG(3444 LB)
GAWR(EACH AXLE)/PNBE (CHAQUE ESSIEU) 1082 KG(2384 LB)
TIRES/PNEU 205/75R14C RIMS/JANTE 14X5
COLD INFL. PRESS./PRESS. DE GONFL. A FROID 345 KPA(50 PS SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES EN VIGUEUR A LA DATE DE SA FABRICATION.

V.I.N./N.I.V.: TYPE/TYPE: TRAILER TRA/REM V-27RBSS

V 27 RBSS
NEW



TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

The weight of cargo should never exceed
Le poids du chargement ne doit jamais dépasser

515 lb or 1135 kg
515 lb or 1135 kg

For correct

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	205/75R14C	50	FD-303
REAR ARRIERE	205/75R14C	50	
SPARE DE SECOURS	205/75D14C	50	

RECREATION VEHICLE TRAILER CARGO CARRYING CAPACITY
VIN:
CAUTION: THE WEIGHT OF CARGO SHOULD NEVER EXCEED
515 kg or 1135 lbs. ← *Incorrect*
Approx. Dry Weight of Trailer 4910lb
A full load of water equals 136 kg or 299 lbs of cargo @1 kg/L (8.3 lb/gal)

MANUFACTURED BY/FABRIQUE PA Cruiser RV, LLC

DATE: 09/2011

GVWR/PNBV 2744 KG(6045 LB)
GAWR(EACH AXLE)/PNBE (CHAQUE ESSIEU) 2027 KG(4465 LB)
TIRES/PNEU 205/75R14 RIMS/JANTE 14X5
COLD INFL. PRESS./PRESS. DE GONFL. A FROID 345 KPA(50 PSI/LPC) SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES EN VIGUEUR A LA DATE DE SA FABRICATION.

V.I.N./N.I.V.:

TYPE/TYPE: TRAILER TRA/REV V-22RBDS

V 22 RBDS

OLD



TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

The weight of cargo should never exceed
Le poids du chargement ne doit jamais dépasser

999 lb or 2200 kg
999 lb or 2200 kg

Correct

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	205/75R14C	50	FD-303
REAR ARRIERE	205/75R14C	50	
SPARE DE SECOURS	205/75D14C	60	

RECREATION VEHICLE TRAILER CARGO CARRYING CAPACITY
VIN:
CAUTION: THE WEIGHT OF CARGO SHOULD NEVER EXCEED
999 kg or 2200 lbs. ← *correct*
Approx. Dry Weight of Trailer 5245lb
A full load of water equals 136 kg or 299 lbs of cargo @1 kg/L (8.3 lb/gal)

MANUFACTURED BY/FABRIQUE PA Cruiser RV, LLC

DATE: 09/2011

GVWR/PNBV 3380 KG(7445 LB)
GAWR(EACH AXLE)/PNBE (CHAQUE ESSIEU) 2179 KG(4800 LB)
TIRES/PNEU 205/75R14 RIMS/JANTE 14X5
COLD INFL. PRESS./PRESS. DE GONFL. A FROID 345 KPA(50 PSI/LPC) SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES EN VIGUEUR A LA DATE DE SA FABRICATION.

V.I.N./N.I.V.:

TYPE/TYPE: TRAILER TRA/REV V-22RBDS

V 22 RBDS

NEW

TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT



The weight of cargo should never exceed
Le poids du chargement ne doit jamais dépasser

1154 kg or 2542 lbs.
kg or lb.

In correct

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	205/75D14C	50	
REAR ARRIERE	205/75D14C	50	
SPARE DE SECOURS	205/75D14C	50	

RECREATION VEHICLE TRAILER CARGO CARRYING CAPACITY
VIN:
CAUTION: THE WEIGHT OF CARGO SHOULD NEVER EXCEED
1154 kg or 2542 lbs. ← *In correct*
Approx. Dry Weight of Trailer 4943lb
A full load of water equals 114 kg or 250 lbs of cargo @ 1 kg/L (8.3 lb/gal)

MANUFACTURED BY/FABRIQUE PAR: Cruiser RV, LLC

DATE: 09/2011

GVWR/PNBV 3398 KG(7485 LB)
GAWR(EACH AXLE)/PNBE (CHAQUE ESSIEU) 2024 KG(4450 LB)
TIRES/PNEU 205/75D14C RIMS/JANTE 14X5
COLD INFL. PRESS./PRESS. DE GONFL. A FROID 345 KPA(50 PSI/LPC)

SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.

V.I.N./N.I.V.:

TYPE/TYPE: TRAILER TRA/REM S-285RLS

S-285RLS
OLD

TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT



The weight of cargo should never exceed
Le poids du chargement ne doit jamais dépasser

708 kg or 1560 lbs.
kg or lb.

Correct

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	205/75D14C	50	
REAR ARRIERE	205/75D14C	50	
SPARE DE SECOURS	205/75D14C	50	

RECREATION VEHICLE TRAILER CARGO CARRYING CAPACITY
VIN:
CAUTION: THE WEIGHT OF CARGO SHOULD NEVER EXCEED
708 kg or 1560 lbs. ← *correct*
Approx. Dry Weight of Trailer 6100lb
A full load of water equals 114 kg or 250 lbs of cargo @ 1 kg/L (8.3 lb/gal)

MANUFACTURED BY/FABRIQUE PAR: Cruiser RV, LLC

DATE: 09/2011

GVWR/PNBV 3478 KG(7660 LB)
GAWR(EACH AXLE)/PNBE (CHAQUE ESSIEU) 2470 KG(5440 LB)
TIRES/PNEU 205/75D14C RIMS/JANTE 14X5
COLD INFL. PRESS./PRESS. DE GONFL. A FROID 345 KPA(50 PSI/LPC)

SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.

V.I.N./N.I.V.:

TYPE/TYPE: TRAILER TRA/REM S-285RLS

S-285RLS
NEW



TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

The weight of cargo should never exceed 1430 kg or 3150 lbs.
Le poids du chargement ne doit jamais dépasser 1430 kg or 3150 lbs.

Incorrect

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	205/75D14C	50	
REAR ARRIERE	205/75D14C	50	
SPARE DE SECOURS	205/75D14C	50	

RECREATION VEHICLE TRAILER CARGO CARRYING CAPACITY
VIN:
CAUTION: THE WEIGHT OF CARGO SHOULD NEVER EXCEED
1430 kg or 3150 lbs. ← *Incorrect*
Approx. Dry Weight of Trailer 4255lb
A full load of water equals 114 kg or 250 lbs of cargo @ 1 kg/L (8.3 lb/gal)

MANUFACTURED BY/FABRIQUE PAR: Cruiser RV, LLC

DATE: 09/2011

GVWR/PNBV 3362 KG(7405 LB)
GAWR(EACH AXLE)/PNBE (CHAQUE ESSIEU) 1748 KG(3850 LB)
TIRES/PNEU 205/75D14C RIMS/JANTE 14XS
COLD INFL. PRESS./PRESS. DE GONFL. A FROID 345 KPA(50 PSI/LPC)

SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.

V.I.N./N.I.V.:

TYPE/TYPE: TRAILER TRA/REM S-260BHS

S-260BHS
OLD



TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

The weight of cargo should never exceed 1194 kg or 2630 lbs.
Le poids du chargement ne doit jamais dépasser 1194 kg or 2630 lbs.

Correct

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	205/75D14C	50	
REAR ARRIERE	205/75D14C	50	
SPARE DE SECOURS	205/75D14C	50	

RECREATION VEHICLE TRAILER CARGO CARRYING CAPACITY
VIN:
CAUTION: THE WEIGHT OF CARGO SHOULD NEVER EXCEED
1194 kg or 2630 lbs. ← *Correct*
Approx. Dry Weight of Trailer 4910lb
A full load of water equals 114 kg or 250 lbs of cargo @ 1 kg/L (8.3 lb/gal)

MANUFACTURED BY/FABRIQUE PAR: Cruiser RV, LLC

DATE: 09/2011

GVWR/PNBV 3423 KG(7540 LB)
GAWR(EACH AXLE)/PNBE (CHAQUE ESSIEU) 1984 KG(4370 LB)
TIRES/PNEU 205/75D14C RIMS/JANTE 14XS
COLD INFL. PRESS./PRESS. DE GONFL. A FROID 345 KPA(50 PSI/LPC)

SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.

V.I.N./N.I.V.:

TYPE/TYPE: TRAILER TRA/REM S-260BHS

S-260BHS
NEW

TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

The weight of cargo should never exceed 1123 kg or 2473 lbs.
Le poids du chargement ne doit jamais dépasser 1123 kg or 2473 lbs.

Incorrect

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	205/75D14C	50	
REAR ARRIERE	205/75D14C	50	
SPARE DE SECOURS	205/75D14C	50	

RECREATION VEHICLE TRAILER CARGO CARRYING CAPACITY
VIN:
CAUTION: THE WEIGHT OF CARGO SHOULD NEVER EXCEED 1123 kg or 2473 lbs. *Incorrect*
Approx. Dry Weight of Trailer 4997lb
A full load of water equals 114 kg or 250 lbs of cargo @ 1 kg/L (8.3 lb/gal)

MANUFACTURED BY/FABRIQUE PAR: Cruiser RV, LLC DATE: 09/2011
GVWR/PNBV 3391 KG(7470 LB)
GAWR(EACH AXLE)/PNBE (CHAQUE ESSIEU) 2055 KG(4527 LB)
TIRES/PNEU 205/75R14C RIMS/JANTE 14X5
COLD INFL. PRESS./PRESS. DE GONFL. A FROID 345 KPA(50 PSI/LPC) SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.
V.I.N./N.I.V.: TYPE/TYPE: TRAILER TRA/REM S-280QBS

S-280 QBS
OLD

TIRE AND LOADING INFORMATION
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT

The weight of cargo should never exceed 833 kg or 1835 lbs.
Le poids du chargement ne doit jamais dépasser 833 kg or 1835 lbs.

Correct

TIRE PNEU	SIZE DIMENSIONS	COLD TIRE PRESSURE PRESSION DES PNEUS A FROID	SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS
FRONT AVANT	205/75D14C	50	
REAR ARRIERE	205/75D14C	50	
SPARE DE SECOURS	205/75D14C	50	

RECREATION VEHICLE TRAILER CARGO CARRYING CAPACITY
VIN:
CAUTION: THE WEIGHT OF CARGO SHOULD NEVER EXCEED 833 kg or 1835 lbs. *Correct*
Approx. Dry Weight of Trailer 5720lb
A full load of water equals 114 kg or 250 lbs of cargo @ 1 kg/L (8.3 lb/gal)

MANUFACTURED BY/FABRIQUE PAR: Cruiser RV, LLC DATE: 09/2011
GVWR/PNBV 3430 KG(7555 LB)
GAWR(EACH AXLE)/PNBE (CHAQUE ESSIEU) 2345 KG(5165 LB)
TIRES/PNEU 205/75D14C RIMS/JANTE 14X5
COLD INFL. PRESS./PRESS. DE GONFL. A FROID 345 KPA(50 PSI/LPC) SINGLE

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE. THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. - CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION.
V.I.N./N.I.V.: TYPE/TYPE: TRAILER TRA/REM S-280QBS

S-280 QBS
NEW