



Dutchmen Manufacturing, Inc.
P.O. Box 2164
Goshen, IN 46527-2164

NHTSA Recall No. 10V-
Transport Canada Recall No. 10-

Safety Recall Notice ***Rubicon[®] Voltage[®]***

Dear Dealer:

This **Safety Recall Notice** is sent to you in accordance with the requirements of the United States National Traffic and Motor Vehicle Safety Act and The Canadian Motor Vehicle Safety Act and is important for your safety.

Dutchmen Manufacturing, Inc. (Dutchmen) has decided that a defect which relates to motor vehicle safety exists in certain *Rubicon and Voltage* brand travel trailers manufactured between August 16, 2010 and December 23, 2010. Other trailer models manufactured by Dutchmen Manufacturing, Inc. during this time period are not included in this recall.

It has been decided the vehicles subject to this recall campaign were manufactured with a defective fuel shut-off timer module. The module was supposed to be programmed with a 5 minute shut-off feature, which automatically shuts off the fuel pump after 5 minutes of no activity. The defective modules do not have this automatic shut-off feature programmed into them. This allows the fuel pump to continuously run if not shut off in the initial 5 minute period, causing it to overheat and fail. In extreme situations, the overheating may lead to fire, property damage, or personal injury.

The required action is to replace the defective fuel shut-off timer module. The replacement parts required for this corrective action are readily available through Dutchmen Service Parts.

Dealers that have stock units impacted by this recall will have a list of affected units attached to this recall bulletin. If any unit on this list has been retail sold you are asked to notify the retail owner as soon as possible of this recall because their vehicle was not registered at the time the retail notice was mailed. Please immediately register any retail sold units on this list in Dutchport. **As a reminder, you are required by law to complete this recall on any stock units in inventory prior to retail sale. Any vehicle lessor receiving this notice must forward a copy to the lessee within 10 days.**

Please find attached a copy of the retail notification letter as well as the required repair procedure for this recall. In addition, instructions for claim filing have also been included.

If you have questions concerning this recall or if you need any assistance, please contact the **Dutchmen Warranty/Service Department** at 574-537-0700.

We apologize for this inconvenience; however, we have taken this action in the interest of customer safety and continued satisfaction with our products.

Sincerely,

Jerry McCarthy
Director of Service Operations