

MANUFACTURED BY: QINGQI GROUP MOTORCYCLE CO.LTD. DATE: 12 /2008 TYPE: MOTORCYCLE
GVWR: 1275KG(2805LB)

	GAWR	TIRE	RIM	COLD INFL.PRESS. KPA(PSI)
--	------	------	-----	------------------------------

FRONT	400KG(879LB)	145R12C	4.00BX12	350(51)
REAR	799KG(1759LB)	145R12C	4.00BX12	350(51)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.FEDERAL MOTOR VEHICLE SAFETY STANDARDS (FMVSS) IN
EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

V.I.N.: LAEMA24618G [REDACTED]

MANUFACTURED BY: QINGQI GROUP MOTORCYCLE CO.LTD. DATE: 12 / 2008 TYPE: MOTORCYCLE

GVWR: 1275KG(2805LB)

	GAWR	TIRE	RIM	COLD INFL.PRESS. KPA(PSI)
FRONT	400KG(879LB)	145R12C	4.00BX12	350(51)
REAR	799KG(1759LB)	145R12C	4.00BX12	350(51)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.FEDERAL MOTOR VEHICLE SAFETY STANDARDS (FMVSS) IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

V.I.N.: LAEMA24618G

MANUFACTURED BY: QINGQI GROUP MOTORCYCLE CO.LTD. DATE: 12 / 2008 TYPE: MOTORCYCLE

GVWR: 1275KG(2805LB)

	GAWR	TIRE	RIM	COLD INFL.PRESS. KPA(PSI)
FRONT	400KG(879LB)	145R12C	4.00BX12	350(51)
REAR	799KG(1759LB)	145R12C	4.00BX12	350(51)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.FEDERAL MOTOR VEHICLE SAFETY STANDARDS (FMVSS) IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

V.I.N.: LAEMA24618G











100
0
12
MPH KM/H





WARNING!
USE ONLY DOT 4
BRAKE FLUID AS SPECIFIED
IN 49 CFR 571.116

WARNING!
CLEAN FILLER CAP
BEFORE REMOVING

WARNING!

USE ONLY DOT 4
BRAKE FLUID AS SPECIFIED
IN 49 CFR 571.116

WARNING!

CLEAN FILLER CAP
BEFORE REMOVING

WARNING!

USE ONLY DOT 4
BRAKE FLUID AS SPECIFIED
IN 49 CFR 571.116

WARNING!

CLEAN FILLER CAP
BEFORE REMOVING

WARNING!

USE ONLY DOT 4
BRAKE FLUID AS SPECIFIED
IN 49 CFR 571.116

WARNING!

CLEAN FILLER CAP
BEFORE REMOVING



MANUFACTURED BY: QINGQI GROUP MOTORCYCLE CO.LTD. DATE: 12 /2008 TYPE: MOTORCYCLE

GVWR: 1275KG(2805LB)

		GAWR	TIRE	RIM	COLD INFL.PRESS. KPA(PSI)
	FRONT	400KG(879LB)	145R12C	4.00BX12	350(51)
	REAR	799KG(1759LB)	145R12C	4.00BX12	350(51)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.FEDERAL MOTOR VEHICLE SAFETY STANDARDS (FMVSS) IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

V.I.N.: LAEMA24618G

MANUFACTURED BY: QINGQI GROUP MOTORCYCLE CO.LTD. DATE: 12 /2008 TYPE: MOTORCYCLE

GVWR: 1275KG(2805LB)

	GAWR	TIRE	RIM	COLD INFL.PRESS. KPA(PSI)
 FRONT	400KG(879LB)	145R12C	4.00BX12	350(51)
REAR	799KG(1759LB)	145R12C	4.00BX12	350(51)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.FEDERAL MOTOR VEHICLE SAFETY STANDARDS (FMVSS) IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

V.I.N.: LAEMA24618G



























