



U.S. Department of Transportation
**National Highway Traffic Safety
Administration**

1200 New Jersey Avenue SE
Washington, DC 20590

May 23, 2014

Ms. Kristina Pence-Dunow
President/CEO
Double K Inc.
701 North Railroad Avenue
Crandon, WI 54520

NVS-215KS
14V-209

Subject: Electric Door Actuator May Lead to Fire

Dear Ms. Pence-Dunow:

This letter serves to acknowledge Double K Inc.'s notification to the National Highway Traffic Safety Administration (NHTSA) of a safety recall which will be conducted pursuant to Federal law for the product(s) listed below. Please review the following information to ensure that it conforms to your records as this information is being made available to the public. If the information does not agree with your records, please contact us immediately to discuss your concerns.

Makes/Models/Model Years:

DOUBLE K/MAINSTREET/2009-2010
DOUBLE K/VILLAGER/2009-2010

Mfr's Report Date: April 10, 2014

NHTSA Campaign Number: 14V-209

Components:

ELECTRICAL SYSTEM

Potential Number of Units Affected: 34

Problem Description:

Double K, Inc. (Double K) is recalling certain model year 2009-2010 Hometown Trolley Villager and Mainstreet trolleys equipped with A&M Systems-brand electric door actuators. Voltage spikes may damage certain electrical components and electrical circuits within the actuator, causing the circuit board to develop high resistance.

Consequence:

High resistance may cause the circuit board to overheat, increasing the risk of a fire.

Remedy:

Double K has notified owners, and dealers will replace the circuit board, free of charge. The recall began on April 9, 2014. Owners may contact Double K customer service at 1-715-478-5090.

Notes:

Owners may also contact the National Highway Traffic Safety Administration Vehicle Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153), or go to www.safercar.gov.

Please be reminded of the following requirements:

It is our understanding that notification to owners began on April 9, 2014, prior to our review of the owner notification letter. Should it become necessary for Double K to do a renotification, the follow-up notification must be submitted to this office for review and it must comply with the requirements of Part 577.5, "Notification pursuant to a manufacturer's decision" and Part 577.10, "Follow-up notification."

Copies of all notices, bulletins, dealer notifications, and other communications that relate to this recall, including a copy of the final owner notification letter and any subsequent owner follow-up notification letter(s), are required to be submitted to this office no later than 5 days after they are originally sent (if they are sent to more than one manufacturer, distributor, dealer, or purchaser/owner).

As stated in Part 573.7, submission of the first of six consecutive quarterly status reports is required within one month after the close of the calendar quarter in which notification to purchasers occurs. Therefore, the first quarterly report will be due on, or before, 30 days after the close of the calendar quarter.

Your contact for this recall will be Kelly Schuler who may be reached by phone at (202) 366-5227, or by email at kelly.schuler@dot.gov or through the office email at rmd.odi@dot.gov. We look forward to working with you.

Sincerely,

A handwritten signature in black ink, appearing to read "Jennifer Timian". The signature is fluid and cursive, with a long horizontal stroke at the end.

Jennifer Timian
Chief, Recall Management Division
Office of Defects Investigations
Enforcement