

Part 573 Safety Recall Report**14V-602****Manufacturer Name :** Newmar Corporation**Submission Date :** SEP 25,2014**NHTSA Recall No. :** 14V-602**Manufacturer Recall No. :** NR**Manufacturer Information :**

Manufacturer Name : Newmar Corporation

Address : 355 North Delaware Street

PO Box 30 Nappanee IN 46550

Company phone : 574-773-7791

Population :

Number of potentially involved : 561

Estimated percentage with defect : 100

Vehicle Information :

Vehicle : 2007-2012 Newmar Bay Star, Ventana VT/VL, Dutch Aire, Dutch Star, All-Star, Mountain Aire, Essex

Vehicle Type : BUSES, MEDIUM & HEAVY VEHICLES

Body Style :

Power Train : NR

On certain Newmar motorhomes, the refrigerator heated water line circuit breaker may have the wrong size amperage rating and the 12 volt thermostat and 12 volt heated water line could also be wired incorrectly, causing it to have the incorrect wiring or no power. The incorrect circuit breaker amperage rating could increase the risk of a fire causing injury and/or damage to property. Correction: Dealers will check circuit breaker amperage and correct any wiring issues for thermostat and/or heated water line.

Production Dates : JAN 16, 2007 - MAY 24, 2012

VIN (Vehicle Identification Number) Range

Begin : NR

End : NR

 Not sequential VINs**Description of Defect :**

Description of the Defect : On certain Newmar motorhomes, the refrigerator heated water line circuit breaker may have the wrong size amperage rating and the 12 volt thermostat and 12 volt heated water line could also be wired incorrectly, causing it to have the incorrect wiring or no power. The incorrect circuit breaker amperage rating could increase the risk of a fire causing injury and/or damage to property. Correction: Dealers will check circuit breaker amperage and correct any wiring issues for thermostat and/or heated water line.

Description of the Safety Risk : . The incorrect circuit breaker amperage rating could increase the risk of a fire causing injury and/or damage to property.

Description of the Cause : NR

Identification of Any Warning that can Occur : NR

Supplier Identification :

Component Manufacturer

Name : NR

Address : NR

NR

Country : NR

Chronology :

NR

Description of Remedy :

Description of Remedy Program : Dealers will check circuit breaker amperage and correct any wiring issues for thermostat and/or heated water line.

How Remedy Component Differs from Recalled Component : NR

Identify How/When Recall Condition was Corrected in Production : NR

Recall Schedule :

Description of Recall Schedule : NR

Planned Dealer Notification Date : NR - NR

Planned Owner Notification Date : NR - NR

* NR - Not Reported