

**Part 573 Safety Recall Report****14V-641****Manufacturer Name :** Mobility Works (WMK Inc.)**Submission Date :** OCT 09,2014**NHTSA Recall No. :** 14V-641**Manufacturer Recall No. :** NR**Manufacturer Information :**

Manufacturer Name : Mobility Works (WMK Inc.)

Address : 1090 West Wilbeth Road

Akron OH 44314

Company phone : 800-769-8267

**Population :**

Number of potentially involved : 834

Estimated percentage with defect : 100

**Vehicle Information :**

Vehicle : 2006-2014 Ford E150, E250, E350

Vehicle Type : BUSES, MEDIUM &amp; HEAVY VEHICLES

Body Style : VAN

Power Train : GAS

Descriptive Information : Ricon Wheelchair lifts S2000 installed in Ford E-Series vans.

Production Dates : JAN 01, 2006 - OCT 09, 2014

**VIN (Vehicle Identification Number) Range**

Begin : NR

End : NR

 Not sequential VINs**Description of Defect :**

Description of the Defect : Under certain conditions present in some applications, the platforms included on the subject S-Series model wheelchair lifts can exhibit cracking of the platform pivot plate while in the stowed position which, if left unchecked, can propagate to the point where separation of the rear portion of the pivot plate occurs rendering the lift potentially inoperable and possibly unsafe for the operator

Description of the Safety Risk : In the event the aforementioned crack occurs on both sides of the platform and is allowed to propagate to the point of material separation on both sides it is possible for the lift platform to lean against the vehicle lift door(s) and fall out of the vehicle when the door(s) is (are) opened putting the lift operator at risk.

Description of the Cause : NR

Identification of Any Warning that can Occur : NR

**Supplier Identification :**

**Component Manufacturer**

Name : Ricon Corporation

Address : 1135 Aviation Place

San Fernando CA 91340

Country : US

**Chronology :**

NR

**Description of Remedy :**

Description of Remedy Program : Ricon will provide a field modification instruction and all material required to mitigate this recall at no charge.

How Remedy Component Differs from Recalled Component : NR

Identify How/When Recall Condition was Corrected in Production : NR

**Recall Schedule :**

Description of Recall Schedule : MobilityWorks has to manually go back through all it's deals dating back to January 2006. This involves manually pulling all deal jackets to find customer information.

Planned Dealer Notification Date : NR - NR

Planned Owner Notification Date : NOV 03, 2014 - NOV 10, 2014

\* NR - Not Reported