

**Recall Quarterly Report****14V-602**

**Manufacturer Name :** Newmar Corporation  
**NHTSA Recall No. / MFR Recall No. :** 14V-602 /  
**Recall Subject :** Incorrect Circuit Breaker Amperage Rating  
**Owner Notification Beginning Date :** NOV 06, 2014  
**Owner Notification End Date:**



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
7	JUL 21, 2016	2016-2	561	188	0	0
6	APR 21, 2016	2016-1	561	166	0	0
5	JAN 26, 2016	2015-4	561	163	0	0
4	OCT 26, 2015	2015-3	561	147	0	0
3	JUL 29, 2015	2015-2	561	102	0	0
2	APR 24, 2015	2015-1	561	47	0	0
1	APR 24, 2015	2014-4	561	4	0	0

This Document Last Updated : JUL 25, 2016

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.