

**Recall Quarterly Report****14V-607****Manufacturer Name :** Eldorado National- California, Inc.**NHTSA Recall No. / MFR Recall No. :** 14V-607 /**Recall Subject :** Wheelchair Lift - Platform Cracking**Owner Notification Beginning Date :** OCT 09, 2014**Owner Notification End Date:** OCT 09, 2014

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
4	OCT 30, 2015	2015-3	18	0	0	0
3	OCT 30, 2015	2015-2	18	0	0	0
2	OCT 30, 2015	2015-1	18	0	0	0
1	JUN 26, 2015	2014-4	18	0	0	0

This Document Last Updated : NOV 03, 2015

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.