

Recall Quarterly Report**14V-706****Manufacturer Name :** Cummings Mobility Conversion & Supply**NHTSA Recall No. / MFR Recall No. :** 14V-706 /14E-041**Recall Subject :** Wheelchair Lift - Platform Cracking**Owner Notification Beginning Date :** JAN 13, 2015**Owner Notification End Date:** JAN 13, 2015

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	JUL 14, 2016	2016-2	34	9	0	0
5	APR 21, 2016	2016-1	34	9	0	0
4	MAR 02, 2016	2015-4	34	8	0	0
3	OCT 13, 2015	2015-3	34	2	0	0
2	JUL 14, 2015	2015-2	34	1	0	0
1	APR 13, 2015	2015-1	34	1	1	0

This Document Last Updated : JUL 25, 2016

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.