

If there are questions regarding the work procedure:

- U.S. dealers, contact Warranty
- Canadian dealers, open an VTA ticket using concern group “Compliance_Recall Assistance (C)”

Required Tools:

	<ul style="list-style-type: none">• VAG 1332 – 40-200Nm Torque Wrench (or equivalent)
---	---

Required Parts:

<u>Quantity</u>	<u>Part Number</u>	<u>Part Description</u>
2	5Q0 411 315A	Connecting Link
4	N 015 081 6	Nut

Work Procedure



Tip: If Campaign Completion label is present, no further work is required

Applicable Criteria ID (s)	Campaign/Action Status
01	Open

EXAMPLE

Green arrow 1 points to '01' and green arrow 2 points to 'Open'.

Section A – Check for Previous Repair

- Enter the VIN in Elsa and proceed to the “Campaign/Action” screen




Tip: On the date of repair, print this screen and keep a copy with the repair order

- ⇐ Ensure that the Status is “Open” <arrow 2>
- ⇐ Note the Applicable Criteria ID <arrow 1> for use in determining the correct work to be done and corresponding parts associated

Proceed to Section B.

Section B – Front Stabilizer Link Replacement

- Raise the vehicle on an appropriate hoist.
- ⇐ Remove the upper and lower stabilizer link mounting nuts <arrows> from both front stabilizer links.




Note: The wheel has been removed for photo documentation. The front wheels do not need to be removed for this procedure.



Tip: The stabilizer link removal is shown on the right side of the vehicle. Removal of the left side stabilizer links is identical.

- Remove both stabilizer links.



- ⇐ Install new stabilizer links, P/N 5Q0 411 315A as shown <arrow>.
- Install the new mounting nuts, P/N N 015 081 6 and torque to **65Nm**.

Proceed to Section C.

Section C – Campaign Completion Label and Parts Return/Disposal

Install Campaign Completion Label

- Open the hood.
- Fill out and affix Campaign Completion label, part number CAMP 010 000, next to the vehicle emission control information label



Tip: Ensure Campaign Completion label does not cover any existing label(s)

- Close the hood.

Parts Return/Disposal

Properly destroy or dispose of removed parts in accordance with all state and local requirements, unless otherwise indicated and/or requested through the Warranty Parts Shipping Portal (WPSP) for U.S. and SAGA for Canada.

ALL WORK IS COMPLETE