



# Recall Campaign

NHTSA #: 14V-696

TC #: 2014-496

Job Code: 9901226

Flat Rate: 0.3 hr

---

---

## LABELS ARE ENCLOSED WITH THE NOTIFICATION LETTER

---

---

### ACTION REQUIRED:

#### Replace the following Labels:

Federal Cargo Carrying Capacity -ALL affected units( Yellow Label)

Tire Label - ALL affected units -

Federal Certification Label - Canadian Units ONLY

### MODELS / UNITS:

#### 2015 Eagle HT Fifth Wheel

|          |      |                                 |
|----------|------|---------------------------------|
| 29.5FBDS | F1P1 | 0081-0120                       |
| 27.5RLTS | F1PN | 0261-0292, 0294-0297, 0299-0326 |
| 29.5BHDS | F1PP | 0219-0268                       |
| 28.5RSTS | F1PR | 0123-0180                       |
| 26.5RLS  | F1PW | 0165-0200                       |
| 27.5BHS  | F1PX | 0087-0104                       |
| 26.5RKS  | F1PY | 0105-0136                       |
| 23.5RBS  | F1PZ | 0087-0104                       |

### KIT CONTENTS

Labels are enclosed with the Recall Notification

### SHOP SUPPLIES

Isopropyl Alcohol and shop rag

---

---

## CHANGING THE FEDERAL CERTIFICATION, CCC AND TIRE LABELS

---

---

#### Remove existing label(s)

1. Locate the label(s) on the outside off door side (road side) front of the unit. Remove the existing Federal Certification Label, Tire Label and Cargo Carrying Capacity Label.
2. Using isopropyl alcohol and a shop rag, remove any adhesive residue from the surface where the original label had been. Allow the area to dry for at least 30 seconds.

#### Apply new label(s)

3. Remove the protective back from the new labels. Align the new label in the same location of the original label and apply it to the surface. Remove any air bubbles from the label.

**NOTE: Do not attempt to remove or adjust the label once it has come into contact with the surface. Doing so may damage the label or cause it not to adhere properly to the surface. IF A LABEL IS DAMAGED OR WILL NOT PROPERLY ADHERE TO THE SURFACE, A NEW LABEL MUST BE ORDERED.**

**\*1UJBJ0BK2B1J30198\***

RESP MFR: **Jayco, Inc.** DATE: 08/10  
 FABRICANT RESP: V.I.N./N.I.V. 1UJBJ0BK2B1J30198  
 GVWR: /PNBV KG 5500 2497  
 SIZE/DIMENSION TIRE/PNEU RIMS/JANTE PSI/LPC KPA  
 2900 1317 FRONT/DEVANT ST185/80R13C 13 X 4.50 JJ 50 345  
 00000 INT/CENTRAL 0000  
 2900 1317 REAR/ARRIERE ST185/80R13C 13 X 4.50 JJ 50 0345  
 PRESS./COLD INFL. PRESS./GONFL FROID

TYPE OF VEHICLE/TYPE DE VEHICULE: TRAILER/REMORQUE  
 THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS AND STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR VEHICLE SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.  
 CE VEHICULE CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DE VEHICULES AUTOMOBILES DU CANADA ET DES ETATS UNIS EN VIGUEUR A LA DATE DE SA FABRICATION CI-DESSUS.

**Federal Certification Label  
Canadian Units Only**



**TIRE AND LOADING INFORMATION  
RENSEIGNEMENTS SUR LES PNEUS ET LE CHARGEMENT**

The weight of cargo should not exceed kg or lbs.  
 Le poids du chargement ne doit jamais dépasser 732 kg ou 1612 lb.

| TIRE PNEU        | SIZE DIMENSIONS | COLD TIRE PRESSURE PRESSION DES PNEUS A FROID | SEE OWNER'S MANUAL FOR ADDITIONAL INFORMATION<br>VOIR LE MANUEL DE L'USAGER POUR PLUS DE RENSEIGNEMENTS |
|------------------|-----------------|---|---|
| FRONT AVANT      | ST225/75R15D    | 449 KPA, 65 PSI                               | 15A9008370205075  |
| REAR ARRIERE     | ST225/75R15D    | 449 KPA, 65 PSI                               |   |
| SPARE DE SECOURS | ST225/75R15D    | 449 KPA, 65 PSI                               |   |

**Tire Label**

**RECREATION VEHICLE TRAILER CARGO CARRYING CAPACITY**  
 VIN: 1UJC30BV3D1LX0085  
 THE WEIGHT OF CARGO SHOULD NEVER EXCEED:  
 1285 kg. OR ( 2830 Lbs.)  
 CAUTION:  
 A FULL LOAD OF WATER EQUALS 321 kg. OR ( 706 Lbs.) OF  
 CARGO @ 1 kg/L(8.3 Lb/GAL)  
 THE WEIGHT OF THIS RECREATION VEHICLE TRAILER AS COMPLETED AT THE FACTORY WITH FULL PROPANE CYLINDER(S) AND FULL GENERATOR FUEL IF APPLICABLE IS:  
 5502 kg. OR (12120 Lbs.)  
 CONSULT YOUR DEALER AND SEE OWNER'S MANUAL FOR DEFINITIONS, ADDITIONAL WEIGHT, LOADING, WEIGHING INFORMATION AND TOWING GUIDELINES

**Cargo Carrying Capacity Label**