

Part 573 Safety Recall Report**15V-182****Manufacturer Name :** Daimler Trucks North America LLC**Submission Date :** MAR 25,2015**NHTSA Recall No. :** 15V-182**Manufacturer Recall No. :** FL680**Manufacturer Information :**

Manufacturer Name : Daimler Trucks North America LLC

Address : 4747 N. Channel Avenue

Portland OR 97217-3849

Company phone : 800-745-8000

Population :

Number of potentially involved : 2,226

Estimated percentage with defect : 80

Vehicle Information :

Vehicle : 2014-2015 Western Star 4900

Vehicle Type :

Body Style :

Power Train : NR

Descriptive Information : Western Star vehicles equipped with Kidde disposable fire extinguishers

Production Dates : JUL 23, 2013 - DEC 04, 2014

VIN (Vehicle Identification Number) Range

Begin : NR

End : NR

 Not sequential VINs

Vehicle : 2014-2015 Western Star 5700

Vehicle Type :

Body Style :

Power Train : NR

Descriptive Information : Western Star vehicles equipped with Kidde disposable fire extinguishers

Production Dates : JUL 23, 2013 - DEC 04, 2014

VIN (Vehicle Identification Number) Range

Begin : NR

End : NR

 Not sequential VINs

Vehicle : 2014-2015 Western Star 6900

Vehicle Type :

Body Style :

Power Train : NR

Descriptive Information : Western Star vehicles equipped with Kidde disposable fire extinguishers

Production Dates : JUL 23, 2013 - DEC 04, 2014

VIN (Vehicle Identification Number) Range

Begin : NR

End : NR

 Not sequential VINs

Vehicle : 2014-2015 Western Star 4700

Vehicle Type :

Body Style :

Power Train : NR

Descriptive Information : Western Star vehicles equipped with Kidde disposable fire extinguishers

Production Dates : JUL 23, 2013 - DEC 04, 2014

VIN (Vehicle Identification Number) Range

Begin : NR

End : NR

 Not sequential VINs**Description of Defect :**

Description of the Defect : A faulty valve component on certain Kidde black plastic Zytel nylon valve disposable fire extinguishers can cause the disposable fire extinguishers not to fully discharge when the lever is repeatedly pressed and released during a fire emergency.

Description of the Safety Risk : If the fire extinguisher does not fully discharge during a fire emergency, a risk of injury may occur.

Description of the Cause : NR

Identification of Any Warning that can Occur : NR

Supplier Identification :**Component Manufacturer**

Name : Kidde Safety

Address : 1016 Corporate Park Dr.
Mebane FOREIGN STATES 27302

Country : NR

Chronology :

December 2014, DTNA receives customer segregate, hold, and stop sale from Kidde. February 2015, Kidde recalls affected fire extinguishers. In March 2015, decided to initiate a voluntary safety recall for vehicles equipped with affected fire extinguishers.

Description of Remedy :

Description of Remedy Program : Kidde will provide a replacement extinguisher when contacted directly or affected owners may go to an authorized DTNA repair facility for a

replacement fire extinguisher. Copies of the reimbursement plan will be submitted as a supplemental report when available.

How Remedy Component Differs from Recalled Component : NR

Identify How/When Recall Condition was Corrected in Production : NR

Recall Schedule :

Description of Recall Schedule : DTNA will notify affected owners via customer notification letter.

Planned Dealer Notification Date : MAY 26, 2015 - MAY 26, 2015

Planned Owner Notification Date : MAY 26, 2015 - MAY 26, 2015

* NR - Not Reported