

Part 573 Safety Recall Report**15V-729****Manufacturer Name :** Mobility Works (WMK Inc.)**Submission Date :** NOV 03,2015**NHTSA Recall No. :** 15V-729**Manufacturer Recall No. :** 15E-068**Manufacturer Information :**

Manufacturer Name : Mobility Works (WMK Inc.)

Address : 1090 West Wilbeth Road

Akron OH 44314

Company phone : 800-769-8267

Population :

Number of potentially involved : 667

Estimated percentage with defect : 100

Vehicle Information :

Vehicle : 2006-2014 Ford E-Series 150,250,350

Vehicle Type : LOW VOLUME VEHICLES

Body Style : ALL

Power Train : GAS

Descriptive Information : Ricon Lift - recall on the wheelchair lifts.

Production Dates : JAN 01, 2006 - DEC 31, 2014

VIN (Vehicle Identification Number) Range

Begin : NR

End : NR

 Not sequential VINs**Description of Defect :**

Description of the Defect : Under certain conditions present in some applications, the platforms included on the subject S-Series model wheelchair lifts can exhibit cracking of the platform pivot plate while in the stowed position which, if left unchecked, can propagate to the point where separation of the rear portion of the pivot plate occurs rendering the lift potentially inoperable and possibly unsafe for the operator.

FMVSS 1 : NR

FMVSS 2 : NR

Description of the Safety Risk : In the event the aforementioned crack occurs on both sides of the platform and is allowed to propagate to the point of material separation on both sides it is possible for the lift platform to lean against the vehicle lift door(s) and fall out of the vehicle when the door(s) is (are) opened putting the lift operator at risk.

Description of the Cause : NR

Identification of Any Warning that can Occur : NR

Supplier Identification :

Component Manufacturer

Name : Ricon/A Wabtec Company

Address : 1135 Aviation Place
San Fernando CALIFORNIA 91340

Country : United States

Chronology :

NR

Description of Remedy :

Description of Remedy Program : Ricon will provide a field modification instruction and all material required to mitigate this recall at no charge.

How Remedy Component Differs from Recalled Component : NR

Identify How/When Recall Condition was Corrected in Production : NR

Recall Schedule :

Description of Recall Schedule : Identify end users and send out recall notification.

Planned Dealer Notification Date : DEC 07, 2015 - DEC 18, 2015

Planned Owner Notification Date : NR - NR

* NR - Not Reported