

**Recall Quarterly Report****16V-062**

**Manufacturer Name :** Forest River, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 16V-062 /37-01152016-0131  
**Recall Subject :** Incorrectly Wired Circuit Causing Electrical Arc  
**Owner Notification Beginning Date :** FEB 19, 2016  
**Owner Notification End Date:** FEB 19, 2016



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
16	JAN 29, 2020	2019-4	12	9	0	0
15	JAN 29, 2020	2019-3	12	9	0	0
14	JAN 29, 2020	2019-2	12	9	0	0
13	JAN 29, 2020	2019-1	12	9	0	0
12	JAN 29, 2020	2018-4	12	9	0	0
11	JAN 29, 2020	2018-3	12	9	0	0
10	JAN 29, 2020	2018-2	12	9	0	0
9	JAN 29, 2020	2018-1	12	9	0	0
8	JAN 29, 2020	2017-4	12	9	0	0
7	JAN 29, 2020	2017-3	12	9	0	0
6	JUL 21, 2017	2017-2	12	9	0	0
5	APR 10, 2017	2017-1	12	8	0	0
4	JAN 07, 2017	2016-4	12	8	0	0
3	OCT 04, 2016	2016-3	12	8	0	0
2	JUL 22, 2016	2016-2	12	7	0	0
1	APR 13, 2016	2016-1	12	4	0	0

This Document Last Updated : JAN 31, 2020

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.