

**Recall Quarterly Report****16V-068**

**Manufacturer Name :** Nova Bus  
**NHTSA Recall No. / MFR Recall No. :** 16V-068 /CR3590  
**Recall Subject :** Incorrect Routing of the Main Power Cable  
**Owner Notification Beginning Date :** APR 11, 2016  
**Owner Notification End Date:** APR 11, 2016



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	JUL 11, 2017	2017-2	229	188	0	0
4	APR 19, 2017	2017-1	229	188	0	0
3	JAN 27, 2017	2016-4	229	188	0	0
2	OCT 31, 2016	2016-3	229	173	0	0
1	JUL 27, 2016	2016-2	229	145	0	0

This Document Last Updated : JUL 25, 2017

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.