

# Recall Quarterly Report

# 16V-445

**Manufacturer Name :** Ferrara Fire Apparatus, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 16V-445 /  
**Recall Subject :** Pump Strainer could fail due to Weak Soldering  
**Owner Notification Beginning Date :** JUL 20, 2016  
**Owner Notification End Date:** JUL 20, 2016



| Report # | Submission Date | Report Quarter | Recall Population | Total Remedied | Total Unreachable | Total Removed |
|----------|-----------------|----------------|-------------------|----------------|-------------------|---------------|
| 6        | FEB 04, 2018    | 2017-4         | 60                | 60             | 0                 | 0             |
| 4        | AUG 29, 2017    | 2017-2         | 60                | 35             | 0                 | 0             |
| 3        | APR 30, 2017    | 2017-1         | 60                | 35             | 0                 | 0             |
| 2        | JAN 30, 2017    | 2016-4         | 60                | 20             | 0                 | 0             |
| 1        | OCT 17, 2016    | 2016-3         | 60                | 15             | 0                 | 0             |

This Document Last Updated : FEB 05, 2018

## Definitions :

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.