

Recall Quarterly Report

16V-534

Manufacturer Name : Ferrara Fire Apparatus, Inc.
NHTSA Recall No. / MFR Recall No. : 16V-534 /
Recall Subject : Power Control Module Short Circuit
Owner Notification Beginning Date : AUG 26, 2016
Owner Notification End Date: AUG 26, 2016



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	MAY 11, 2020	2017-4	2	2	0	0
5	FEB 04, 2018	2017-3	2	2	0	0
4	SEP 15, 2017	2017-2	2	2	0	0
3	APR 30, 2017	2017-1	2	2	0	0
2	FEB 03, 2017	2016-4	2	2	0	0
1	OCT 17, 2016	2016-3	2	1	0	0

This Document Last Updated : MAY 14, 2020

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.