

**Recall Quarterly Report****16V-552**

**Manufacturer Name :** Forest River, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 16V-552 /51-07152016-0225  
**Recall Subject :** Shower Curtains may be Flammable/FMVSS 302  
**Owner Notification Beginning Date :** SEP 12, 2016  
**Owner Notification End Date:** SEP 12, 2016



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
12	AUG 20, 2019	2019-2	1,330	391	0	0
11	AUG 20, 2019	2019-1	1,330	387	0	0
10	AUG 20, 2019	2018-4	1,330	352	0	0
9	AUG 20, 2019	2018-3	1,330	320	0	0
8	AUG 20, 2019	2018-2	1,330	319	0	0
7	AUG 20, 2019	2018-1	1,330	315	0	0
6	JAN 15, 2018	2017-4	1,330	302	0	0
5	OCT 23, 2017	2017-3	1,330	295	0	0
4	JUL 20, 2017	2017-2	1,330	282	0	0
3	APR 21, 2017	2017-1	1,330	230	0	0
2	JAN 07, 2017	2016-4	1,330	134	0	0
1	OCT 06, 2016	2016-3	1,330	0	0	0

This Document Last Updated : AUG 20, 2019

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.