

Recall Quarterly Report**16V-774****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 16V-774 /55-10162016-0257**Recall Subject :** Carbon Monoxide Leak from Missing Cable Tie**Owner Notification Beginning Date :** NOV 21, 2016**Owner Notification End Date:** NOV 22, 2016

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
9	APR 17, 2019	2018-4	156	69	0	0
8	JAN 17, 2019	2018-3	156	61	0	0
7	JUL 26, 2018	2018-2	156	47	0	0
6	APR 20, 2018	2018-1	156	47	0	0
5	JAN 24, 2018	2017-4	156	44	2	0
4	OCT 20, 2017	2017-3	156	44	2	0
3	JUL 20, 2017	2017-2	156	41	2	0
2	APR 19, 2017	2017-1	156	32	2	0
1	JAN 18, 2017	2016-4	156	13	1	0

This Document Last Updated : APR 18, 2019

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.