

Part 573 Safety Recall Report

16V-620

Manufacturer Name : Seagrave Fire Apparatus, LLC

Submission Date : AUG 11, 2016

NHTSA Recall No. : 16V-620

Manufacturer Recall No. : 16E059



Manufacturer Information :

Manufacturer Name : Seagrave Fire Apparatus, LLC

Address : 105 East 12th Street

Clintonville WI 54929

Company phone : 715-823-2141

Population :

Number of potentially involved : 28

Estimated percentage with defect : 41 %

Vehicle Information :

Vehicle 1 : 2015-2016 FWD Seagrave

Vehicle Type : BUSES, MEDIUM & HEAVY VEHICLES

Body Style : OTHER

Power Train : DIESEL

Descriptive Information : Fire Truck

Production Dates : APR 09, 2015 - APR 20, 2016

VIN Range 1 : Begin :

NR

End : NR

Not sequential

Description of Defect :

Description of the Defect : C20 and C21 split-shaft transmissions and model TC20 and TC21 PTO split shaft transmissions inability to shift the apparatus from road to pump mode.

FMVSS 1 : NR

FMVSS 2 : NR

Description of the Safety Risk : Split shaft transmissions may not shift the apparatus from road to pump mode

Description of the Cause : NR

Identification of Any Warning that can Occur : Unknown failure may occur at any time.

Supplier Identification :**Component Manufacturer**

Name : WaterousCompany
Address : 125 Hardman Avenue South
South St. Paul MINNESOTA 55075-2456
Country : United States

Chronology :

NR

Description of Remedy :

Description of Remedy Program : NR
How Remedy Component Differs from Recalled Component : NR
Identify How/When Recall Condition was Corrected in Production : NR

Recall Schedule :

Description of Recall Schedule : Notification letters will be going out August 16, 2016.
Planned Dealer Notification Date : AUG 16, 2016 - AUG 19, 2016
Planned Owner Notification Date : AUG 16, 2016 - AUG 19, 2016

* NR - Not Reported