

Part 573 Safety Recall Report

16V-624

Manufacturer Name : Midwest Fire Equipment & Repair Company

Submission Date : AUG 23, 2016

NHTSA Recall No. : 16V-624

Manufacturer Recall No. : NR



Manufacturer Information :

Population :

Manufacturer Name : Midwest Fire Equipment & Repair Company

Number of potentially involved : 2

Address : 901 Commerce Road

Estimated percentage with defect : 100 %

PO Box 524 Luverne MN 56156

Company phone : 507-283-9141

Vehicle Information :

Vehicle 1 : 2016-2017 Freightliner M2-112, M2-106

Vehicle Type :

Body Style :

Power Train : NR

Descriptive Information : Vehicle recall due to safety recall on Waterous Company product. Waterous NHTSA Recall 16E059

Production Dates : OCT 06, 2015 - APR 28, 2016

VIN Range 1 : Begin :

NR

End : NR

Not sequential

Description of Defect :

Description of the Defect : This vehicle recall is related to: Waterous Company has decided that a safety related defect may exist in certain model C20 & C21 split-shaft transmissions & model TC20 & TC21 PTO split-shaft transmissions manufactured from April 9, 2015 to April 20, 2016.

FMVSS 1 : NR

FMVSS 2 : NR

Description of the Safety Risk : This condition could potentially result in the inability to shift the apparatus from road to pump mode.

Description of the Cause : NR

Identification of Any Warning that can Occur : NR

Supplier Identification :**Component Manufacturer**

Name : Waterous Company
Address : 125 Hardman Avenue South
South St.Paul MINNESOTA 55075
Country : United States

Chronology :

Midwest Fire received a recall notification from our vendor, Waterous Company-NHTSA Recall 16E059.
Midwest Fire is now issuing a vehicle recall due to this equipment recall.

Description of Remedy :

Description of Remedy Program : Midwest Fire received a detailed information sheet to give to customer outlining the remedy & reimbursement. SEE ATTACHMENT FROM WATEROUS

How Remedy Component Differs from Recalled Component : SEE ATTACHMENT FROM WATEROUS

Identify How/When Recall Condition was Corrected in Production : NR

Recall Schedule :

Description of Recall Schedule : There are only two customers the recall pertains to. Midwest Fire will notify the customers via telephone & mailing.

Planned Dealer Notification Date : AUG 29, 2016 - SEP 30, 2016

Planned Owner Notification Date : AUG 29, 2016 - SEP 30, 2016

* NR - Not Reported