

Part 573 Safety Recall Report

16V-904

Manufacturer Name : Halcore Group, Inc.

Submission Date : DEC 13, 2016

NHTSA Recall No. : 16V-904

Manufacturer Recall No. : NR



Manufacturer Information :

Manufacturer Name : Halcore Group, Inc.

Address : 3800 McDowell Road

Grove City OH 43123

Company phone : 999

Population :

Number of potentially involved : 7

Estimated percentage with defect : 100 %

Vehicle Information :

Vehicle 1 : 2016-2016 American Emergency Vehicle Traumahawk Ambulance

Vehicle Type :

Body Style :

Power Train : NR

Descriptive Information : Per Cot Manufacturer Stryker: Some cots compatible with the Stryker 6392 Performance-LOAD cot fastening system (mount) may not have been securely fastened or had an inability to fasten into the Performance-LOAD (bounced back during loading). The fastening issues between the cot and the fastener are associated with the Foot End Fastener on the cot and the Foot End Interface of the Performance-LOAD mount.

Production Dates : MAR 20, 2016 - OCT 28, 2016

VIN Range 1 : Begin :

NR

End : NR

Not sequential

Description of Defect :

Description of the Defect : Per Cot Manufacturer Stryker: Some cots compatible with the Stryker 6392 Performance-LOAD cot fastening system (mount) may not have been securely fastened or had an inability to fasten into the Performance-LOAD (bounced back during loading). The fastening issues between the cot and the fastener are associated with the Foot End Fastener on the cot and the Foot End Interface of the Performance-LOAD mount.

FMVSS 1 : NR

FMVSS 2 : NR

Description of the Safety Risk : Per Stryker Document: There is a high probability of temporary or reversible harm, specifically mild soft tissue contusion or muscle strain not requiring medical intervention. There have been no reports of injury associated with this issue. *If cot dislodges from mount serious injury may occur to patient and or individuals within patient compartment.

Description of the Cause : NR
Identification of Any Warning NR
that can Occur :

Supplier Identification :

Component Manufacturer

Name : Stryker Medical
Address : NR
Portage MICHIGAN 49002
Country : United States

Chronology :

November 2016 Cot mount manufacturer Stryker sent AEV a Medical Device Notification describing details & referencing 7 mount serial numbers. AEV contacted mount owners & Stryker for thier direct repair / retro fit. AEV notified sister companies of component issue.

Description of Remedy :

Description of Remedy Program : Stryker offered end users manufacture representative part installation.
How Remedy Component Differs NR
from Recalled Component :
Identify How/When Recall Condition NR
was Corrected in Production :

Recall Schedule :

Description of Recall Schedule : Completed for all 7 units
Planned Dealer Notification Date : NR - NR
Planned Owner Notification Date : NR - NR

* NR - Not Reported