

From: [REDACTED]
Sent: Monday, May 02, 2016 10:56 AM
To: [REDACTED] - (BFD-SafetyHealth)
Cc: [REDACTED]
Subject: Boston FD KME Cab Door Campaign

LT [REDACTED],

KME will be doing a recall campaign on the Boston FD KME cab door latches/hardware. Myself and several other KME representatives will be traveling to Boston Wednesday. We are hoping to meet with you and observe some of the apparatus within the scope of the campaign Thursday AM.

Please let me know if you or someone from your staff will be available to observe some of the units identified? I have attached a list of KME GSO#'s that we will be interested in inspecting. If you have any other questions please do not hesitate to call on me.

Thanks,

[REDACTED]
Warranty Manager



This e-mail transmission and any messages or files attached to it are intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law or agreement. If you are not the intended recipient, you are hereby notified that any review, disclosure, dissemination, distribution or copying of this communication or any part of it is strictly prohibited. If you have received this communication in error, please notify the original sender immediately by replying or forwarding this e-mail to the original sender, then delete it in its entirety from your computer.

This e-mail transmission and any messages or files attached to it are intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law or agreement. If you are not the intended recipient, you are hereby notified that any review, disclosure, dissemination, distribution or copying of this communication or any part of it is strictly prohibited. If you have received this communication in error, please notify the original sender immediately by replying or forwarding this e-mail to the original sender, then