



**\*\*\* IMPORTANT SAFETY RECALL \*\*\***  
**NHTSA Recall No. 16V-861**

December 16, 2016

Mr. [REDACTED]  
[REDACTED]  
Oakland, CA 94606 USA

Dear Cummins Customer:

This notice is sent to you in accordance with the requirements of the National Traffic and Motor Vehicle Safety Act.

Cummins Inc. has decided that a defect which relates to motor vehicle safety exists in certain Cummins Power Generation C60D6R, C150D2RE, C100D6R, C200D6R, C200D2RE, C275D2RE AND C300D6R generator sets that were manufactured between December 18, 2015 and October 3, 2016.

This notice applies to your trailered Cummins Power Generation generator set:

Generator Serial Number	Trailer Manufacturer	Trailer Vehicle Identification Number (VIN)
G160973387	Metro Metal and Design	5632G1927GM015294
G160974526	Metro Metal and Design	5632G1926GM015495
G160974527	Metro Metal and Design	5632G192XGM015502
G160974528	Metro Metal and Design	5632G2033GM015577
G160974529	Metro Metal and Design	5632G1923GM015499
G160974530	Metro Metal and Design	5632G192XGM015497
G160974531	Metro Metal and Design	5632G1928GM015496
G160976876	Metro Metal and Design	5632G2035GM015578
G160976877	Metro Metal and Design	5632G2036GM015511
G160976878	Metro Metal and Design	5632G2035GM015581

**WHY IS A RECALL BEING CONDUCTED?**

The door hinges used on the generator set may fail to maintain attachment of the door. If a door becomes detached, it may fall into the roadway and create a road hazard, increasing the risk of a crash. If the detachment occurs while the unit is stationary, it may result in personal injury to bystanders.



## **WHAT ARE WE DOING ABOUT THE PROBLEM?**

Cummins has released field Safety Campaign 2954 “Rental Hinge Replacement” to correct this condition by replacing door hinges and associated mounting hardware. This campaign is currently available at Cummins Distributors and Cummins Power Generation-authorized Warranty Dealers. The repair will be completed free of charge and most applications will require approximately 4 hours to complete.

## **WHAT SHOULD YOU DO?**

Contact the nearest Cummins Distributor or Cummins Power Generation-authorized Warranty Dealer to arrange to have this campaign performed on your generator set. The distributor or dealer will work with you to schedule the best date to complete this repair.

Before you transport the generator set, contact a distributor or dealer to schedule a repair date and receive instructions from the distributor or dealer on the method to properly secure the doors for transit. (Reference instructions in Cummins Product Support Bulletin CPGF-S-00000403.) Use extra caution when opening the generator set doors to avoid a detached door causing personal injury.

Federal law requires vehicle lessors receiving this recall notice to forward a copy of this notice to the lessee within ten (10) days. Also, it is a violation of Federal law for a dealer to deliver a new vehicle or equipment covered by this recall notice under a sale or lease until the defect has been remedied.

## **WHO SHOULD YOU CONTACT IF YOU HAVE FURTHER QUESTIONS OR CONCERNS?**

If you have questions or concerns about this recall, please contact your local Cummins Distributor or Cummins Power Generation-authorized warranty dealer. You may also contact the Cummins Customer Assistance Center at 1-800-DIESELS (1-800-343-7357).

If you have a complaint relative to this recall, you may report it to the following:

Administrator  
National Highway Traffic Safety Administration  
1200 New Jersey Avenue, SE  
Washington, DC 20590

You may also call the toll free Vehicle Safety Hotline at 1-888-327-4236 (TTY: 1-800-424-9153); or go to <http://www.safercar.gov>.

Cummins is taking this action in the interest of your personal safety and satisfaction with our products. We apologize for any inconvenience and thank you for your attention to this matter.

Sincerely,

Campaign Administrator  
Cummins Inc.

Cummins Inc.  
500 Jackson Street  
Columbus, IN 47201 USA  
Phone 1 812 377 5000  
[cummins.com](http://cummins.com)