

DAIMLER

Describe the safety risk:

See attached Bergstrom Defect Information Report. NHTSA Recall 16E-017 which states "Overheating of the compressor connector on units built with the open style compressor connector cap has resulted in a small percentage of potential fires (one tenth of one percent, 0.1%)."

If applicable, identify the manufacture of the defective or noncompliant component.

Bergstrom Inc.
2390 Blackhawk Road,
Rockford, IL 61125-1007
Attn: Mark Meegan, Chief Procurement Officer, (815) 873-4528

Chronology of Defect / Noncompliance Determination

Provide the chronology of events leading up to the defect decision or test data for the noncompliance decision:

July 2015 – February 2016 – DTNA assisted Bergstrom with extensive investigation into potential thermal events related to the Bergstrom Parksmart.

Feb 2016 – Bergstrom notified DTNA of potential recall. See attached Bergstrom Defect Information Report. NHTSA Recall 16E-017.

March 2016 – DTNA decided to initiate a voluntary recall campaign.

Identify the Remedy

Describe the defect/noncompliance remedy program, including the manufacture's plan for reimbursement.

DTNA will inspect and repair vehicles as per Bergstrom instructions. Repairs will be performed by Daimler Trucks North America authorized service facilities. Copies of the reimbursement plan will be submitted as a supplemental report when available.

Identify the Recall Schedule

Describe the recall schedule for notifications:

Customer notification will be made by first class mail using Daimler Trucks North America records to determine the customers affected.

Planned Dealer Notification Begin Date: 05/07/2016

Planned Dealer Notification End Date: 05/07/2016

Planned Owner Notification Begin Date: 05/07/2016

Planned Owner Notification End Date: 05/07/2016


DAIMLER

Manufacture's identification code for this recall (if applicable): *FL-703*

Manufactures Comments to NHTSA Staff

Estimated percentage of involve with defect is entered as 1, but actual percentage is unknown.

DTNA Representative;

A handwritten signature in black ink that reads "Andrew Jones". The signature is written in a cursive, slightly slanted style.

Andy Jones
Senior Manager
Compliance and Regulatory Affairs