



U.S. Department of Transportation
**National Highway Traffic Safety
Administration**

1200 New Jersey Avenue SE
Washington, DC 20590

December 13, 2017

Mr. Tim Lafon
Vice President Regulatory Affairs
Prevost Cars, Inc.
7900 National Service Rd
Greensboro, NC 27357

NEF-150KS
17V-737

Subject: Fire Extinguisher May Be Clogged or Inoperable

Dear Mr. Lafon:

This letter serves to acknowledge Prevost Cars, Inc.'s notification to the National Highway Traffic Safety Administration (NHTSA) of a safety recall which will be conducted pursuant to Federal law for the product(s) listed below. Please review the following information to ensure that it conforms to your records as this information is being made available to the public. If the information does not agree with your records, please contact us immediately to discuss your concerns.

Makes/Models/Model Years:

PREVOST/H3-41/2009-2018
PREVOST/H3-45/2009-2018
PREVOST/H3-45 VIP/2009-2018
PREVOST/X3-45/2009-2018
PREVOST/X3-45 VIP/2009-2018
PREVOST/X3-45 VIP ENTERTAINER/2009-2018

Mfr's Report Date: November 20, 2017

NHTSA Campaign Number: 17V-737

Components:

EQUIPMENT

Potential Number of Units Affected: 1,989

Problem Description:

Prevost Cars, Inc. (Prevost) is recalling certain 2009-2018 H3-41, H3-45, H3-45 VIP, X3-45, X3-45 VIP, and X3-45 VIP Entertainer vehicles, equipped with certain Kidde Plastic-Handle or Push Button 'Pindicator' Fire Extinguishers. These extinguishers may become clogged, preventing the extinguisher from discharging as expected or excessive force may be needed to activate the extinguisher. Additionally, in certain models, the nozzle may detach from the valve assembly with enough force that it could cause injury and also render the product inoperable. For a full list of the affected fire extinguisher models visit: <https://static.nhtsa.gov/odi/rc1/2017/RMISC-17E062-5427.pdf>

Consequence:

In the event of a fire, if the fire extinguisher does not function properly, it can increase the risk of injury.

Remedy:

Prevost will notify owners, and instruct them to contact Kidde for a replacement fire extinguisher, free of charge. The recall is expected to begin January 20, 2018. Owners may contact Prevost customer service at 1-866-870-2046, or Kidde customer service toll

free at 1-855-271-0773 or online at www.kidde.com and click on "Product Safety Recall" for more information. Prevost's number for this recall is SR17-31.

Notes:

Owners may also contact the National Highway Traffic Safety Administration Vehicle Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153), or go to www.safercar.gov.

Please be reminded of the following requirements:

You are required to submit a draft owner notification letter to this office no less than five days prior to mailing it to the customers. Also, copies of all notices, bulletins, dealer notifications, and other communications that relate to this recall, including a copy of the final owner notification letter and any subsequent owner follow-up notification letter(s), are required to be submitted to this office no later than 5 days after they are originally sent (if they are sent to more than one manufacturer, distributor, dealer, or purchaser/owner).

Please be reminded that under 49 U.S.C. § 30112(a)(3), it is illegal for a manufacturer, to sell, offer for sale, import, or introduce or deliver into interstate commerce, a motor vehicle or item of motor vehicle equipment that contains a safety defect once the manufacturer has notified NHTSA about that safety defect. This prohibition does not apply once the motor vehicle or motor vehicle equipment has been remedied according to the manufacturer's instructions.

We understand that you intend for Kidde to supply the required six quarterly recall completion rate reports.

Your contact for this recall will be Kelly Schuler who may be reached by phone at (202) 366-5227, or by email at kelly.schuler@dot.gov or through the office email at rmd.odi@dot.gov. We look forward to working with you.

Sincerely,



Jennifer Timian
Chief, Recall Management Division
Office of Defects Investigations
Enforcement