

**Recall Quarterly Report****17V-227**

**Manufacturer Name :** Forest River, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 17V-227 /45-03242017-0360  
**Recall Subject :** Side Deck Patio may Open Unexpectedly  
**Owner Notification Beginning Date :** MAY 17, 2017  
**Owner Notification End Date:** MAY 17, 2017



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
13	JUL 22, 2020	2020-2	68	30	0	0
12	APR 14, 2020	2020-1	68	30	0	0
11	JAN 20, 2020	2019-4	68	30	0	0
10	OCT 22, 2019	2019-3	68	26	0	0
9	JUL 30, 2019	2019-2	68	26	0	0
8	APR 25, 2019	2019-1	68	24	0	0
7	JAN 17, 2019	2018-4	68	22	0	0
6	OCT 09, 2018	2018-3	68	21	0	0
5	JUL 24, 2018	2018-2	68	20	0	0
4	APR 20, 2018	2018-1	68	19	0	0
3	JAN 12, 2018	2017-4	68	18	0	0
2	OCT 24, 2017	2017-3	68	16	0	0
1	JUL 19, 2017	2017-2	68	5	0	0

This Document Last Updated : JUL 23, 2020

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.