

**Recall Quarterly Report****17V-320**

**Manufacturer Name :** Terex South Dakota, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 17V-320 /SN658  
**Recall Subject :** GFCI may not Protect User against Shock  
**Owner Notification Beginning Date :** JUN 27, 2017  
**Owner Notification End Date:** JUN 27, 2017



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	JUL 06, 2018	2018-2	58	34	0	0
4	APR 05, 2018	2018-1	58	30	0	0
3	JAN 22, 2018	2017-4	58	27	0	0
2	OCT 13, 2017	2017-3	58	15	0	0
1	JUL 19, 2017	2017-2	58	4	0	0

This Document Last Updated : JUL 17, 2018

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.