

Recall Quarterly Report**17V-734**

Manufacturer Name : REV Recreation Group
NHTSA Recall No. / MFR Recall No. : 17V-734 /
Recall Subject : Fire Extinguisher May Be Clogged or Inoperable
Owner Notification Beginning Date : JAN 16, 2018
Owner Notification End Date: JAN 16, 2018



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	JUL 29, 2019	2019-2	7,399	332	301	125
5	APR 26, 2019	2019-1	7,399	322	299	125
4	JAN 29, 2019	2018-4	7,399	320	299	125
3	OCT 30, 2018	2018-3	7,399	315	173	125
2	JUL 27, 2018	2018-2	7,399	314	173	125
1	APR 30, 2018	2018-1	7,399	246	172	0

This Document Last Updated : AUG 08, 2019

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.