

Recall Quarterly Report

17V-799

Manufacturer Name : Forest River, Inc.

NHTSA Recall No. / MFR Recall No. : 17V-799 / 40-0594

Recall Subject : Incorrect Circuit Breaker may Cause Excessive Heat

Owner Notification Beginning Date : JAN 11, 2018

Owner Notification End Date: JAN 11, 2018



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
14	JUL 13, 2021	2021-2	108	52	4	0
13	APR 20, 2021	2021-1	108	52	3	0
12	JAN 20, 2021	2020-4	108	52	3	0
11	OCT 21, 2020	2020-3	108	51	1	0
10	JUL 22, 2020	2020-2	108	50	1	0
9	APR 14, 2020	2020-1	108	49	0	0
8	JAN 20, 2020	2019-4	108	45	0	0
7	OCT 22, 2019	2019-3	108	42	0	0
6	JUL 30, 2019	2019-2	108	41	0	0
5	APR 25, 2019	2019-1	108	39	0	0
4	JAN 16, 2019	2018-4	108	29	0	0
3	OCT 09, 2018	2018-3	108	24	0	0
2	JUL 24, 2018	2018-2	108	22	0	0
1	APR 19, 2018	2018-1	108	11	0	0

This Document Last Updated : JUL 14, 2021

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.