

Recall Quarterly Report**17V-838****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 17V-838 /64-0456**Recall Subject :** Incorrectly Installed 110V and 12V Wires**Owner Notification Beginning Date :** FEB 07, 2018**Owner Notification End Date:** FEB 07, 2018

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
19	OCT 21, 2022	2022-3	3,297	1,186	208	0
18	JUL 21, 2022	2022-2	3,297	1,183	208	0
17	APR 29, 2022	2022-1	3,297	1,175	208	0
16	JAN 30, 2022	2021-4	3,297	1,174	208	0
15	OCT 25, 2021	2021-3	3,297	1,163	0	0
14	JUL 13, 2021	2021-2	3,297	1,137	210	0
13	APR 20, 2021	2021-1	3,297	1,093	211	0
12	JAN 20, 2021	2020-4	3,297	1,034	207	0
11	OCT 21, 2020	2020-3	3,297	991	133	0
10	JUL 22, 2020	2020-2	3,297	968	132	0
9	APR 14, 2020	2020-1	3,297	958	4	0
8	JAN 20, 2020	2019-4	3,297	918	0	0
7	OCT 22, 2019	2019-3	3,297	871	0	0
6	JUL 30, 2019	2019-2	3,297	763	0	0
5	APR 17, 2019	2019-1	3,297	749	0	0
4	JAN 16, 2019	2018-4	3,297	726	0	0
3	OCT 09, 2018	2018-3	3,297	632	0	0
2	JUL 24, 2018	2018-2	3,297	579	0	0
1	APR 19, 2018	2018-1	3,297	278	0	0

This Document Last Updated : NOV 04, 2022

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.