



January 2018  
NHTSA Recall 17V-726  
Campaign Bulletin CB17-X-001

## **IMPORTANT SAFETY RECALL**

### **Kidde Fire Extinguisher Recall 17V-726**

**To:** Isuzu Commercial Truck Service Managers and Parts Managers

This notice and safety recall bulletin CB17-X-001 with sample owner letter are being sent to update you about Kidde Fire Extinguisher Recall 17V-726 in certain Isuzu commercial vehicles.

#### **AFFECTED VEHICLES**

- 2008, 2011-2018MY Isuzu N-Series Vehicles Wholesaled Between January 2, 2012 and November 6, 2017

Equipped with the following RPO codes: IB2, IB4, IF6, I6G, I0L and I6G

#### **CONDITION**

Isuzu Motors Limited has decided that a defect, which relates to motor vehicle safety, exists in certain 2008 and 2011-2018MY Isuzu N-Series vehicles wholesaled between January 2, 2012 and November 6, 2017 with the following RPO codes: IB2, IB4, IF6, I6G, I0L and I6G, which include a Kidde fire extinguisher (Models FC10 and FC110).

These fire extinguishers may become clogged or require excessive force to activate. In addition, the nozzle of the fire extinguisher may detach with enough force to cause injury. If a fire extinguisher malfunctions, there may be an increased risk of injury in the event of a fire. As a result, the affected vehicles (which were equipped with an affected Kidde fire extinguisher) are being recalled.

#### **CORRECTION**

Owners are to contact Kidde directly at 1-855-271-0773 between 8:30a.m. and 5:00p.m. ET Monday through Friday (excluding holidays), or between 9:00a.m. and 3:00p.m. ET Saturday and Sunday. They can also visit [www.kidde.com](http://www.kidde.com) and click on "Product Safety Recall" to order replacement fire extinguishers free of charge.

#### **VEHICLES INVOLVED**

Involved are certain 2008 and 2011-2018MY Isuzu N-Series vehicles wholesaled between January 2, 2012 and November 6, 2017 with the following RPO codes: IB2, IB4, IF6, I6G, I0L and I6G, which include a Kidde fire extinguisher (Models FC10 and FC110).

#### **OWNER NOTIFICATION**

OWNER NOTIFICATION WILL BEGIN JANUARY 12, 2018.

Please ensure that all appropriate personnel within your dealership are aware of this Safety Recall – Kidde Fire Extinguisher (17V-726) and that the necessary repairs are performed on all affected vehicles in your inventory per the above instructions prior to being retailed or delivered to a customer.

**Isuzu Commercial Truck of America, Inc.**  
**Customer Relations Department**  
1400 S. Douglass Road, Suite 100, Anaheim, CA 92806 \*1-866-441-9638

DOC ID: DN\_17V726\_20180105