


BISON V.I.N. TAG REPLACEMENT INSTRUCTIONS 9011



● Section 1 – Tire & Load information

● Section 2 – Federal Certification label
(blank for information only)

Section 3 – Load label (not pictured)

The VIN tag is broken into 3 different labels you will need to replace both on the sidewall and the one on the entry door so that all information is updated correctly.

****IMPORTANT: DO NOT APPLY NEW LABELS OVER THE EXISTING LABELS.**

Locate the tire information label and Federal Certification label on the off door side or driver side of the Recreational Vehicle. You will need to match the VIN # to both labels prior to installation.

Using a razor blade or scraper to peel one corner up, grasp the label and pull. *note that the entire label will not be removed, the backing will remain.


Apply the new label directly over the area of the old label, both labels must be replaced. See the following for proper location of the labels. The VIN label will come with a clear cover to put on top of the label.

Should you have any questions please contact Bison Customer Service.

BISON V.I.N. TAG REPLACEMENT INSTRUCTIONS 9011




For aluminum frame trailers the label will be installed on the trim rail as shown above.



For steel framed trailers the labels are on the steel portion of the frame as shown above.

Bison Warranty Department, 1002 N. Old SR 15, Milford, IN 46542
574-658-4161

BISON V.I.N. TAG REPLACEMENT INSTRUCTIONS 9011



Load label is placed on the inside frame of the entry door.

Parts

Federal Certification Label

Tools

Razor Blade or plastic scraper.

Warranty

File Recall Repair warranty claim using warranty code 9011 for .1 hours

*Note: photos are for illustration purposes only and might not be representative of the RV be repaired.