



U.S. Department of Transportation  
**National Highway Traffic Safety  
Administration**

1200 New Jersey Avenue SE  
Washington, DC 20590

February 7, 2018

Mr. Andy Jones  
Daimler Trucks North America LLC  
4747 N. Channel Ave.  
Portland, OR 97217

NEF-150MR  
18V-083

**Subject:** Fire Extinguisher May Be Clogged or Inoperable

Dear Mr. Jones:

This letter serves to acknowledge Daimler Trucks North America LLC's notification to the National Highway Traffic Safety Administration (NHTSA) of a safety recall which will be conducted pursuant to Federal law for the product(s) listed below. Please review the following information to ensure that it conforms to your records as this information is being made available to the public. If the information does not agree with your records, please contact us immediately to discuss your concerns.

**Makes/Models/Model Years:**

THOMAS BUILT BUSES/FS-65/2002-2017  
THOMAS BUILT BUSES/MINOTOUR/2002-2017  
THOMAS BUILT BUSES/SAF-T-LINER C2/2002-2017  
THOMAS BUILT BUSES/SAF-T-LINER HDX/2002-2017

**Mfr's Report Date:** January 30, 2018

**NHTSA Campaign Number:** 18V-083

**Components:**

EQUIPMENT

**Potential Number of Units Affected:** 606

**Problem Description:**

Daimler Trucks North America LLC (DTNA) is recalling certain 2002-2017 Thomas Built Buses Saf-T-Liner C2, Saf-T-Liner HDX, FS65, and Minotour school buses, equipped with Kidde Plastic-Handle or Push Button 'Pindicator' Fire Extinguishers. These extinguishers may become clogged, preventing the extinguisher from discharging as expected or requiring excessive force to activate the extinguisher. Additionally, in certain models, the nozzle may detach from the valve assembly with enough force that it could cause injury and also render the product inoperable. For a full list of the affected fire extinguisher models visit: <https://static.nhtsa.gov/odi/rc1/2017/RMISC-17E062-5427.pdf>

**Consequence:**

In the event of a fire, if the fire extinguisher does not function properly, it can increase the risk of injury.

**Remedy:**

DTNA will notify owners instructing them to contact Kidde for a replacement fire extinguisher, free of charge. The recall is expected to begin March 30, 2018. Owners may contact DTNA customer service at 1-800-547-0712 or Kidde customer service at 1-855-262-3540 or online at [www.kidde.com](http://www.kidde.com) and click on "Product Safety Recall" for more information. DTNA's number for this recall is FL-759.

**Notes:**

Owners may also contact the National Highway Traffic Safety Administration Vehicle Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153), or go to [www.safercar.gov](http://www.safercar.gov).

Please be reminded of the following requirements:

You are required to submit a draft owner notification letter to this office no less than five days prior to mailing it to the customers. Also, copies of all notices, bulletins, dealer notifications, and other communications that relate to this recall, including a copy of the final owner notification letter and any subsequent owner follow-up notification letter(s), are required to be submitted to this office no later than 5 days after they are originally sent (if they are sent to more than one manufacturer, distributor, dealer, or purchaser/owner).

Please be reminded that under 49 U.S.C. § 30112(a)(3), it is illegal for a manufacturer, to sell, offer for sale, import, or introduce or deliver into interstate commerce, a motor vehicle or item of motor vehicle equipment that contains a safety defect once the manufacturer has notified NHTSA about that safety defect. This prohibition does not apply once the motor vehicle or motor vehicle equipment has been remedied according to the manufacturer's instructions.

We understand that you intend for Kidde to supply the required six quarterly recall completion rate reports.

Your contact for this recall will be Michelle Rice who may be reached by phone at (202) 366-1060, or by email at [michelle.rice@dot.gov](mailto:michelle.rice@dot.gov) or through the office email at [rmd.odi@dot.gov](mailto:rmd.odi@dot.gov). We look forward to working with you.

Sincerely,



Jennifer Timian  
Chief, Recall Management Division  
Office of Defects Investigations  
Enforcement