



U.S. Department of Transportation
**National Highway Traffic Safety
Administration**

1200 New Jersey Avenue SE
Washington, DC 20590

March 30, 2018

Ms. Dianna McCance
Lazy Daze, Inc.
4303 Mission Boulevard
Montclair, CA 91763

NEF-150MR
18V-197

Subject: Fire Extinguisher May Be Clogged or Inoperable

Dear Ms. McCance:

This letter serves to acknowledge Lazy Daze, Inc.'s notification to the National Highway Traffic Safety Administration (NHTSA) of a safety recall which will be conducted pursuant to Federal law for the product(s) listed below. Please review the following information to ensure that it conforms to your records as this information is being made available to the public. If the information does not agree with your records, please contact us immediately to discuss your concerns.

Makes/Models/Model Years:

LAZY DAZE/24' FRONT DINETTE(24FD)/2012-2017
LAZY DAZE/24' FRONT LOUNGE (24FL)/2012-2017
LAZY DAZE/24' TWIN KING (24TK)/2012-2017
LAZY DAZE/27' MID-BATH (27MB)/2012-2017
LAZY DAZE/27' REAR BATH (27RB)/2012-2017
LAZY DAZE/27' REAR KITCHEN (27RK)/2012-2017
LAZY DAZE/31' ISLAND BED (31IB)/2012-2017
LAZY DAZE/31' TWIN BED (31TB)/2012-2017

Mfr's Report Date: March 23, 2018

NHTSA Campaign Number: 18V-197

Components:
EQUIPMENT

Potential Number of Units Affected: 109

Problem Description:

Lazy Daze, Inc. (Lazy Daze) is recalling certain 2012-2017 24' Twin King (24TK), 24' Front Lounge (24FL), 24' Front Dinette (24FD), 27' Mid-Bath (27MB), 27' Rear Bath (27RB), 27' Rear Kitchen (27RK), 31' Island Bed (31IB), and 31' Twin Bed (31TB) motorhomes equipped with certain Plastic-Handle Fire Extinguishers or Push Button 'Pindicator' Fire Extinguishers. These extinguishers may become clogged, preventing the extinguisher from discharging as expected or requiring excessive force to activate the extinguisher. Additionally, in certain models, the nozzle may detach from the valve assembly with enough force that it could cause injury and also render the product inoperable. For a full list of the affected fire extinguisher models visit: <https://static.nhtsa.gov/odi/rc1/2017/RMISC-17E062-5427.pdf>

Consequence:

In the event of a fire, if the fire extinguisher does not function properly, it can increase the risk of injury.

Remedy:

Lazy Daze will notify owners, instructing them to contact Kidde to get a replacement fire extinguisher, free of charge. The recall is expected to begin April 2, 2018. Owners may contact Lazy Daze customer service at 1-909-627-1103 or Kidde customer service at 1-855-271-0773 or they may also visit www.kidde.com and click on "Product Safety Recall" for more information.

Notes:

Owners may also contact the National Highway Traffic Safety Administration Vehicle Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153), or go to www.safercar.gov.

We have received 's Lazy Daze's proposed owner notification letter and have approved it for distribution.

Please be reminded of the following requirements:

Copies of all notices, bulletins, dealer notifications, and other communications that relate to this recall, including a copy of the final owner notification letter and any subsequent owner follow-up notification letter(s), are required to be submitted to this office no later than 5 days after they are originally sent (if they are sent to more than one manufacturer, distributor, dealer, or purchaser/owner).

As stated in Part 573.7, submission of the first of six consecutive quarterly status reports is required within one month after the close of the calendar quarter in which notification to purchasers occurs. Therefore, the first quarterly report will be due on, or before, 30 days after the close of the calendar quarter.

Your contact for this recall will be Michelle Rice who may be reached by phone at (202) 366-1060, or by email at michelle.rice@dot.gov or through the office email at rmd.odi@dot.gov. We look forward to working with you.

Sincerely,



Jennifer Timian
Chief, Recall Management Division
Office of Defects Investigations
Enforcement